



# *Blue-Point®*

QUALITY • PERFORMANCE • VALUE





## Our Milestones

Since its establishment in 1925 in Wisconsin, United States, the Blue-Point Tool Company has come a long way from when it first started out with a vision to create the best wrench in the world. Today, it is known simply as Blue-Point – and for hand tools that offer customers unparalleled Quality, Performance and Value. With a focus on the automotive industry, Blue-Point provides customers with a wide range of tools to suit their diverse needs. The company is also constantly on the lookout for ways to serve their customers better, and its innovative Blue-Point truck serves as a shining example of that.



**2015**  
Significant expansion of new product range.

**1945**  
Forged Steel Products Company merged with Snap-on Tools, Inc.

**1940**  
Superior tools from Snap-on Tools, Inc. make headlines in the industry.

**1930**  
Snap-on Wrench Company and Blue-Point Tool Company merged to become Snap-on Tools, Inc.

**1927**  
First to introduce double-box wrenches.

**1925**  
Blue-Point Tool Company was formed.



## Contents

### 1 MASTER TOOL SETS 1

- Modular Foam Kits
- Sets Building

### 2 TOOLS STORAGE 27

- Roll Cabinets
- Top Chests
- End Cabinets & Lockers
- Accessories
- Roll Carts
- Tool Boxes / Tool Bags

### 3 RATCHETS, SOCKETS & ACCESSORIES 45

- 1/4"
- 3/8"
- 1/2"
- 3/4"
- 1"

### 4 TORQUE TOOLS 79

- Torque Wrench
- Adjustable
- Preset Click-Type
- Electronic Type
- Torque Testers
- Checkers

### 5 WRENCHES 89

- Combination
- Adjustable
- Box
- Double Open End
- Special Wrenches
- Ratchet Combination
- T Shaped
- T & L Hex / L Torx

### 6 PLIERS & CUTTERS 111

- Pliers Sets / Standard & Mini
- Cutters
- Miniature
- Locking
- Retaining Ring
- Circlip Standard
- Miniature & Special

### 7 SCREWDRIVERS & BITS 129

- Screwdrivers
- Bits

### 8 STRIKING & CUTTING TOOLS 139

- Hammers
- Punches & Chisels
- Scrapers
- Files
- Cutting Tools



# MASTER TOOL SETS

Mobility, Portability & Organization





*Blue-Point®*





## 3/8" Drive Socket Set Mobility, Portability & Organization





## Double Open End Wrench Set

BPS1A

Packing: 1

CONTENTS		Set in modular foam kit
Double Open End Wrenches	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32 mm	



## 45° Double Ring Wrench Set

BPS2A

Packing: 1

CONTENTS		Set in modular foam kit
45° Double Ring Wrenches	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27 mm	



## 75° Double Ring Wrench Set

BPS3A

Packing: 1

CONTENTS		Set in modular foam kit
75° Double Ring Wrenches	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27 mm	



## Combination Wrench Set

BPS4PA

Packing: 1

CONTENTS		Set in modular foam kit
Combination Wrenches	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm	



## Ratcheting Combination Wrench Set

BPS5A

Packing: 1

CONTENTS		Set in modular foam kit
Ratcheting Combination Wrenches	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm	



## Adjustable Wrench Set

BPS6B

Packing: 1

CONTENTS		Set in modular foam kit
Adjustable Wrenches	8", 10"	
Curved Jaw Locking Plier	7"	
Straight Jaw Locking Plier	7"	



\*\*BPS6A - for China & India only

## Standard Pliers Set

BPS7A

Packing: 1

CONTENTS		Set in modular foam kit
Needle Nose Plier	6"	
Diagonal Cutting Plier	6"	
Combination Plier	8"	
Slip Joint Plier	8"	



## Circlip Pliers Set

BPS8A

Packing: 1

CONTENTS		Set in modular foam kit
External Circlip Plier, Straight	7"	
External Circlip Plier, 90°	7"	
Internal Circlip Plier, Straight	7"	
Internal Circlip Plier, 90°	7"	



## Screwdrivers Set

BPS9A

Packing: 1

CONTENTS		Set in modular foam kit
M Series Flat Tip	3.2x75, 5x100, 6x38, 6x150 mm	
M Series Phillips® Tip	0x75, 1x75, 2x38, 2x100, 3x150 mm	





## 1/4" Drive Socket Set

BPS10A

Packing: 1

CONTENTS	Set in modular foam kit
Sockets	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
Long Sockets	4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
Hex Socket Drivers	3, 4, 5, 6, 7, 8 mm
Flat Socket Drivers	4, 5.5, 6.5 mm
Phillips® Socket Drivers	#1, #2, #3
Pozidriv® Socket Drivers	#1, #2, #3
Torx® Socket Drivers	T8, T10, T15, T20, T25, T27, T30, T40
Quick Release Ratchet	1 pc.
Spinner Handle	1 pc.
Extension	2", 4"
Sliding T-handle	4.5"
Universal Joint	1 pc.
Flexible Extension	6"
Hex Bit Holder	1/4" Hex
Adaptor	1/4" * 3/8"



## 3/8" Drive Socket Set

BPS11A

Packing: 1

CONTENTS	Set in modular foam kit
Sockets	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm
Long Sockets	10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
Quick Release Ratchet	1 pc.
Spark Plug Sockets	16, 21 mm
Sliding T-handle	6"
Adaptor	3/8" * 1/4"
Universal Joint	1 pc.
Locking Extension	3"



## 1/2" Drive Socket Set

BPS12A

Packing: 1

CONTENTS	Set in modular foam kit
Sockets	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32, 34 mm
Long Sockets	10, 13, 17, 19, 22 mm
Quick Release Ratchet	1 pc.
Sliding T-handle	10"
Universal Joint	1 pc.
Locking Extension	6"



## Impact Socket Set

BPS13A

Packing: 1

CONTENTS	Set in modular foam kit
1/2" Impact Sockets	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32 mm
3/8" Impact Sockets	7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
Impact Extensions	3/8" Drive x 3", 1/2" Drive x 5"
Drive Adaptors	3/8"M * 1/4"F
Impact Adaptors	3/8"M * 1/2"F, 1/2"M * 3/8"F, 1/2"M * 3/4"F
Universal Joints	1/2" Drive



## L-Shape Wrench Set

BPS14A

Packing: 1

CONTENTS	Set in modular foam kit
Ball Hex Keys Set	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
L-Shape Torx Wrench Set	T10, T15, T20, T25, T27, T30, T40, T45, T50
L-Shape Hex Keys	12, 14, 17, 19 mm



## Single Direction Combination Wrench Set

BPS15A

Packing: 1

CONTENTS	Set in modular foam kit
Ratchet Combination Wrenches	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm



## L-Shape Long Torx Wrench Set

BPS16A

Packing: 1

CONTENTS	Set in modular foam kit
Folding Hex Key Set	1.5, 2, 2.5, 3, 4, 5, 6, 8 mm
Extra Long Arm Torx Key Set	T10, T15, T20, T25, T27, T30, T40, T45, T50
Extra Long Ball End Hex Key Set	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm



## File Set

BPS17A

Packing: 1

CONTENTS	Set in modular foam kit
Half Round Second Files	6", 8"
Round Second Files	6", 8"
Flat Second Files	6", 8"





## Pliers Set

BPS18A

Packing: 1

CONTENTS		Set in modular foam kit
Plastic Cutter	6"	
Combination Plier	6"	
Diagonal Plier	6"	
Long Nose Plier	6"	



## Large Combination Wrench Set

BPS19A

Packing: 1

CONTENTS		Set in modular foam kit
Combination Wrenches	20, 21, 22, 23, 24 mm	



## Adjustable Wrench & Pliers Set

BPS20A

Packing: 1

CONTENTS		Set in modular foam kit
Long Nose Plier	6"	
Combination Plier	8"	
Adjustable Wrenches	8", 12"	



## Hammers & Striking Tools Set

BPS21A

Packing: 1

CONTENTS		Set in modular foam kit
Punch & Chisel Set	5 pcs	
Ball Peen Hammer	8 oz	
Soft Face Hammer	300 mm	



## Torx® M Series Screwdriver Set

BPS22A

Packing: 1

CONTENTS		Set in modular foam kit
Torx® M Series Screwdriver, 75mm	TX6, TX7, TX8, TX9	
Torx® M Series Screwdriver, 100mm	TX10, TX15, TX20, TX25	



## VDE Screwdriver Set

BPS23A

Packing: 1

CONTENTS		Set in modular foam kit
VDE Phillips® Screwdrivers	0×60, 1×80, 2×100, 3×150	
VDE Slotted Screwdrivers	2.5×75, 4×100, 5.5×125, 6.5×150	



## VDE Pliers Set

BPS24A

Packing: 1

CONTENTS		Set in modular foam kit
VDE Nose Plier	6"	
VDE Diagonal Plier	6"	
VDE Stripping Plier	6"	
VDE Combination Plier	7"	
VDE Adjustable Joint Plier	10"	



## Double Ring, Single Direction, Ratcheting Wrench

BPS25B

Packing: 1

CONTENTS		Set in modular foam kit
Ratcheting Wrenches, Double Ring	6×7, 8×9, 10×11, 12×13, 14×15, 17×19 18×20, 21×22, 23×24mm	



## Pass-Through Screwdriver Set

BPS26A

Packing: 1

CONTENTS		Set in modular foam kit
Pass-Through Screwdrivers, Phillips®	PH2x100, PH2x150, PH3x150, PH3x200	
Pass-Through Screwdrivers, Slotted	SL6x100, SL6x150, SL8x150	



## Precision Screwdriver Set

BPS27A

Packing: 1

CONTENTS		Set in modular foam kit
Precision Screwdrivers, Phillips®	PH0, PH00, PH000	
Precision Screwdrivers, Torx®	T6, T8	
Precision Screwdrivers, Slotted	SL1.4, SL2, SL2.4, SL3	







## Flare Nut Wrenches Set

BPS28A

Packing: 1

CONTENTS		Set in modular foam kit
Flare Nut Wrenches Set	8x10, 9x11, 13x14, 15x17, 17x19mm	



## Combination Flex Socket Wrench Set

BPS29A

Packing: 1

CONTENTS		Set in modular foam kit
Combination Flex Socket Wrenches	10, 13, 14, 17, 19mm	



## Double Flex Socket Wrench Set

BPS30A

Packing: 1

CONTENTS		Set in modular foam kit
Double Flex Socket Wrench Set	6x7, 8x9, 10x11, 16x17, 18x19mm	



## Flex Flare Nut Wrench Set

BPS31A

Packing: 1

CONTENTS		Set in modular foam kit
Flex Flare Nut Wrench Set	10x11, 12x13, 14x17, 19x22mm	



## 1/4", 3/8" & 1/2" Drive Automotive Tool Set, 150pcs

BLPATSCM150

 Packing: 1

CONTENTS		Set in storage case
<b>1/4" DRIVE:</b>		
Standard Sockets	11 pcs.	4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
Long Sockets	9 pcs.	4, 5, 6, 7, 8, 9, 10, 11, 12 mm
Quick Release Ratchet	1 pc.	
Extension Bar	1 pc.	4"
Spinner Handle	1 pc.	
Universal Joint	1 pc.	
Bit Holder	1 pc.	
Tamper Resistant Torx® Socket Drivers	6 pcs.	T10, T15, T20, T25, T27, T30
Torx® Socket Drivers	7 pcs.	T10, T15, T20, T25, T27, T30, T40
<b>3/8" DRIVE:</b>		
Standard Sockets	12 pcs.	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
Long Sockets	10 pcs.	8, 9, 10, 11, 12, 13, 14, 15, 17, 19 mm
External Torx® Sockets	8 pcs.	E8, E10, E11, E12, E14, E16, E18, E20
Spark Plug Sockets	2 pcs.	16, 21 mm
Quick Release Ratchet	1 pc.	
Universal Joint	1 pc.	
Adaptor	1 pc.	3/8"F * 1/2"M
Extension Bars	2 pcs.	3", 6"
Flat Socket Drivers	3 pcs.	5.5, 6.5, 8 mm
Phillips® Socket Drivers	2 pcs.	#1, #2
Hex Socket Drivers	4 pcs.	3, 4, 5, 6 mm
Torx® Socket Drivers	7 pcs.	T10, T15, T20, T25, T27, T30, T40
<b>1/2" DRIVE:</b>		
Standard Sockets	11 pcs.	14, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm
Long Sockets	9 pcs.	12, 13, 14, 15, 17, 18, 19, 21, 22 mm
Impact Sockets	4 pcs.	17, 19, 21, 23 mm
Extension Bars	2 pcs.	5", 10"
Quick Release Ratchet	1 pc.	
Universal Joint	1 pc.	
3-Way Adaptor	1 pc.	3/8"F * 1/2"M
<b>TOOLS:</b>		
M Series Screwdrivers	2 pcs.	Phillips® #2×38mm, Slotted #6×38mm
Pass-Through Screwdrivers	2 pcs.	Phillips® #2×100mm, Slotted #6×100mm
Double Ring Ratcheting Wrenches	3 pcs.	8×10, 12×14, 17×19 mm
Combination Wrenches	12 pcs.	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
L-Shape Hex Keys Wrench Set	1 set	
Long Nose Plier	1 pc.	6"
Slip Joint Plier	1 pc.	8"





## 1/4", 3/8" & 1/2" Drive Socket & Tool Set, 128pcs

BLPATSCM128

Packing: 1

CONTENTS		Set in storage case
<b>1/4" DRIVE:</b>		
Standard Sockets 6-Point	10 pcs.	4 to 13 mm
Deep Sockets 6-Point	10 pcs.	4 to 13 mm
Flat Socket Drivers	3 pcs.	4, 5.5, 6.5 mm
Hex Socket Drivers	6 pcs.	3, 4, 5, 6, 7, 8 mm
Phillips® Socket Drivers	4 pcs.	#0, #1, #2, #3
Tamper Resistant Torx® Socket Drivers	7 pcs.	T10, T15, T20, T25, T27, T30, T40
Pozidriv® Socket Drivers	4 pcs.	#0, #1, #2, #3
Quick Release Ratchet Handle	1 pc.	
Spinner Handle	1 pc.	6"
Extension Bars	2 pcs.	38, 75 mm
Universal Joint	1 pc.	
Flexible Handle	1 pc.	6"
Bit Adaptor	1 pc.	1/4"F * 1/4"H
Hex Bit Sockets	5 pcs.	1/8", 5/32", 3/16", 7/32", 1/4"
Flat Bit Sockets	4 pcs.	7/32", 3/16", 1/4", 9/32"
Torx® Bit Sockets	8 pcs.	T8, T10, T15, T20, T25, T27, T30, T40
Bit Adaptor	1 pc.	
<b>3/8" DRIVE:</b>		
Standard Sockets 6-Point	10 pcs.	10 to 19 mm
Deep Sockets 12-Point	10 pcs.	10 to 19 mm
Quick Release Ratchet Handle	1 pc.	
Extension Bars	3 pcs.	75, 150, 250 mm
Flexible Handle	1 pc.	10"
Universal Joint	1 pc.	
Spark Plug Sockets 6-Point	2 pcs.	16, 21 mm
Adaptor	1 pc.	3/8"F * 1/4"M
Sliding Bar	1 pc.	8"
<b>1/2" DRIVE:</b>		
Standard Sockets 6-Point	6 pcs.	20, 21, 22, 24, 27, 32 mm
Impact Sockets 6-Point	8 pcs.	14, 15, 16, 17, 18, 19, 21, 22 mm
Quick Release Ratchet Handle	1 pc.	
Extension Bar	1 pc.	125 mm
Coupler	1 pc.	1/4"F * 1/4"H
<b>TOOLS:</b>		
Ratcheting Wrenches	4 pcs.	13, 14, 15, 17 mm
Hex Key Set	9 pcs.	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm



## 1/4", 3/8" & 1/2" Drive Automotive Tool Set, 120pcs

BLPATSCM120

 Packing: 1

CONTENTS		Set in storage case
<b>1/4" DRIVE:</b>		
Standard Sockets	10 pcs.	4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm
Deep Sockets	4 pcs.	8, 9, 10, 12 mm
Ratchet	1 pc.	
Spinner Handle	1 pc.	
Extension Bar	1 pc.	3"
Coupler	1 pc.	1/4" F * 1/4" H
Universal Joint	1 pc.	
Hex Bit Sockets	6 pcs.	3, 4, 5, 6, 7, 8 mm
Flat Bit Sockets	3 pcs.	4, 5.5, 6.5 mm
Phillips® Bit Sockets	3 pcs.	#1, #2, #3
Pozidriv® Bit Sockets	2 pcs.	#1, #2
Torx® Bit Sockets	7 pcs.	TT10, TT15, TT20, TT25, TT27, TT30, TT40
<b>3/8" DRIVE:</b>		
Standard Sockets	10 pcs.	10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
Deep Sockets 12-Point	4 pcs.	13, 14, 15, 17 mm
External Torx® Sockets	8 pcs.	E8, E10, E11, E12, E14, E16, E18, E20
Ratchet	1 pc.	
Extension Bars	2 pcs.	3", 6"
Spark Plug Sockets	2 pcs.	16, 21 mm
Universal Joint	1 pc.	
Adaptor	1 pc.	3/8"F * 1/4"M
Sliding Handle	1 pc.	8"
<b>1/2" DRIVE:</b>		
Standard Sockets 6-Point	6 pcs.	20, 21, 22, 24, 27, 32 mm
Impact Sockets	4 pcs.	17, 19, 21, 23 mm
Ratchet	1 pc.	
Extension Bars	2 pcs.	5", 10"
Universal Joint	1 pc.	
Adaptor	1 pc.	1/2"F * 3/8"M
<b>TOOLS:</b>		
Adjustable 3-Claw Oil Wrench	1 pc.	
Test Pen	1 pc.	
Hex Key 9pcs Set	1 set	
Bit Set	20 pcs.	
Combination Wrenches	11 pcs.	8, 9, 10, 11, 12, 13, 14, 16, 17, 18, 19 mm
Socket for Air Cylinder	1 pc.	T52





# 1/4", 3/8" & 1/2" Drive Socket & Wrench Set, 100pcs

BLPATSCM100

Packing: 1

CONTENTS		Set in storage case
<b>1/4" DRIVE:</b>		
Standard Sockets	10 pcs.	4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm
Deep Sockets	10 pcs.	4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm
Quick Release Ratchet Handle	1 pc.	
Spinner Handle	1 pc.	
Extension Bars	2 pcs.	1-1/2", 3"
Universal Joint	1 pc.	
Flexible Handle	1 pc.	6"
Hex Bit Sockets	6 pcs.	3, 4, 5, 6, 7, 8 mm
Flat Bit Sockets	3 pcs.	4, 5.5, 6.5 mm
Phillips® Bit Sockets	4 pcs.	#0, #1, #2, #3
Pozidriv® Bit Sockets	4 pcs.	#0, #1, #2, #3
Tamper Torx® Bit Sockets	7 pcs.	TT10, TT15, TT20, TT25, TT27, TT30, TT40
<b>3/8" DRIVE:</b>		
Standard Sockets 6-Point	10 pcs.	10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
Deep Sockets 12-Point	10 pcs.	10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
Quick Release Ratchet	1 pc.	
Spark Plug Sockets	2 pcs.	16, 21 mm
Extension Bars	3 pcs.	3", 6", 10"
Universal Joint	1 pc.	
Flexible Handle	1 pc.	10"
Adaptor	1 pc.	3/8"F * 1/4"M
Sliding T-Handle	1 pc.	8"
<b>1/2" DRIVE:</b>		
Standard Sockets 12-Point	6 pcs.	20, 21, 22, 24, 27, 32 mm
Impact Sockets 6-Point	8 pcs.	14, 15, 16, 17, 18, 19, 21, 22 mm
Ratchet Handle	1 pc.	
Extension Bar	1 pc.	5"
<b>WRENCH:</b>		
Ratcheting Wrenches	4 pcs.	13, 14, 15, 17 mm



## 1/4", 3/8" & 1/2" Drive Torx® Bit Socket Set, 43pcs

BLPTSSC43

 Packing: 1

CONTENTS		Set in storage case
<b>1/4" DRIVE:</b>		
External Torx® Sockets	5 pcs.	E4, E5, E6, E7, E8
Tamper Resistant Torx® Socket Drivers	10 pcs.	T6 to T10, T15, T20, T25, T27, T30
Tamper Resistant Long Torx® Socket Drivers	10 pcs.	T6 to T10, T15, T20, T25, T27, T30
<b>3/8" DRIVE:</b>		
External Torx® Sockets	4 pcs.	E10, E12, E14, E16
Tamper Resistant Torx® Socket Drivers	3 pcs.	T40, T45, T50
Tamper Resistant Long Torx® Socket Drivers	3 pcs.	T40, T45, T50
<b>1/2" DRIVE:</b>		
External Torx® Sockets	4 pcs.	E18, E20, E22, E34
Tamper Resistant Torx® Socket Drivers	2 pcs.	T55, T60
Tamper Resistant Long Torx® Socket Drivers	2 pcs.	T55, T60



## 1/4" & 3/8" Drive Socket Set, 155pcs

BLPGSSC155

 Packing: 1

CONTENTS		Set in storage case
<b>1/4" DRIVE:</b>		
Standard Sockets	10 pcs. Fractional, 3/16" to 9/16" 13 pcs. Metric, 4 to 14 mm	
Deep Sockets	10 pcs. Fractional, 3/16" to 9/16" 11 pcs. Metric, 4 to 14 mm	
1/4" Hex Bits With Bit Holders	20 pcs. Assorted	
Ratchet / Socket Accessories	5 pcs.	
Quick Release Ratchet	1 pc.	
<b>3/8" DRIVE:</b>		
Standard Sockets	13 pcs. Fractional, 1/4" to 1" 19 pcs. Metric, 6 to 24 mm	
Deep Sockets	11 pcs. Fractional, 3/8" to 1" 15 pcs. Metric, 10 to 24 mm	
External Torx® Sockets	11 pcs. E4 to E20	
Spark Plug Sockets	2 pcs. 5/8", 13/16"	
Hex Socket Drivers	3 pcs. Metric, 7, 8, 10 mm	
Tamper Resistant Torx® Socket Drivers	4 pcs. T40, T45, T50, T55	
Ratchet / Socket Accessories	6 pcs.	
Quick Release Ratchet	1 pc.	
Spinner Handle	1 pc.	





## 1/4" & 1/2" Drive Socket & Tool Set, 78pcs

BLPGSSCM78

Packing: 1

CONTENTS		Set in storage case
<b>1/4" DRIVE:</b>		
Standard Sockets	12 pcs.	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
Quick Release Ratchet	1 pc.	
Spinner Handle	1 pc.	
Extension Bar	1 pc.	4"
Coupler	1 pc.	1/4"F * 1/4"H
<b>1/2" DRIVE:</b>		
Standard Sockets	21 pcs.	8 to 24, 27, 30, 32, 34 mm
Quick Release Ratchet	1 pc.	
Spark Plug Sockets	2 pcs.	16, 21 mm
Extension Bars	3 pcs.	3", 6", 10"
3-way Adaptor	1 pc.	3/8"F * 1/2"M
<b>TOOLS:</b>		
Hex Bit Sockets	4 pcs.	3, 4, 5, 6 mm
Phillips® Bit Sockets	4 pcs.	#0, #1, #2, #3
Square Bit Sockets	2 pcs.	S1, S2
Flat Bit Sockets	3 pcs.	4, 5, 5.5 mm
Torx® Bit Sockets	7 pcs.	T8, T10, T15, T20, T25, T27, T30
Combination Wrenches	10 pcs.	10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
Side Cutter	1 pc.	7"
Long Nose Plier	1 pc.	6"
Slip Joint Plier	1 pc.	10"
Adjustable Wrench	1 pc.	8"



## 1/4" & 1/2" Drive Socket & Tool Set





## 1/4" Drive Automotive Tool Set, 38pcs

BLPATSCM38

Packing: 1

CONTENTS		Set in storage case
<b>1/4" DRIVE:</b>		
Standard Sockets	14 pcs.	3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
Extension Bars	2 pcs.	2", 4"
Quick Release Ratchet	1 pc.	
Spinner Handle	1 pc.	
Universal Joint	1 pc.	
Sliding T-Handle	1 pc.	
Torx® Socket Drivers	6 pcs.	T10, T15, T20, T25, T30, T40
Hex Socket Drivers	5 pcs.	3, 4, 5, 6, 8 mm
Phillips® Socket Drivers	2 pcs.	#1, #2
Pozidrive® Socket Drivers	2 pcs.	PZ1, PZ2
Flat Tip Socket Drivers	3 pcs.	4, 5.5, 6.5 mm



## 1/4" Drive Socket Set, 29pcs

BLPATSM1429

Packing: 1

CONTENTS		Set in storage case
<b>1/4" DRIVE:</b>		
Standard Sockets 6-Point.	13 pcs.	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
Deep Sockets 6-Point.	11 pcs.	4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
Quick Release Ratchet	1 pc.	
Spinner Handle	1 pc.	
Extension Bars	2 pcs.	3", 6"
Universal Joint	1 pc.	



## 1/4" Drive Socket Set, 62pcs

BLPGSS1462

Packing: 1

CONTENTS		Set in storage case
<b>1/4" DRIVE:</b>		
Standard Sockets	11 pcs. Fractional, 3/16" to 5/8" 11 pcs. Metric, 4 to 14 mm	
Deep Sockets	11 pcs. Fractional, 3/16" to 5/8" 11 pcs. Metric, 4 to 14 mm	
Bit Holder	1 pc.	
Hex Bits	4 pcs. 9/64", 3/16", 7/32", 1/4"	
Flat Tip Bits	3 pcs. 5/32", 3/16", 1/4"	
Phillips® Bits	2 pcs. #1, #2	
Ratchet / Socket Accessories	7 pcs.	
Ratchet	1 pc.	



## 1/4" Drive Socket Set, 51pcs

BLPGSS1451A

Packing: 1

CONTENTS		Set in storage case
<b>1/4" DRIVE:</b>		
Standard Sockets	10 pcs. Fractional, 3/16" to 9/16" 13 pcs. Metric, 4 to 14 mm	
Sockets 8-Point	3 pcs. Fractional, 1/4", 5/16", 3/8"	
Torx® Socket Drivers	6 pcs. T8 to T27	
Hex Socket Drivers	6 pcs. Fractional, 1/8" to 5/16"	
Flat Tip Socket Drivers	3 pcs. 5/32", 7/32", 9/32"	
Phillips® Socket Drivers	3 pcs. #0, #1, #2	
Ratchet / Socket Accessories	6 pcs.	
Ratchet	1 pc.	



## 1/4" Drive Socket Set, 46pcs

BLP1446SI

Packing: 1

CONTENTS		Set in storage case
<b>1/4" DRIVE:</b>		
Sockets 6-Point	13 pcs. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm	
Bit Sockets	3 pcs. 4, 5.5, 7 mm	
Hex Bit Sockets	6 pcs. 3, 4, 5, 6, 7, 8 mm	
Hex Torx® Bit Sockets	7 pcs. T8, T10, T15, T20, T25, T30, T40	
Phillips® Bits	3 pcs. #1, #2, #3	
Pozidriv® Sockets	3 pcs. PZ1, PZ2, PZ3	
Ratchet Handle	1 pc.	
Extension Bars	2 pcs. 2", 4"	
Flexible Extension	1 pc. 150 mm	
Sliding T-Handle	1 pc.	
Universal Joint	1 pc.	
Spinner	1 pc.	
Hex Keys	4 pcs. 1.27, 1.5, 2, 2.5 mm	





## 1/4" Drive Socket Set, 27pcs

BLPGSS1427

Packing: 1

- Good for automotive and home use
- Range of deep and shallow sockets for common fastener applications
- Ratchet and Handle Driver both available for a variety of jobs

CONTENTS		Set in storage case
<b>1/4" DRIVE:</b>		
Shallow Sockets 6-Point	11 pcs.	Fractional, 3/16" to 5/8"
Deep Sockets 6-Point	11 pcs.	Fractional, 3/16" to 9/16"
Socket Adaptors / Extensions	3 pcs.	
Quick Release Ratchet	1 pc.	
Spinner Handle	1 pc.	



## 1/4" Drive SAE Socket Set, 22pcs

BLPGSS1422

Packing: 1

CONTENTS		Set in storage case
<b>1/4" DRIVE:</b>		
Standard Sockets 6-Point	11 pcs.	3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8"
Deep Sockets 6-Point	11 pcs.	3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8"



## 1/4" Drive Stubby Bit Socket Set, 40pcs

BLPBSS40

Packing: 1

CONTENTS		Set in storage case
<b>1/4" DRIVE:</b>		
Hex Drivers	10 pcs.	Fractional 5/64", 3/32", 7/64", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"
	10 pcs.	Metric 2, 2.5, 3, 4, 5, 6, 7, 8, 9, 10 mm
Torx® Tamper Proof Drivers	10 pcs.	TP8, TP10, TP15, TP20, TP25, TP27, TP30, TP40, TP45, TP50
XZN Triple Square Drivers	6 pcs.	XZN4, XZN5, XZN6, XZN8, XZN10, XZN12
Phillips® Drivers	2 pcs.	#1, #2
Flat Tip Drivers	2 pcs.	1/4", 3/8"



## 3/8" Drive Socket Set, 77pcs

BLPATSM3877

 Packing: 1

CONTENTS		Set in storage case
<b>3/8" DRIVE:</b>		
Standard Sockets 6-Point	19 pcs.	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm
Deep Sockets 12-Point	19 pcs.	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm
External Torx® Sockets	11 pcs.	E4, E5, E6, E7, E8, E10, E12, E14, E16, E18, E20
Hex Bit Sockets	4 pcs.	6, 7, 8, 10 mm
Phillips® Bit Sockets	2 pcs.	#3, #4
Pozidrive® Bit Sockets	2 pcs.	#3, #4
Tamper Torx® Bit Sockets	8 pcs.	TT10, TT15, TT20, TT25, TT27, TT30, TT40, TT45
Quick Release Ratchet	1 pc.	
Extension Bars	3 pcs.	3", 6", 10"
Spark Plug Sockets	2 pcs.	16, 21 mm
Universal Joint	1 pc.	
Flexible Handle	1 pc.	10"
Adaptors	2 pcs.	3/8"F * 1/2"M, 3/8"F * 1/4"M
Spinner Handle	1 pc.	
Sliding T-handle	1 pc.	8"



## 3/8" Drive Automotive Tool Set, 58pcs

BLPATSCM58

 Packing: 1

CONTENTS		Set in storage case
<b>3/8" DRIVE:</b>		
Sockets	14 pcs.	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
Quick Release Ratchet	1 pc.	
Universal Joint	1 pc.	
<b>TOOLS:</b>		
Long Arm Hex Key Wrench Set	1 set	
Combination Wrenches	10 pcs.	8, 10, 11, 12, 13, 14, 15, 16, 18, 19 mm
Ratcheting Combination Wrench	1 pc.	17 mm
Adjustable Wrench	1 pc.	8"
M Series Screwdrivers	3 pcs.	Slotted, #6x38mm, #3.2x75mm, #5x10mm
	4 pcs.	Phillips®, #2x38mm, #0x75mm, #1x100mm, #2x150mm
Long Nose Plier	1 pc.	6"
Linesman Plier	1 pc.	8"
Snap Ring Plier Set	1 set	
Measuring Tape	1 pc.	3 m
Blades Feeler Gauges, 20 pcs	1 pc.	0.02-1 mm
Stainless Steel Straight Ruler	1 pc.	150 mm
Fiberglass Ball Pein Hammer	1 pc.	16 oz
Pick Up Tool	1 pc.	380 mm
Utility Knife	1 pc.	18 mm
Compact Flashlight	1 pc.	





## 3/8" Drive Socket Set, 24pcs

BLPATSM3824

Packing: 1

CONTENTS		Set in storage case
<b>3/8" DRIVE:</b>		
Standard Sockets 12-Point	10 pcs.	10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
Deep Sockets 12-Point	10 pcs.	10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
Quick Release Ratchet	1 pc.	
Extension Bar	1 pc.	3"
Spark Plug Sockets	2 pcs.	16, 21 mm



## 3/8" Drive Socket Set, 85pcs

BLPGSS3885

Packing: 1

CONTENTS		Set in storage case
<b>3/8" DRIVE:</b>		
Standard Sockets	13 pcs. Fractional, 1/4" to 1" 14 pcs. Metric, 6 to 19 mm	
Deep Sockets	13 pcs. Fractional, 1/4" to 1" 14 pcs. Metric, 6 to 19 mm	
External Torx® Sockets	11 pcs. E4 to E20	
Phillips® Socket Driver	1 pcs. #3	
Pozidriv® Socket Drivers	2 pcs. #3, #4	
Tamper Resistant Torx® Socket Drivers	8 pcs. T10 to T45	
Spark Plug Sockets	2 pcs. 5/8", 13/16"	
Ratchet / Socket Accessories	4 pcs.	
Ratchet	1 pc.	
Breaker Bar	1 pc.	
Spinner Handle	1 pc.	



## 3/8" Drive Socket Set, 49pcs

BLPGSS3849

Packing: 1

CONTENTS		Set in storage case
<b>3/8" DRIVE:</b>		
Standard Sockets 6-Point	8 pcs. Fractional, 5/16" to 3/4" 14 pcs. Metric, 6 to 19 mm	
Deep Sockets 12-Point	8 pcs. Fractional, 5/16" to 3/4" 13 pcs. Metric, 7 to 19 mm	
Extension Bars	2 pcs. 3", 6"	
Universal Joint	1 pc.	
Adaptor	1 pc. 3/8"F * 1/4"M	
Ratchet	1 pc.	



## 3/8" Drive Socket & Wrench Set, 37pcs

BLPGSS3837

Packing: 1

CONTENTS		Set in storage case
<b>3/8" DRIVE:</b>		
Standard Sockets 6-Point	8 pcs. Fractional, 5/16" to 3/4" 14 pcs. Metric, 6 to 19 mm	
Double Open End Wrenches	4 pcs. Fractional, 5/16"-3/8", 7/16"-1/2", 9/16"-5/8", 11/16"-3/4" 5 pcs. Metric, 10-11, 12-13, 14-15, 16-17, 18-19 mm	
Extension Bars	2 pcs. 3", 6"	
Ratchet	1 pc.	
Universal Joint	1 pc.	
Adaptors	2 pcs. 1/4"F * 3/8"M, 3/8"F * 1/4"M	



## 3/8" Pass Thru Socket Set, 22pcs

BLPPTSS3822

Packing: 1

CONTENTS		Set in storage case
<b>TOOLS:</b>		
Sockets	BLPPTS38 thru BLPPTS34 (3/8" to 3/4")	
Metric Sockets	BLPPTSM8 thru BLPPTSM19 (8 to 19 mm)	
Pass Thru Adaptor	BLPPTA3438	
Extension Bars	BLPPTXT3	
Ratchet	BPRFPT10	





## 3/8" Drive Impact Socket Set, 13pcs

BLPATSIMM3813

Packing: 1

- Catered to Complement 3/8" Impact Wrenches
- Automotive and Two-Wheelers Workshops
- Compact Set with Only Commonly Used Sizes
- Complements existing BLPATSIMM1215 (1/2")

CONTENTS		Set in storage case
<b>3/8" DRIVE:</b>		
Shallow Impact Sockets	13 pcs.	7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm



## 1/2" Drive Socket Set, 32pcs

BLPATSM1232

Packing: 1

- For Automotive and General Fastener Tightening Jobs
- Improves on existing BLPATSM1225
- Includes smaller sizes 8, 9 & 23 mm sockets
- Additional range of 12-points sockets
- Universal Joint Added for more Applications

CONTENTS		Set in storage case
<b>1/2" DRIVE:</b>		
Sockets 6-Point	20 pcs.	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
Sockets 12-Point	7 pcs.	8, 10, 12, 13, 14, 17, 19 mm
Ratchet	1 pc.	
Extension Bars	2 pcs.	5", 10"
Universal Joint	1 pc.	
Sliding Adaptor	1 pc.	1/2"F * 3/8"M



## 1/2" Drive Socket Set, 25pcs

BLP1225SI

Packing: 1

CONTENTS		Set in storage case
<b>1/2" DRIVE:</b>		
Sockets 6-Point	18 pcs.	8 to 22, 24, 27, 30, 32 mm
Spark Plug Sockets	2 pcs.	16, 21 mm
Ratchet Handle	1 pc.	
Extension Bars	2 pcs.	5", 10"
Sliding T-Handle	1 pc.	
Universal Joint	1 pc.	



## 1/2" Drive Socket Set, 25pcs

Packing: 1

CONTENTS		Set in storage case
<b>1/2" DRIVE:</b>		
Sockets 6-Point	19 pcs.	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32, 34, 36 mm
Quick Release Ratchet	1 pc.	
Extension Bars	2 pcs.	5", 10"
3-way Adaptor	1 pc.	3/8"F * 1/2"M
Spark Plug Sockets	2 pcs.	16, 21 mm



## 1/2" Drive Socket Set, 33pcs

BLPGSS1233

Packing: 1

CONTENTS		Set in storage case
<b>1/2" DRIVE:</b>		
Standard Sockets	15 pcs.	Fractional, 3/8" to 1 1/4"
	12 pcs.	Metric, 12 to 24 mm
Breaker Bar	1 pc.	
Universal Joint	1 pc.	
Quick Release Ratchet	1 pc.	
Extension Bars	3 pcs.	3", 6", 10"



## 1/2" Drive Impact Socket Set, 15pcs

BLPATSIMM1215

Packing: 1

CONTENTS		Set in storage case
<b>1/2" DRIVE:</b>		
Impact Sockets 6-Point	14 pcs.	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24 mm
Impact Extension Bar	1 pc.	5"





## Car Body Hammer Set, 7pcs

BPBHS7

Packing: 1

CONTENTS		Set in storage case
<b>TOOLS:</b>		
Bumping Hammer	1 pc.	
Pick and Finish Hammer	1 pc.	
Reverse Curve Hammer	1 pc.	
Curve Dolly	1 pc.	
Double End Dolly	1 pc.	
Shrinking Dolly	1 pc.	
Utility Dolly	1 pc.	



## Automotive Tool Set, 11pcs

BLPGH11

Packing: 1

CONTENTS		Set in storage case
<b>TOOLS:</b>		
Adjustable Wrench	1 pc. 8"	
M Series Screwdriver, Slotted	1 pc. #5x100 mm	
M Series Screwdriver, Phillips®	1 pc. #1x100 mm	
Testing Pen	1 pc. 110 - 250V AC	
Needle Nose Plier	1 pc. 6"	
Combination Plier	1 pc. 7"	
Measuring Tape	1 pc. 3 m	
Steel Curved Claw Hammer	1 pc. 8 oz	
Utility Knife	1 pc.	
Mini Hacksaw	1 pc.	
Compact Flashlight	1 pc.	



# TOOLS STORAGE

High Performance In Design & Quality That Lasts  
New Choice Of Colors Available Now!





*Blue-Point*<sup>®</sup>





## Roll Cab 8 Drawers



### 1 Double-Walled Construction

For rigidity.



### 2 High Performance Roller Bearing Railings

Railings withstanding 22.5kg per rail with roller bearings for smoother sliding of drawers.



### 3 Self-Lock Tabs

Lock & Roll mechanism to prevent drawers from sliding open.



### 4 Seamless Design

Cabinet doors edges are folded to form a seamless fit without gaps when closed; Cabinets walls reinforced with stiffeners to provide extra strength.



### 5 Double Hemmed Edges

Drawer edges are hemmed to double thickness for extra stiffness.



### 6 Heavy-Duty Construction

Reinforced base design to withstand higher overall load and reduce sagging.



### 7 Mobility

Large 5" castor wheels are bolt fastened for better rolling and durability.

## 6 Drawers, Classic Roll Cab, 26"

Packing: 1

- 26" full double walled construction making for a stronger box which resists the constant pounding of weight and vibration
- Stiffeners are added between the walls to reduce stress on the box and keep the drawers from sagging
- Welded lock tabs on the back of each drawer
- Casters fastened to roll cab using weld nuts to prevent loosening
- Drawer edges are hemmed to double thickness for extra stiffness



PART NO.	COLORS	FINISH	DRAWERS	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
KRB2006KPQP	Blue	Matt	6	660	503	965
KRB2006BLU	Blue	Gloss				
KRB2006KPQR	Red	Matt				
KRB2006RED	Red	Gloss				
KRB2006BLK	Black	Gloss				
KRB2006YEL	Yellow	Gloss				

CUBIC (cm³)		NET WEIGHT (kg)		SHIPPING WEIGHT (kg)	
156,791		75		95	
SPECIFICATIONS		WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)	
Drawers	5	544	445	91	
	1	544	445	193	



### 7 Drawers, Classic Roll Cab, 40"

Packing: 1

- 40" full length drawers for larger tools storage
- 45kg max load capacity per drawer, providing a total load of 600kg
- 5" ball bearing casters for durability and easy maneuvering
- Self locking latch keeps drawers in place for safety and security
- Drawer edges are hemmed to double thickness for extra stiffness
- Available in matt colors upon request



PART NO.	COLORS	FINISH	DRAWERS	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
KRB4007KPCM	Blue	Gloss	7	1016	501	961
KRB4007KPC	Black	Gloss				
KRB4007KPES	Yellow	Gloss				
KRB4007K	Red	Gloss				
CUBIC (cm³)		NET WEIGHT (kg)		SHIPPING WEIGHT (kg)		
250,771		125		133		
SPECIFICATIONS		WIDTH (mm)		DEPTH (mm)		HEIGHT (mm)
Drawers	3	905	496	48		
	3	905	496	99		
	1	905	496	203		

### 8 Drawers, Classic Roll Cab, 40"

Packing: 1

- 40" double bank roll cab, greater capacity
- Welded lock tabs on the back of each drawer
- Popular choice with side cabinet for your work center
- Full double walled construction making for a stronger box which resists the constant pounding of weight and vibration
- Stiffeners are added between the walls to reduce stress on the box and prevent the drawers from sagging



PART NO.	COLORS	FINISH	DRAWERS	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
KRB13008KPRB	Blue	Matt	8	1016	501	961
KRB13008BLU	Blue	Gloss				
KRB13008KPRR	Red	Matt				
KRB13008RED	Red	Gloss				
KRB13008BLK	Black	Gloss				
KRB13008YEL	Yellow	Gloss				
CUBIC (cm³)		NET WEIGHT (kg)		SHIPPING WEIGHT (kg)		
168,059		110		129		
SPECIFICATIONS			WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)	
Drawers	5	543	445	119		
	1	543	445	250		
Cabinet Drawers	2	284	445	40		



## 5 Drawers, L-Series Roll Cab, 26"

Packing: 1

- High grade steel plate with PE Powder painting
- Fully-openable drawers can withstand up to 45 kg weight
- Bigger sized with greater capacity at 508 kg
- Tubular lock-stronger over molded key lock
- Ribs added for enhanced strength to prevent cabinet deformation



PART NO.	COLORS	FINISH	DRAWERS	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
KRB13005KPRB	Blue	Matt	5	677	501	822
KRB13005BLU	Blue	Gloss				
KRB13005KPRR	Red	Matt				
KRB13005RED	Red	Gloss				
KRB13005BLK	Black	Gloss				
KRB13005YEL	Yellow	Gloss				


CUBIC (cm <sup>3</sup> )	NET WEIGHT (kg)	SHIPPING WEIGHT (kg)
159,387	61	68

SPECIFICATIONS		WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
Drawers	1	543	445	54
	2	543	445	119
	2	543	445	184

## 6 Drawers, L-Series Roll Cab, 26"

Packing: 1

- High grade steel plate with PE Powder painting
- Fully-openable drawers can withstand up to 45 kg weight
- Bigger sized with greater capacity at 508 kg
- Tubular lock-stronger over molded key lock
- Ribs added for enhanced strength to prevent cabinet deformation



PART NO.	COLORS	FINISH	DRAWERS	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
KRB13006KPRB	Blue	Matt	6	677	501	822
KRB13006BLU	Blue	Gloss				
KRB13006KPRR	Red	Matt				
KRB13006RED	Red	Gloss				
KRB13006BLK	Black	Gloss				
KRB13006YEL	Yellow	Gloss				

CUBIC (cm <sup>3</sup> )	NET WEIGHT (kg)	SHIPPING WEIGHT (kg)
156,536	65	72

SPECIFICATIONS		WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
Drawers	3	543	445	54
	2	543	445	119
	1	543	445	250

### 7 Drawers, L-Series Roll Cab, 26"

Packing: 1

- High grade steel plate with PE Powder painting to avoid peel
- Fully-openable drawers can withstand up to 45 kg weight
- Bigger sized with greater capacity at 508 kg
- Tubular lock-stronger over molded key lock
- Ribs added for enhanced strength to prevent cabinet deformation



PART NO.	COLORS	FINISH	DRAWERS	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
KRB13007KPRB	Blue	Matt	7	677	501	822
KRB13007BLU	Blue	Gloss				
KRB13007KPRR	Red	Matt				
KRB13007RED	Red	Gloss				
KRB13007BLK	Black	Gloss				
KRB13007YEL	Yellow	Gloss				
CUBIC (cm³)		NET WEIGHT (kg)		SHIPPING WEIGHT (kg)		
153,695		68		75		
SPECIFICATIONS		WIDTH (mm)		DEPTH (mm)		HEIGHT (mm)
Drawers	5	543	445	54		
	1	543	445	119		
	1	543	445	250		



### 6 Drawers, Roll Cab with Bumper, 26"

Packing: 1

- Loading capacity up to 1000kg
- Composite drawer bumpers ensures protection against unexpected impact when drawer opens
- Safety sliders system that allows one drawer to be opened at a time
- User friendly cart PU handles for better grip
- Comes with 2 fixed and 2 swivel wheels
- High quality powder coating



PART NO.	COLORS	FINISH	DRAWERS	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
KRB3006BLU	Blue	Gloss	6	692	510	950
KRB3006RED	Red	Gloss				
KRB3006BLK	Black	Gloss				
KRB3006YEL	Yellow	Gloss				
CUBIC (cm³)		NET WEIGHT (kg)		SHIPPING WEIGHT (kg)		
154,880		75		85		
SPECIFICATIONS		WIDTH (mm)		DEPTH (mm)		HEIGHT (mm)
Drawers	3	543	445		53	
	2	543	445		118	
	1	543	445		246	



## NEW! 7 Drawers, Roll Cab with Bumper, 26"

Packing: 1

- Loading capacity up to 1000kg
- Composite drawer bumpers ensures protection against unexpected impact when drawer opens
- Safety sliders system that allows one drawer to be opened at a time
- User friendly cart PU handles for better grip
- Comes with 2 fixed and 2 swivel wheels
- High quality powder coating



PART NO.	COLORS	FINISH	DRAWERS	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
KRB3007BLU	Blue	Gloss	6	692	510	950
KRB3007RED	Red	Gloss				
KRB3007BLK	Black	Gloss				
KRB3007YEL	Yellow	Gloss				
CUBIC (cm³)		NET WEIGHT (kg)		SHIPPING WEIGHT (kg)		
151,988		80		90		
SPECIFICATIONS		WIDTH (mm)		DEPTH (mm)		HEIGHT (mm)
Drawers	5	543	445		53	
	1	543	445		118	
	1	543	445		246	

## NEW! 8 Drawers, Heavy Duty Cabinet, 30"

Packing: 1

- High grade steel plate with PE Powder painting to avoid peel
- Fully-openable drawers with loading capacity of 1000kg
- Adjustable slot separation systems
- Tubular lock-stronger over molded key lock
- Ribs added for enhanced strength to prevent cabinet deformation



PART NO.	COLORS	FINISH	DRAWERS	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
BLP30HDC8DKPCM	Blue	Gloss	8	762	699	1118
BLP30HDC8DKPC	Black	Gloss				
BLP30HDC8DKPES	Yellow	Gloss				
BLP30HDC8DKK	Red	Gloss				
CUBIC (cm³)		NET WEIGHT (kg)		SHIPPING WEIGHT (kg)		
357,057		120		132		
SPECIFICATIONS		WIDTH (mm)		DEPTH (mm)		HEIGHT (mm)
Drawers	1	625	625	197		
	3	625	625	66		
	4	625	625	131		



## 4 Drawers, Classic Top Chest, 26"

Packing: 1

- 45kg max Load capacity per drawer, provides a total load 180kg
- Fits perfectly on the top of any Blue-Point 26" Roll Cabinets, providing users with additional tools storage solutions
- Drawer edges are hemmed to double thickness for extra stiffness



PART NO.	COLORS	FINISH	DRAWERS	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
KRB2041PCM	Blue	Gloss	4	678	501	399
KRB2041PC	Black	Gloss				
KRB2041PES	Yellow	Gloss				
KRB2041K	Red	Gloss				

CUBIC (cm <sup>3</sup> )	NET WEIGHT (kg)	SHIPPING WEIGHT (kg)
63,204	30	180

SPECIFICATIONS	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
Drawers	2	566	48
	2	566	99

## 4 Drawers, Classic Top Chest, 40"

Packing: 1

- 45kg max Load capacity per drawer, provides a total load 225kg
- Self locking latch keeps drawers in place for safety and security
- Perfect add-ons top for Blue-Point 40" Roll Cabinets
- Drawer edges are hemmed to double thickness for extra stiffness



PART NO.	COLORS	FINISH	DRAWERS	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
KRB4041PCM	Blue	Gloss	4	1016	501	399
KRB4041PC	Black	Gloss				
KRB4041PES	Yellow	Gloss				
KRB4041K	Red	Gloss				

CUBIC (cm <sup>3</sup> )	NET WEIGHT (kg)	SHIPPING WEIGHT (kg)
100,993	58	62

SPECIFICATIONS	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
Drawers	2	904	48
	2	904	99

## 4 Drawers, Classic Top Chest, 40"

Packing: 1

- 45kg max Load capacity per drawer, provides a total load 225kg
- Self locking latch keeps drawers in place for safety and security
- Perfect add-ons top for Blue-Point 40" Roll Cabinets



PART NO.	COLORS	FINISH	DRAWERS	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
KRB4042PCM	Blue	Gloss	4	1016	501	497
KRB4042PC	Black	Gloss				
KRB4042PES	Yellow	Gloss				
KRB4042K	Red	Gloss				

CUBIC (cm <sup>3</sup> )	NET WEIGHT (kg)	SHIPPING WEIGHT (kg)
158,731	71	86

SPECIFICATIONS	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
Drawers	2	904	48
	2	904	99
Top Compartment	-	1014	475

## 5 Drawers, Classic Top Chest, 26"

Packing: 1

- Can be placed on all Blue-Point roll cabinets as a top chest
- Side grooves for easy lifting
- Lockable top lid



PART NO.	COLORS	FINISH	DRAWERS	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
KRB2055KPQP	Blue	Gloss	5	660	374	437
KRB2055KPQR	Red	Gloss				
KRB2055KPC	Black	Gloss				
KRB2055KPES	Yellow	Gloss				

CUBIC (cm <sup>3</sup> )	NET WEIGHT (kg)	SHIPPING WEIGHT (kg)
72,824	38	44

SPECIFICATIONS	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
Drawers	4	566	334
	1	566	79

## 4 Drawers, L-Series Top Chest, 26"

Packing: 1

- 45kg max Load capacity per drawer, provides a total load 180kg
- Fits perfectly on the top of any Blue-Point 26" Roll Cabinets
- Drawer edges are hemmed to double thickness for extra stiffness



PART NO.	COLORS	FINISH	DRAWERS	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
KRB13004PCM	Blue	Gloss	4	678	501	419
KRB13004PC	Black	Gloss				
KRB13004PES	Yellow	Gloss				
KRB13004K	Red	Gloss				
KRB13004KPRO	Orange	Gloss				
CUBIC (cm³)		NET WEIGHT (kg)		SHIPPING WEIGHT (kg)		
67,480		32		180		
SPECIFICATIONS		WIDTH (mm)		DEPTH (mm)		HEIGHT (mm)
Drawers	3	566		496		62
	1	566		496		127

## Breakdown Locker, 40"

Packing: 1

- Loading Capacity: 300kg
- High quality powder coating



PART NO.	COLORS	FINISH	DRAWERS	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
BPKCABT40PCM	Blue	Gloss	-	1016	500	961
BPKCABT40K	Red	Gloss				
BPKCABT40PC	Black	Gloss				
BPKCABT40PES	Yellow	Gloss				
CUBIC (cm³)		NET WEIGHT (kg)		SHIPPING WEIGHT (kg)		
393,676		73		83		
SPECIFICATIONS		WIDTH (mm)		DEPTH (mm)		HEIGHT (mm)
Shelves	3	963		435		300

## Side Cabinet

KRB13003PCM

Packing: 1

- Easy fit to any Blue-Point roll cabinets
- Max load of 15 kg per drawer
- Corner gussets and double wall construction for stiffness and strength



PART NO.	COLORS	FINISH	DRAWERS	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
KRB13003PCM	Blue	Gloss	-	419	503	821
CUBIC (cm³)		NET WEIGHT (kg)		SHIPPING WEIGHT (kg)		
138,080		30		44		
SPECIFICATIONS		WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)		
Shelves	2	383	496	-		

## Breakdown Locker, 46"

Packing: 1

- Loading Capacity: 400kg
- Door will full length locking bar
- Adjustable shelving systems



PART NO.	COLORS	FINISH	DRAWERS	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
BLP46BDL4PCM	Blue	Gloss	-	1168	609	1827
BLP46BDL4PC	Black	Gloss				
BLP46BDL4PES	Yellow	Gloss				
BLP46BDL4K	Red	Gloss				
CUBIC (cm³)		NET WEIGHT (kg)		SHIPPING WEIGHT (kg)		
1,160,225		135		153		
SPECIFICATIONS		WIDTH (mm)		DEPTH (mm)		HEIGHT (mm)
Shelves	3	1168		609		1827

## Pry Bar Box Document Holder Roll Cab Slots & Dots Side Panel



### Magnetic Trays

Packing: 1

- Securely holds small parts and tools
- Magnetically attaches to any flat iron or steel surface
- Material: 430 Stainless Iron



MRB5B



MRB10B



MRB12B



MRB15B

PART NO.	DESCRIPTION	SIZES (mm)
MRB5B	Magnetic tray, Round	Round 152 diameter
MRB10B	Magnetic tray	250 x 140
MRB12B	Magnetic tray	355 x 140
MRB15B	Magnetic tray	290 x 265

### Magnetic Rail

Packing: 1

- Provides easy access and organization of sockets and wrenches
- Extruded aluminum, high strength and corrosion resistant rail body
- High impact plastic socket holders which resists oil and grease
- 8 magnets with protective foam covering hold rail in place



PART NO.	CLIP SIZE (inches)	RAIL LENGTH (inches)
BLPSWR14	1/4	13
BLPSWR38	3/8	15
BLPSWR12	1/2	18 <sup>7</sup> / <sub>16</sub>



## Roll Cab Tops

Packing: 1

- For use with all Blue-Point roll cabinets of respective sizes
- Available in two thickness, 660mm and 1016mm
- For KRB13008 models, only 1016mm can be used



PART NO.	DESCRIPTION	THICKNESS
SKRWT4008	Wooden Top	660
SKRWT4008B	Wooden Top	1016
SKRSST4107	Stainless Steel Top	1016

## Slots and Dots Side Panel

1470K-ACSIDE

Packing: 1

- Panel size 822 x 419 x 20mm
- Can be hung or screwed on the roll cab side wall
- Mix and match storage accessories
- 18 Steel Gauge thickness
- PE paint, PE texture



## Foldable Tray

1470K-AC1

Packing: 1

- Folding tray
- 35 kg loading capacity
- 18 Steel Gauge thickness
- PE paint, PE texture



## Can Holder

1470K-AC3

Packing: 1

- Storage tray, holds up to 6 cans
- 18 Steel Gauge thickness
- PE paint, PE texture



## LED Light Top

Packing: 1

- Up to 15 hours continuous working or 3 months normal usage
- Available in 26" or 40"
- Each LED light set supply 72 lumens.
- 26" with 1 LED light on the middle front of the top
- 40" with 2 LED light on both side front of the top
- Run on 8 AAA batteries
- LED light will illuminate when movement is detected
- Lights cover every drawer
- Easy for locating small tools



PART NO.	WEIGHT (kg)	LENGTH (M)	WIDTH (M)	HEIGHT (M)
KLTOP26	12.2	0.68	0.51	0.042
KLTOP40	18.1	1.01	0.51	0.042

## Pry Bar Box

1470K-AC2

Packing: 1

- Holds up to 23 pry bars or screwdrivers
- 18 Steel Gauge thickness
- PE paint, PE texture



## Document Holder

1470K-AC4

Packing: 1

- 18 Steel Gauge thickness
- PE paint, PE texture



### Heavy Duty Mini Cart

KRC1KPCM

Packing: 1

- Max capacity load of 50kg per tray, 150kg load capacity
- Compact size suitable for workshop usage
- Pre-drilled holes convenient to place tools on it



PART NO.	COLORS	FINISH	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
KRC1KPCM	Blue	Gloss	400	501	960
CUBIC (cm <sup>3</sup> )		NET WEIGHT (kg)		SHIPPING WEIGHT (kg)	
48,096		16		150	
SPECIFICATIONS		WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)	
Trays	3	400	501	80	

### 1 Drawer Roll Cart

KRBC3TDPCM

Packing: 1

- 4" deep locking drawer with tubular lock for added tool security
- Two sturdy, 3" deep trays are positioned for convenience
- Friction drawer slides
- Made of heavy-gauge steel



PART NO.	COLORS	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)	NET WEIGHT (kg)	LOAD CAPACITY (kg)	
KRBC3TDPCM	Blue	813	452	920	29.5	136	
KRBC3TD	Red						
SPECIFICATIONS		WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)			
Drawers	1	368	686	102			
Trays	–	765	686	102			

### 2 Shelves Roll Cart

KRBC2TCPCM

Packing: 1

- Trays feature rolled edges for improved strength and rigidity
- Maximum load capacity 68kg per tray
- Welded post holders
- Two locking casters



PART NO.	COLORS	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)	NET WEIGHT (kg)	LOAD CAPACITY (kg)	
KRBC2TCPCM	Blue	756	428	920	17.2	159	
KRBC2TC	Red						
SPECIFICATIONS		WIDTH (mm)	DEPTH (mm)			HEIGHT (mm)	
Trays		765	428		75		

### 4 Drawers Flip-Top Roll Cart

KRBC7TDPCM

Packing: 1

- Latch System to unlock all 4 drawers once the top lid is lifted
- Folding side work shelf provides extra work space
- Locking prybar compartment securely holds all length prybars and screwdrivers



PART NO.	COLORS	DRAWERS	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)	NET WEIGHT (kg)
KRBC7TDPCM	Blue	4	869	431	1,041	56.2
KRBC7TD	Red					

SPECIFICATIONS		WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
Drawers	2	350	399	51
	1	700	391	51
	1	700	391	102
Bottom Shelf	1	700	391	76



## 1 Drawer, Heavy Duty Roll Cart

Packing: 1

- Two sturdy, 3" deep trays are positioned for convenience
- Heavy duty ball bearing drawer slide
- Lock 'n Roll Drawers prevents drawer opens during movements
- High quality powder coating



PART NO.	COLORS	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)	NET WEIGHT (kg)	LOAD CAPACITY (kg)
KRC3TKPCM	Blue	805	500	960	40	240
KRC3TKK	Red					
KRC3TKPC	Black					
KRC3TKPES	Yellow					

SPECIFICATIONS		WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
Drawers	1	680	384	117

## 4 Drawers Flip-Top Roll Cart

KRBC10TBPCM

Packing: 1

- Auto locking mechanism locks drawers when lid is closed
- Plated fasteners resist corrosion and self locking nuts
- Non-toxic mats in shelf, drawers and top compartment



PART NO.	COLORS	DRAWERS	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
KRBC10TBPCM	Blue	4	775	520	1,048
KRBC10TB	Red				

SPECIFICATIONS		WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
Drawers	2	292	445	64
	1	622	445	64
	1	622	445	64
Top Compartment	–	762	483	64
Bottom Shelf	2	762	483	89

## 2 Drawers Flip-Top Roll Cart

Packing: 1

- Padded lid protects finish and provides additional work surface
- Removable top chest locks to cart
- Two roller bearing slide drawers on both the top chest and cart



PART NO.	COLORS	DRAWERS	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
KRBC15TPCM	Blue	4	671	465	1,077
KRBC15T	Red				

NET WEIGHT (kg)	LOAD CAPACITY (kg)
40	136

SPECIFICATIONS		WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
Drawers	2	572	386	97
Trays	–	660	300	112
Bottom Shelf	1	667	456	331

## 4 Drawers Sliding Top Roll Cart

KRBCSSTPCM

Packing: 1

- Padded lid protects finish and provides additional work surface
- Roller bearing slide drawers, locking slide top, internal prybar holder



PART NO.	COLORS	DRAWERS	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
KRBCSSTPCM	Blue	2	747	524	982
KRBCSST	Red				

CUBIC (cm³)	NET WEIGHT (kg)	LOAD CAPACITY (kg)
261,062	56	136

SPECIFICATIONS		WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
Drawers	2	745	445	69
Top Compartment	–	747	524	172
Bottom Shelf	–	745	445	76





## 4 Drawers, Sliding Door Roll Cart

Packing: 1

- Loading Capacity: 300kg
- Latch lock system allows all 4 drawers to lock/unlock at once
- Sturdy and heavy duty frame structure for long lasting use
- Spacious base compartment for storage of larger tools



PART NO.	COLORS	DRAWERS	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
KRBC100BET	Blue	4	825	501	918
KRBC100BN	Red				
KRBC100BFI	Black				
KRBC100PWZ	Grey				
KRBC100BEG	Purple				

CUBIC (cm³)		NET WEIGHT (kg)		SHIPPING WEIGHT (kg)	
371,154		58		75	
SPECIFICATIONS		WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)	
Drawers	2	321	451	51	
	1	679	451	51	
	1	679	451	116	

## Hand Trolley

BLPHTB

Packing: 1

- Holds up to 45 kg of tools
- High quality carbon steel and plastic material
- Boxes are detachable for more variety of work



PART NO.	WIDTH (mm)		DEPTH (mm)	HEIGHT (mm)	
BLPHTB	520		320	720	
SPECIFICATIONS		WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)	WEIGHT (kg)
Top Drawer		430	200	150	3.5
Center Drawer		390	210	65	5.2
Bottom Drawer		400	215	275	5.8



## 5 Drawers, Sliding Top Roll Cart

Packing: 1

- Loading Capacity: 600kg
- Latch lock system allows all 4 drawers to lock/unlock at once
- Sturdy and heavy duty frame structure for long lasting use
- Spacious top compartment for storage of larger tools



PART NO.	COLORS	DRAWERS	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
KRBC200BET	Blue	5	807	501	912
KRBC200BN	Red				
KRBC200BFI	Black				
KRBC200PWZ	Yellow				
KRBC200BEG	Purple				

CUBIC (cm³)		NET WEIGHT (kg)		SHIPPING WEIGHT (kg)	
368,728		95		105	
SPECIFICATIONS		WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)	
Drawers	3	679	451	51	
	2	679	451	116	



## Workstation

BLPSUZTRWS

Packing: 1

- 6000 x 4000mm room size
- 40" locker x 1
- 26" locker x 1
- 40" top cabinet x 1
- 26" top cabinet x 1
- 26" roll cabinet x 1
- Roll Cart x 1



## Metal Tool Box, 19" Cantilever Style

Packing: 1

- 19" steel constructed cantilever tool box
- Durable and portable
- 5 trays design to accommodate more tools
- Full length steel handle



PART NO.	COLORS	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)
CTK19KPCM	Blue	460	200	200
CTK19KPC	Black			
CTK19KPES	Yellow			
CTK19K	Red			

CUBIC (cm³)	NET WEIGHT (kg)	SHIPPING WEIGHT (kg)
17,131	4.6	35

SPECIFICATIONS	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)	
Small Tray	4	460	99	48
Large Tray	1	460	200	97

## Metal Tool Box

KRBK17

Packing: 1

- Portable steel tool box for users who prefer metal material over plastic
- High grade steel for greater strength & toughness
- PE powder painting for better protection against peel



PART NO.	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)
KRBK17	425	153	114

## Metal Tool Box, 18" Cantilever Style

KRW48C

Packing: 1

- Split top opening for tool access
- Cantilever trays on either side of cover, carrying handle



PART NO.	CUBIC (cm <sup>3</sup> )	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)
KRW48C	25,070	457	254	337

## Metal Tool Box

KRBK24

Packing: 1

- Portable steel tool box for users who prefer metal material over plastic
- High grade steel for greater strength & toughness
- PE powder painting for better protection against peel
- Triple latch to prevent box from opening when dropped
- Additional internal metal tray for separating small tools



PART NO.	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)
KRBK24	511	199	195

### Plastic Tool Boxes

 Packing: 1

- Ideal for a wide range of storage needs
- Made of tough, injection molded plastic to ensure a precise fitting lid and durability
- Top carrying handle, tension latches, tote tray and padlock provision are also featured



YA482

YA484

PART NO.	SIZE (inches)	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)
YA482	16	419	210	165
YA484	23	587	260	267

### Plastic Tool Boxes

 Packing: 1

- Steel pins connecting the lid and box for extra durable usage
- Separate top tray to hold small tools
- Strong handle and lock material
- Large capacity 20" box, light weight and portable
- Made from shock resistant ABS and PP for durability and toughness
- Steel pins connecting the lid and box for extra durable usage
- Strong handle and lock material



BPBOX18

BPBOX20

PART NO.	SIZE (inches)	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)
BPBOX18	18	445	240	206
BPBOX20	20	558	277	270

### Mini Tool Box

BPKMTBB

 Packing: 1

- PE powder painting for better protection against peel
- Made of heavy gauge steel, tray thickness 0.9mm
- Perfect tools storage solution for ratchets and sockets



PART NO.	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	WEIGHT (kg)
BPKMTBB	208	79.5	41	0.45

### Tote Bag, 17"

BPTOTE

 Packing: 1

- Made of heavy duty 600x300D polyester, with Blue-Point embroidered logo
- Rugged, versatile, water resistant
- Wide top opening for easy access
- Multiple interior and external pockets for tool organization



PART NO.	SIZE (inches)	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)
BPTOTE	17	419	267	311



## Backpack with Rigid Bottom

BLPBPACKH1

Packing: 1

- Dimension: L36 x W22 x H48 cm
- Bag weight: 1.95 kg
- Recommended load capacity: 16 kg
- Material: 600 Denier Polyester
- Thick, sturdy and durable material with water repellent finish
- Color: Tough black with blue/grey stripes



PART NO.	LENGTH (cm)	WIDTH (cm)	HEIGHT (cm)
BLPBPACKH1	36	22	48

## Tool Bag, 17" Heavy Duty

BLPTBAG17

Packing: 1

- Dimension: L44.5 x W22 x H30.5 cm
- Recommended load capacity: 15 kg
- Constructed of heavy duty, water resistant material
- Ideal for carrying hand tools and other small to medium items
- Comfortable, cotton padded handles
- Rubber foam bottom keeps bag sturdy, protect contents from hard falls
- Designed to keep 3 modular sets in each bag



PART NO.	LENGTH (cm)	WIDTH (cm)	HEIGHT (cm)
BLPTBAG17	44.5	22	30.5

## Backpack with Tools Holder

BLPBPACK2

Packing: 1

- Dimension: L31 x W18.5 x H48 cm
- Bag weight: 1.8 kg
- Recommended load capacity: 12 kg
- Material: 600 Denier Polyester
- Thick, sturdy and durable material with water repellent finish
- Color: Tough black with blue/grey stripes
- Comes with tools holder inside for more usage



PART NO.	LENGTH (cm)	WIDTH (cm)	HEIGHT (cm)
BLPBPACK2	31	18.5	48

## Tool Bag with Metal Handle

BLPMOTB2

Packing: 1

- Dimension: L46 x W21 x H34 cm
- Recommended load capacity: 15 kg
- Wide open space below handle for easy access to tool carrier's main compartment
- Plastic reinforced internal pocket for utility knife or other tools
- Sturdy metal handle with molded foam grip for easy carrying
- Multi-use pockets to organize a wide range of tools and accessories



PART NO.	LENGTH (cm)	WIDTH (cm)	HEIGHT (cm)
BLPMOTB2	46	21	34

# RATCHETS, SOCKETS & ACCESSORIES

A close-up, angled view of a Blue-Point tool kit. The kit is organized in a black foam-lined case with blue accents. In the center, a blue-handled ratchet with the 'Blue-Point' logo is prominent. Surrounding it are numerous chrome sockets of various sizes, arranged in rows. Other tools like a long torque wrench and various adapters are also visible, all neatly packed in their designated slots.

All Sizes for Any Application





*Blue-Point*®




### 1/4" Quick Release Ratchet

BPRT936

Packing: 1

- Features quick release button for rapid socket/accessory changes, even with greasy or oily hands
- Contoured handle for comfort and control
- Chrome finish for easy clean-up
- All ratchets in series meet or exceed ANSI B107-10M-1996 specifications



PART NO.	SQ. DRIVE (inches)	DESCRIPTION
BPRT936	1/4	Standard Handle
GEAR TEETH	SWING ARC	A (mm)
36	10°	12
B (mm)	C (mm)	REPAIR KIT
25	143	RKRBPRTR936

### 1/4" Quick Release Ratchet, Soft Grip

BPRT936SG

Packing: 1

- Features quick release button for rapid socket/accessory changes, even with greasy or oily hands
- Corrosive resistant bi-mold cushion grip for improved comfort and performance
- Chrome finish for easy clean-up
- All ratchets in series meet or exceed ANSI B107-10M-1996 specifications



PART NO.	SQ. DRIVE (inches)	DESCRIPTION
BPRT936SG	1/4	Soft Grip Handle
GEAR TEETH	SWING ARC	A (mm)
36	10°	12
B (mm)	C (mm)	REPAIR KIT
25	143	RKRBPRTR936

### 1/4" Finger Ratchet

FSDR

Packing: 1

- Reversible, finger ratchet
- Small size works great for extremely tight areas
- Aluminum knurled outer ring for sure grip




PART NO.	SQ. DRIVE (inches)
FSDR	1/4 male - 1/4 female

### 1/4" Socket, mm, 6-Point

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



Packing: 6




PART NO.	SIZE (mm)	LENGTH (mm)
BLPSM143.5	3.5	25
BLPSM144	4	
BLPSM144.5	4.5	
BLPSM145	5	
BLPSM145.5	5.5	
BLPSM146	6	
BLPSM147	7	
BLPSM148	8	
BLPSM149	9	
BLPSM1410	10	
BLPSM1411	11	
BLPSM1412	12	
BLPSM1413	13	
BLPSM1414	14	

### 1/4" Socket, mm, 12-Point

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



Packing: 6




PART NO.	SIZE (mm)	LENGTH (mm)
BLPDM144	4	24.8
BLPDM144.5	4.5	
BLPDM145	5	
BLPDM145.5	5.5	
BLPDM146	6	
BLPDM147	7	
BLPDM148	8	
BLPDM149	9	
BLPDM1410	10	
BLPDM1411	11	
BLPDM1412	12	
BLPDM1413	13	
BLPDM1414	14	

### 1/4" Socket, Inches, 6-Point

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



Packing: 6




PART NO.	SIZE (inches)	LENGTH (mm)
BLPS14532	5/32	25
BLPS14316	3/16	
BLPS14732	7/32	
BLPS1414	1/4	
BLPS14932	9/32	
BLPS14516	5/16	
BLPS141132	11/32	
BLPS1438	3/8	
BLPS14716	7/16	
BLPS1412	1/2	
BLPS14916	9/16	
BLPS1458	5/8	

### 1/4" Long Socket, mm, 6-Point

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



Packing: 6




PART NO.	SIZE (mm)	LENGTH (mm)
BLPLSM144	4	50
BLPLSM145	5	
BLPLSM146	6	
BLPLSM147	7	
BLPLSM148	8	
BLPLSM149	9	
BLPLSM1410	10	
BLPLSM1411	11	
BLPLSM1412	12	
BLPLSM1413	13	
BLPLSM1414	14	

### 1/4" Long Socket, Inches, 6-Point

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards




PART NO.	SIZE (inches)	LENGTH (mm)
BLPLS14316	3/16	50
BLPLS14732	7/32	
BLPLS1414	1/4	
BLPLS14932	9/32	
BLPLS14516	5/16	
BLPLS141132	11/32	
BLPLS1438	3/8	
BLPLS14716	7/16	
BLPLS1412	1/2	
BLPLS14916	9/16	
BLPLS1458	5/8	

### 1/4" Long Socket, mm, 12-Point

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards




PART NO.	SIZE (mm)	LENGTH (mm)
BLPLDM144	4	50
BLPLDM145	5	
BLPLDM146	6	
BLPLDM147	7	
BLPLDM148	8	
BLPLDM149	9	
BLPLDM1410	10	
BLPLDM1411	11	
BLPLDM1412	12	
BLPLDM1413	13	
BLPLDM1414	14	

### 1/4" Double Square Socket, 8-Point

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards




PART NO.	SIZE (inches)	LENGTH (mm)
BLPS81414	1/4	25
BLPS814516	5/16	
BLPS81438	3/8	

### 1/4" External Torx® Socket

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	#	LENGTH (mm)
BLPTE144	E4	25
BLPTE145	E5	
BLPTE146	E6	
BLPTE147	E7	
BLPTE148	E8	



## 1/4" Torx® Bit Socket, Tamper Resistant

Packing: 1

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards




PART NO.	#	A (inches)
BLPT146TP	T6	1 7/16
BLPT147TP	T7	
BLPT148TP	T8	
BLPT149TP	T9	
BLPT1410TP	T10	
BLPT1415TP	T15	
BLPT1420TP	T20	
BLPT1425TP	T25	
BLPT1427TP	T27	
BLPT1430TP	T30	

## 1/4" Torx® Bit Socket, Long, Tamper Resistant

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards




PART NO.	#	LENGTH (mm)
BLPTL146TP	T6	100
BLPTL147TP	T7	
BLPTL148TP	T8	
BLPTL149TP	T9	
BLPTL1410TP	T10	
BLPTL1415TP	T15	
BLPTL1420TP	T20	
BLPTL1425TP	T25	
BLPTL1427TP	T27	
BLPTL1430TP	T30	

## 1/4" Torx® Socket Driver

Packing: 6

- The BLPTS Series of Stubby Torx® socket drivers feature a reduced fastener depth penetration to increase strength and improve fastener engagement
- Manufactured from S2 Steel for longer tool life




PART NO.	#	LENGTH (mm)
BLPTS0148	T8	19
BLPTS01410	T10	
BLPTS01415	T15	
BLPTS01420	T20	
BLPTS01425	T25	
BLPTS01427	T27	
BLPTS01430	T30	
BLPTS01440	T40	
BLPTS01445	T45	
BLPTS01447	T47	
BLPTS01450	T50	

## 1/4" Hex Socket Driver

Packing: 6

- The BLPHSM Series of Stubby Hex socket drivers feature a reduced fastener depth penetration to increase strength and improve fastener engagement
- Manufactured from S2 Steel for longer tool life




PART NO.	SIZE (mm)	LENGTH (mm)
BLPHSM0142	2	19
BLPHSM01425	2.5	
BLPHSM0143	3	
BLPHSM0144	4	
BLPHSM0145	5	
BLPHSM0146	6	
BLPHSM0147	7	
BLPHSM0148	8	
BLPHSM0149	9	
BLPHSM01410	10	

## 1/4" Hex Socket Driver, Tamper Resistant

Packing: 6

- The BLPTHSM Series of Stubby Hex Tamper Resistant socket drivers feature a reduced fastener depth penetration to increase strength and improve fastener engagement
- Manufactured from S2 Steel for longer tool life




PART NO.	SIZE (mm)	LENGTH (mm)
BLPTHSM0142	2	19
BLPTHSM01425	2.5	
BLPTHSM0143	3	
BLPTHSM0144	4	
BLPTHSM0145	5	
BLPTHSM0146	6	
BLPTHSM0147	7	
BLPTHSM0148	8	
BLPTHSM0149	9	
BLPTHSM01410	10	

## 1/4" Phillips® Socket Driver

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards




PART NO.	SIZE	LENGTH (mm)
BLPP140	#0	37
BLPP141	#1	
BLPP142	#2	
BLPP143	#3	
BLPP144	#4	

## 1/4" Phillips® Socket Driver, Stubby

Packing: 6

- Stubby Phillips® socket drivers feature a reduced fastener depth penetration to increase strength and improve fastener engagement
- Manufactured from S2 Steel for longer tool life




PART NO.	SIZE	LENGTH (mm)
BLPPS141	#1	19
BLPPS142	#2	

## 1/4" Pozidriv® Socket Driver

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards




PART NO.	SIZE	LENGTH (mm)
BLPPD141	#1	37
BLPPD142	#2	
BLPPD143	#3	

### 1/4" Flat Tip Socket Driver, Short

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards




Packing: 6



PART NO.	SIZE (inches)	LENGTH (mm)
BLPFS01414	1/4	19
BLPFS01438	3/8	

### 1/4" Triple Square Socket Driver

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	SIZE (mm)	LENGTH (mm)	
BLPXZN144	4	27	6
BLPXZN145	5		
BLPXZN146	6		
BLPXZN148	8		
BLPXZN1410	10	1	1
BLPXZN1412	12		

### 1/4" Sliding T-Handle, 4"

BLPSTHD144

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards




PART NO.	LENGTH (mm)
BLPSTHD144	114

### 1/4" Flat Tip Socket Driver, Standard

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



Packing: 6




PART NO.	SIZE (inches)	SIZE (mm)	LENGTH (mm)
BLPFT144	5/32	4	37
BLPFT145.5	7/32	5.5	
BLPFT146.5	9/32	6.5	

### 1/4" Breaker Bar

BLPBB146

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards




PART NO.	LENGTH (mm)
BLPBB146	152

### 1/4" Spinner Handle

BLPCGHD146

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	LENGTH (mm)
BLPCGHD146	152



## 1/4" Extension, Knurled

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	LENGTH (mm)
BLPTXK1.5	40
BLPTXK2	51
BLPTXK3	76
BLPTXK4	102
BLPTXK6	152

## 1/4" Flexible Extension

BLPEXTF146

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	LENGTH (mm)
BLPEXTF146	152

## 1/4" Adaptor

BLPAFM1438

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	INTERNAL SQ. DRIVE (inches)	EXTERNAL SQ. DRIVE (inches)
BLPAFM1438	1/4	3/8

## 1/4" Extension, Extra Long Locking

Packing: 6

- Smooth, durable chrome finish
- Made from tough 6130 steel
- Secure socket retention
- Lifetime warranty on individual extensions
- Do not use with power or impact tools




PART NO.	LENGTH (mm)
BLPEXTL1412	305
BLPEXTL1418	457
BLPEXTL1424	610

## 1/4" Universal Joint

BLPUJ14

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	LENGTH (mm)
BLPUJ14	38

## Spinner Adaptors

Packing: 1

- Ideal for getting into tight places while generating substantial torque
- Knurled nut body for positive grip
- Anodized knurled body design




PART NO.	SQ. DRIVE (inches)
FSD14	3/8 male - 1/4 female
FSD38	1/4 male - 3/8 female

## 1/4" Bit Holder

BLPTMBS1414

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	LENGTH (mm)	DESCRIPTION
BLPTMBS1414	27	for 1/4" Hex Bits

## 1/4" Impact Adaptor

BLPAIM3814

Packing: 6

- Specially heat treated for impact use to provide long life, safety, and durability
- Suitable for use with pneumatic and electric impact wrenches
- Drive end features pin retention hole and groove



PART NO.	SIZE (inches)
BLPAIM3814	3/8 male x 1/4 female

## 1/4" Drive Fractional & Metric Impact Twist Socket Set

122TSTY

Packing: 1

- Constructed from heat treated alloy steel
- Industrial black finish
- One quarter millimeter increments between sizes which ensure coverage regardless of fastener head condition or manufacturer's tolerance
- Can be used with impact wrench



PART NO.	SIZE	WRENCH END	DRIVE END	LENGTH inches (mm)
TSTY45	4.50mm	0.29 (7.4)	5.00 (127)	1.00 (25.4)
TSTY47	4.75mm & 3/16"	0.31 (7.9)		
TSTY50	5.00mm	0.32 (8.1)		
TSTY52	5.25mm	0.33 (8.4)		
TSTY55	5.50mm	0.34 (8.6)		
TSTY57	5.75mm	0.35 (8.9)		
TSTY60	6.00mm	0.37 (9.4)		
TSTY62	6.25mm & 1/4"	0.38 (9.7)		
TSTY65	6.50mm	0.39 (9.9)		
TSTY67	6.75mm	0.40 (10.2)		
TSTY70	7.00mm	0.41 (10.4)		

PART NO.	SIZE	WRENCH END	DRIVE END	LENGTH inches (mm)
TSTY72	7.25mm & 9/32"	0.42 (10.7)	5.00 (127)	1.00 (25.4)
TSTY75	7.50mm	0.44 (11.2)		
TSTY77	7.75mm	0.45 (11.5)		
TSTY80	8.00mm & 5/16"	0.47 (11.8)		
TSTY82	8.25mm	0.48 (12.2)		
TSTY85	8.50mm	0.49 (12.6)		
TSTY87	8.75mm & 11/32"	0.51 (12.9)		
TSTY90	9.00mm	0.52 (13.2)		
TSTY92	9.25mm	0.54 (13.6)		
TSTY95	9.50mm & 3/8"	0.55 (14.0)		
TSTY100	10.00mm	0.57 (14.5)		

## 3/8" Quick Release Ratchet



**1** High-torque compact head design



**2** High gear-teeth count for maximum work efficiency



**3** Quick release to facilitate rapid socket changes



**4** Chrome finish for easy clean-up



**5** Contoured handle for comfort






### 3/8" Quick Release Ratchet

BPRFR938

Packing: 1

- Features quick release button for rapid socket/accessory changes, even with greasy or oily hands
- Contoured handle for comfort and control
- Chrome finish for easy clean-up
- All ratchets in series meet or exceed ANSI B107-10M-1996 specifications




PART NO.	SQ. DRIVE (inches)	DESCRIPTION
BPRFR938	3/8	Standard Handle
GEAR TEETH	SWING ARC	A (mm)
38	9.5°	14
B (mm)	C (mm)	REPAIR KIT
33	197	RKRBPRFR938

### 3/8" Quick Release Ratchet, Soft Grip

BPRFR938SG

Packing: 1

- Features quick release button for rapid socket/accessory changes, even with greasy or oily hands
- Corrosive resistant bi-mold cushion grip for improved comfort and performance
- Chrome finish for easy clean-up
- All ratchets in series meet or exceed ANSI B107-10M-1996 specifications




PART NO.	SQ. DRIVE (inches)	DESCRIPTION
BPRFR938SG	3/8	Soft Grip Handle
GEAR TEETH	SWING ARC	A (mm)
38	9.5°	14
B (mm)	C (mm)	REPAIR KIT
33	197	RKRBPRFR938

### 3/8" Pass Thru Ratchet

BPRFPT10

Packing: 6

- Ratchet features a flex head design that allows for seven different locking positions



PART NO.	LENGTH (mm)
BPRFPT10	254

### 3/8" Finger Ratchet

FSDR1

Packing: 1

- Reversible, finger ratchet
- Small size works great for extremely tight areas
- Aluminum knurled outer ring for sure grip




PART NO.	SQ. DRIVE (inches)
FSDR1	3/8 male - 1/4 female

### 3/8" Socket, mm, 6-Point

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	SIZE (mm)	LENGTH (mm)
BLPSM386	6	25.5
BLPSM387	7	
BLPSM388	8	
BLPSM389	9	
BLPSM3810	10	
BLPSM3811	11	
BLPSM3812	12	27
BLPSM3813	13	
BLPSM3814	14	
BLPSM3815	15	

PART NO.	SIZE (mm)	LENGTH (mm)
BLPSM3816	16	27
BLPSM3817	17	
BLPSM3818	18	
BLPSM3819	19	29
BLPSM3820	20	
BLPSM3821	21	
BLPSM3822	22	31
BLPSM3823	23	
BLPSM3824	24	

### 3/8" Socket, Inches, 6-Point

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	SIZE (inches)	LENGTH (mm)
BLPS3814	1/4	25
BLPS38516	5/16	
BLPS3838	3/8	
BLPS38716	7/16	
BLPS3812	1/2	27
BLPS38916	9/16	
BLPS3858	5/8	
BLPS381116	11/16	29
BLPS3834	3/4	
BLPS381316	13/16	
BLPS3878	7/8	
BLPS381516	15/16	
BLPS381	1	

### 3/8" Socket, mm, 12-Point

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	SIZE (mm)	LENGTH (mm)
BLPDM386	6	25.5
BLPDM387	7	
BLPDM388	8	
BLPDM389	9	
BLPDM3810	10	
BLPDM3811	11	
BLPDM3812	12	27
BLPDM3813	13	
BLPDM3814	14	
BLPDM3815	15	

PART NO.	SIZE (mm)	LENGTH (mm)
BLPDM3816	16	27
BLPDM3817	17	
BLPDM3818	18	
BLPDM3819	19	29
BLPDM3820	20	
BLPDM3821	21	
BLPDM3822	22	31
BLPDM3823	23	
BLPDM3824	24	

### 3/8" Long Socket, mm, 12-Point


Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	SIZE (mm)	LENGTH (mm)
BLPLM386	6	64
BLPLM387	7	
BLPLM388	8	
BLPLM389	9	
BLPLM3810	10	
BLPLM3811	11	
BLPLM3812	12	
BLPLM3813	13	
BLPLM3814	14	

PART NO.	SIZE (mm)	LENGTH (mm)
BLPLM3815	15	64
BLPLM3816	16	
BLPLM3817	17	
BLPLM3818	18	
BLPLM3819	19	
BLPLM3820	20	
BLPLM3821	21	
BLPLM3822	22	



## 3/8" Socket



## 3/8" Long Socket, Inches, 12-Point

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	SIZE (inches)	LENGTH (mm)
BLPL3814	1/4	64
BLPL38516	5/16	
BLPL3838	3/8	
BLPL38716	7/16	
BLPL3812	1/2	
BLPL38916	9/16	
BLPL3858	5/8	
BLPL381116	11/16	
BLPL3834	3/4	
BLPL381316	13/16	
BLPL3878	7/8	
BLPL381516	15/16	
BLPL381	1	


## 3/8" External Torx® Socket

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	#	LENGTH (mm)
BLPTE384	E4	31
BLPTE385	E5	
BLPTE386	E6	
BLPTE387	E7	
BLPTE388	E8	
BLPTE3810	E10	
BLPTE3811	E11	
BLPTE3812	E12	
BLPTE3814	E14	
BLPTE3816	E16	
BLPTE3818	E18	
BLPTE3820	E20	





### 3/8" Torx® Bit Socket, Tamper Resistant

Packing: 1

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	#	A
BLPT3810TP	T10	1 27/32
BLPT3815TP	T15	
BLPT3820TP	T20	
BLPT3825TP	T25	
BLPT3827TP	T27	
BLPT3830TP	T30	
BLPT3840TP	T40	2
BLPT3845TP	T45	
BLPT3850TP	T50	
BLPT3855TP	T55	

### 3/8" Torx® Bit Socket, Long, Tamper Resistant

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	A	LENGTH (mm)
BLPTL3840TP	T40	110
BLPTL3845TP	T45	
BLPTL3850TP	T50	

### 3/8" Torx® Socket Driver

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	#	LENGTH (mm)
BLPTS3810	T10	48
BLPTS3815	T15	
BLPTS3820	T20	
BLPTS3825	T25	
BLPTS3827	T27	
BLPTS3830	T30	
BLPTS3840	T40	51
BLPTS3845	T45	
BLPTS3850	T50	
BLPTS3855	T55	
BLPTS3860	T60	

### 3/8" Hex Socket Driver

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards




PART NO.	SIZE (mm)	LENGTH (mm)
BLPH383	3	47
BLPH384	4	
BLPH385	5	
BLPH386	6	
BLPH387	7	
BLPH388	8	50.5
BLPH3810	10	

### 3/8" Phillips® Socket Driver

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards




PART NO.	SIZE	LENGTH (mm)
BLPP381	#1	47
BLPP382	#2	
BLPP383	#3	
BLPP384	#4	

### 3/8" Pozidriv® Socket Driver

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards




PART NO.	SIZE	LENGTH (mm)
BLPPD381	#1	47
BLPPD382	#2	
BLPPD383	#3	
BLPPD384	#4	

### 3/8" Triple Square Socket Driver

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards




PART NO.	SIZE	LENGTH (mm)
BLPXZNM0384	M4	27
BLPXZNM0385	M5	
BLPXZNM0386	M6	
BLPXZNM0388	M8	
BLPXZNM03810	M10	
BLPXZNM03812	M12	

### 3/8" Flat Tip Socket Driver

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards




PART NO.	SIZE (mm)	LENGTH (mm)
BLPFT3855	5.5	47
BLPFT3865	6.5	
BLPFT388	8	

### 3/8" Breaker Bar

BLPBB3810 Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards




PART NO.	LENGTH (mm)
BLPBB3810	253

### 3/8" Sliding T-Handle

BLPSTHD388 Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards




PART NO.	LENGTH (mm)
BLPSTHD388	197

### 3/8" Spinner Handle

BLPCGHD388

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards




PART NO.	LENGTH (mm)
BLPCGHD388	219

### 3/8" Locking Extension

Packing: 6

- Smooth, durable chrome finish
- Made from tough 6130 steel
- Secure socket retention
- Lifetime warranty on individual extensions



PART NO.	LENGTH (mm)
FXLBP3	76
FXLBP6	152
FXLBP10	254

### 3/8" Pass Thru Socket, mm

Packing: 6

- Pass thru socket design avoids "bottoming out" on long fasteners and threaded rods
- Sockets can reach fasteners in tight spaces with relative ease



PART NO.	SIZE (mm)	LENGTH (mm)
BLPPTSM8	8	37
BLPPTSM9	9	
BLPPTSM10	10	
BLPPTSM11	11	
BLPPTSM12	12	
BLPPTSM13	13	
BLPPTSM14	14	
BLPPTSM15	15	
BLPPTSM16	16	
BLPPTSM17	17	
BLPPTSM18	18	
BLPPTSM19	19	

### 3/8" Extension, Knurled

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	LENGTH (mm)
BLPEXTK383	75
BLPEXTK386	150
BLPEXTK3810	252

### 3/8" Locking Extension, Extra Long

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	LENGTH (mm)
BLPEXTL3812	305
BLPEXTL3818	457
BLPEXTK3824	610

### 3/8" Pass Thru Socket, Inches

Packing: 6

- Pass thru socket design avoids "bottoming out" on long fasteners and threaded rods
- Sockets can reach fasteners in tight spaces with relative ease



PART NO.	SIZE (inches)	LENGTH (mm)
BLPPTS38	3/8	37
BLPPTS716	7/16	
BLPPTS12	1/2	
BLPPTS916	9/16	
BLPPTS58	5/8	
BLPPTS1116	11/16	
BLPPTS34	3/4	



## 3/8" Universal Joint

Manufactured from high-grade alloy steel  
Offering same quality and features as our sockets with lifetime warranty

Flexible joint for more working angles



### 3/8" Pass Thru Extension

BLPPTXT3

Packing: 6

- 3" extension



PART NO.	LENGTH (mm)
BLPPTXT3	76

### 3/8" Bit Holder

BLPTMBS3814

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	LENGTH (mm)	DESCRIPTION
BLPTMBS3814	19	For 1/4" Hex Bits

### 3/8" Universal Joint

BLPUJ38

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	LENGTH (mm)
BLPUJ38	52

### 3/8" Adaptor

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	INTERNAL SQ. DRIVE (inches)	EXTERNAL SQ. DRIVE (inches)
BLPAFM3814	3/8	1/4
BLPAFM3812	3/8	1/2

## 3/8" Spinner Adaptor

FSD1

Packing: 1

- Ideal for getting into tight places while generating substantial torque
- Knurled nut body for positive grip
- Anodized body design.



PART NO.	SQ. DRIVE (inches)
FSD1	3/8 male - 3/8 female

## 3/8" Pass Thru Adaptor

BLPPTA3438

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	LENGTH (mm)
BLPPTA3438	32

## 3/8" Impact Socket, Shallow, mm, 6-Point

Packing: 6

- Designed for maximum engagement on 6-point fasteners
- Suitable for use with pneumatic and electric impact wrenches
- Specially heat treated for impact use to provide long life, safety, and durability
- Drive end features pin retention hole and groove



PART NO.	SIZE (mm)
BLPSMIM387	7
BLPSMIM388	8
BLPSMIM389	9
BLPSMIM3810	10
BLPSMIM3811	11
BLPSMIM3812	12
BLPSMIM3813	13
BLPSMIM3814	14
BLPSMIM3815	15
BLPSMIM3816	16
BLPSMIM3817	17
BLPSMIM3818	18
BLPSMIM3819	19

## 3/8" Impact Socket, Shallow, Inches, 6-Point

Packing: 6

- Designed for maximum engagement on 6-point fasteners
- Suitable for use with pneumatic and electric impact wrenches
- Specially heat treated for impact use to provide long life, safety, and durability
- Drive end features pin retention hole and groove



PART NO.	SIZE (inches)
BLPSIM3814	1/4
BLPSIM38516	5/16
BLPSIM3838	3/8
BLPSIM38716	7/16
BLPSIM3812	1/2
BLPSIM38916	9/16
BLPSIM3858	5/8
BLPSIM381116	11/16
BLPSIM3834	3/4

## 3/8" Impact Socket, Deep, mm, 6-Point

Packing: 6

- Designed for maximum engagement on 6-point fasteners
- Suitable for use with pneumatic and electric impact wrenches
- Specially heat treated for impact use to provide long life, safety, and durability
- Drive end features pin retention hole and groove



PART NO.	SIZE (mm)	PART NO.	SIZE (mm)
BLPLSMIM387	7	BLPLSMIM3814	14
BLPLSMIM388	8	BLPLSMIM3815	15
BLPLSMIM389	9	BLPLSMIM3816	16
BLPLSMIM3810	10	BLPLSMIM3817	17
BLPLSMIM3811	11	BLPLSMIM3818	18
BLPLSMIM3812	12	BLPLSMIM3819	19
BLPLSMIM3813	13		

### 3/8" Impact Socket, Deep, Inches, 6-Point

Packing: 6

- Designed for maximum engagement on 6-point fasteners
- Suitable for use with pneumatic and electric impact wrenches
- Specially heat treated for impact use to provide long life, safety, and durability
- Drive end features pin retention hole and groove



PART NO.	SIZE (inches)
BLPLSIM3814	1/4
BLPLSIM38516	5/16
BLPLSIM3838	3/8
BLPLSIM38716	7/16
BLPLSIM3812	1/2
BLPLSIM38916	9/16
BLPLSIM3858	5/8
BLPLSIM381116	11/16
BLPLSIM3834	3/4

### 3/8" Universal Joints

BLPJIM38

Packing: 6

- Specially heat treated for impact use to provide long life, safety, and durability
- Suitable for use with pneumatic and electric impact wrenches
- Drive end features pin retention hole and groove



PART NO.	SIZE (inches)
BLPJIM38	3/8 male x 3/8 female

### 3/8" Impact Socket, Extra Long, Inches, 6-Point

Packing: 6

- Extra length at 100 mm to reach two-wheelers transmission box screws
- Single piece construction
- For use on impact wrench without the need for extra extension



PART NO.	SIZE (inches)
BLPSMS8	8
BLPSMS10	10
BLPSMS12	12

### 3/8" Impact Adaptor

BLPAIM1238

Packing: 6

- Specially heat treated for impact use to provide long life, safety, and durability
- Suitable for use with pneumatic and electric impact wrenches
- Drive end features pin retention hole and groove



PART NO.	SIZE (inches)
BLPAIM1238	1/2 male x 3/8 female

### 3/8" Extension

Packing: 6

- Specially heat treated for impact use to provide long life, safety, and durability
- Suitable for use with pneumatic and electric impact wrenches
- Drive end features pin retention hole and groove



PART NO.	SIZE (inches)
BLPEXIM383	3
BLPEXIM386	6



### 1/2" Quick Release Ratchet

BPRSR940

Packing: 1

- Features quick release button for rapid socket/ accessory changes, even with greasy or oily hands
- Contoured handle for comfort and control
- Chrome finish for easy clean-up
- All ratchets in series meet or exceed ANSI B107-10M-1996 specifications




PART NO.	SQ. DRIVE (inches)	DESCRIPTION
BPRSR940	1/2	Standard Handle
GEAR TEETH	SWING ARC	A (mm)
40	9°	18
B (mm)	C (mm)	REPAIR KIT
44	251	RKRBPRSR940

### 1/2" Quick Release Ratchet, Soft Grip

BPRSR940SG

Packing: 1

- Features quick release button for rapid socket/ accessory changes, even with greasy or oily hands
- Corrosive resistant bi-mold cushion grip for improved comfort and performance
- Chrome finish for easy clean-up
- All ratchets in series meet or exceed ANSI B107-10M-1996 specifications



PART NO.	SQ. DRIVE (inches)	DESCRIPTION
BPRSR940SG	1/2	Soft Grip Handle
GEAR TEETH	SWING ARC	A (mm)
40	9°	18
B (mm)	C (mm)	REPAIR KIT
44	103	RKRBPRSR940

### 1/2" Socket, mm, 6-Point

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	SIZE (mm)	LENGTH (mm)
BLPSM128	8	38
BLPSM129	9	
BLPSM1210	10	
BLPSM1211	11	
BLPSM1212	12	
BLPSM1213	13	
BLPSM1214	14	
BLPSM1215	15	
BLPSM1216	16	
BLPSM1217	17	
BLPSM1218	18	
PART NO.	SIZE (mm)	LENGTH (mm)
BLPSM1219	19	38
BLPSM1220	20	
BLPSM1221	21	
BLPSM1222	22	
BLPSM1223	23	
BLPSM1224	24	
BLPSM1227	27	
BLPSM1230	30	
BLPSM1232	32	
BLPSM1234	34	
BLPSM1236	36	

### 1/2" Socket, Inches, 6-Point

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	SIZE (inches)	LENGTH (mm)
BLPS12516	5/16	38
BLPS1238	3/8	
BLPS12716	7/16	
BLPS1212	1/2	
BLPS12916	9/16	
BLPS1258	5/8	
BLPS121116	1 1/16	
BLPS1234	3/4	
BLPS121316	13/16	38
BLPS1278	7/8	
BLPS121516	15/16	40
BLPS121	1	
BLPSB121116	1 1/16	44
BLPSB12118	1 1/8	
BLPSB121316	1 3/16	
BLPSB12114	1 1/4	

## 1/2" Socket, mm, 12-Point

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	SIZE (mm)	LENGTH (mm)
BLPDM128	8	38
BLPDM129	9	
BLPDM1210	10	
BLPDM1211	11	
BLPDM1212	12	
BLPDM1213	13	
BLPDM1214	14	
BLPDM1215	15	
BLPDM1216	16	
BLPDM1217	17	
BLPDM1218	18	
BLPDM1219	19	
BLPDM1220	20	41
BLPDM1221	21	
BLPDM1222	22	
BLPDM1223	23	
BLPDM1224	24	44
BLPDM1225	25	
BLPDM1226	26	
BLPDM1227	27	
BLPDM1228	28	
BLPDM1229	29	
BLPDM1230	30	
BLPDM1231	31	50
BLPDM1232	32	
BLPDM1234	34	
BLPDM1236	36	


## 1/2" Socket, Inches, 12-Point

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	SIZE (inches)	LENGTH (mm)
BLPD12516	5/16	38
BLPD1238	3/8	
BLPD12716	7/16	
BLPD1212	1/2	
BLPD12916	9/16	
BLPD1258	5/8	
BLPD121116	11/16	
BLPD1234	3/4	
BLPD121316	13/16	41
BLPD1278	7/8	
BLPD121516	15/16	
BLPD121	1	44
BLPDB121116	1 1/16	
BLPDB12118	1 1/8	
BLPDB12114	1 1/4	



### 1/2" Long Socket, mm, 6-Point

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	SIZE (mm)	LENGTH (mm)
BLPLM1210	10	76
BLPLM1211	11	
BLPLM1212	12	
BLPLM1213	13	
BLPLM1214	14	
BLPLM1215	15	
BLPLM1216	16	
BLPLM1217	17	
BLPLM1218	18	

PART NO.	SIZE (mm)	LENGTH (mm)
BLPLM1219	19	76
BLPLM1220	20	
BLPLM1221	21	
BLPLM1222	22	
BLPLM1224	24	
BLPLM1227	27	
BLPLM1230	30	
BLPLM1232	32	

### 1/2" Long Socket, Inches, 6-Point

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	SIZE (inches)	LENGTH (mm)
BLPL1238	3/8	76
BLPL12716	7/16	
BLPL1212	1/2	
BLPL12916	9/16	
BLPL1258	5/8	
BLPL121116	11/16	
BLPL1234	3/4	

PART NO.	SIZE (inches)	LENGTH (mm)
BLPL121316	13/16	76
BLPL1278	7/8	
BLPL121516	15/16	
BLPL121	1	
BLPLB121116	1 1/16	
BLPLB12118	1 1/8	
BLPLB125114	1 1/4	

### 1/2" Long Socket, mm, 12-Point

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	SIZE (mm)	LENGTH (mm)
BLPDL129	9	77
BLPDL1210	10	
BLPDL1211	11	
BLPDL1212	12	
BLPDL1213	13	
BLPDL1214	14	
BLPDL1215	15	
BLPDL1216	16	
BLPDL1217	17	
BLPDL1218	18	
BLPDL1219	19	
BLPDL1220	20	

PART NO.	SIZE (mm)	LENGTH (mm)
BLPDL1221	21	77
BLPDL1222	22	
BLPDL1223	23	
BLPDL1224	24	
BLPDL1225	25	
BLPDL1226	26	
BLPDL1227	27	
BLPDL1230	30	
BLPDL1232	32	
BLPDL1234	34	
BLPDL1236	36	


### 1/2" External Torx® Socket

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	#	LENGTH (mm)
BLPTE1210	E10	38
BLPTE1212	E12	
BLPTE1214	E14	
BLPTE1216	E16	
BLPTE1218	E18	
BLPTE1220	E20	
BLPTE1222	E22	
BLPTE1224	E24	






## 1/2" Torx® Bit Socket, Tamper Resistant

Packing: 1

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards




PART NO.	#	A
BLPT1255TP	T55	2 5/16
BLPT1260TP	T60	2 5/16

## 1/2" Torx® Bit Socket, Long, Tamper Resistant

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards




PART NO.	#	LENGTH (mm)
BLPTL1255TP	T55	120
BLPTL1260TP	T60	

## 1/2" Torx® Socket Driver

Packing: 6


- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	#	LENGTH (mm)
BLPT1220	T20	37
BLPT1225	T25	
BLPT1227	T27	
BLPT1230	T30	
BLPT1240	T40	
BLPT1245	T45	
BLPT1250	T50	
BLPT1255	T55	
BLPT1260	T60	

## 1/2" Torx® Socket Driver, Long

Packing: 6



PART NO.	#	LENGTH (mm)
BLPTL1220	T20	100
BLPTL1225	T25	
BLPTL1227	T27	
BLPTL1230	T30	
BLPTL1240	T40	
BLPTL1245	T45	
BLPTL1250	T50	
BLPTL1255	T55	
BLPTL1260	T60	

## 1/2" Hex Socket Driver

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards




PART NO.	SIZE (mm)	LENGTH (mm)
BLPH123	3	36.5
BLPH124	4	
BLPH125	5	
BLPH126	6	
BLPH127	7	
BLPH128	8	
BLPH1210	10	
BLPH1212	12	
BLPH1214	14	
BLPH1217	17	
BLPH1219	19	180
BLPH125L180	5	
BLPH126L70	6	
BLPH126L140	6	
BLPH126L250	6	
BLPH128L120	8	
BLPH1210L140	10	

## 1/2" Hex Socket Driver, Long

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	SIZE (mm)	LENGTH (mm)
BLPHL124	4	100
BLPHL125	5	
BLPHL126	6	
BLPHL127	7	
BLPHL128	8	
BLPHL1210	10	
BLPHL1212	12	
BLPHL1214	14	
BLPHL1217	17	

## 1/2" Breaker Bar

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	LENGTH (mm)
BLPBB1210	254
BLPBB1215	381
BLPBB1224AP	605

## 1/2" Triple Square Socket Driver

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	SIZE	LENGTH (mm)
BLPXZNM125	M5	37
BLPXZNM126	M6	
BLPXZNM128	M8	
BLPXZNM1210	M10	
BLPXZNM1212	M12	
BLPXZNM1214	M14	
BLPXZNM1216	M16	

## 1/2" Sliding T-Handle

BLPSTHD1215

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards




PART NO.	LENGTH (mm)
BLPSTHD1215	381

### 1/2" Speeder

BLPS12

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards




PART NO.	LENGTH (mm)
BLPS12	457

### 1/2" Extension, Knurled

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	LENGTH (mm)
BLPEXTK123	76
BLPEXTK125	127
BLPEXTK126	152
BLPEXTK1210	254

### 1/2" Universal Joint

BLPUJ12

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	LENGTH (mm)
BLPUJ12	70

### 1/2" Sliding Head

BLPSH1238

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	LENGTH (mm)
BLPSH1238	37

### 1/2" Locking Extension

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	LENGTH (mm)
SXLBP3	76
SXLBP6	152
SXLBP10	254

### 1/2" Adaptor

BLPAFM1238

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	INTERNAL SQ. DRIVE (inches)	EXTERNAL SQ. DRIVE (inches)
BLPAFM1238	1/2	3/8



### 1/2" Impact Socket, Shallow, mm, 6-Point

Packing: 6

- Designed for maximum engagement on 6-point fasteners
- Suitable for use with pneumatic and electric impact wrenches
- Specially heat treated for impact use to provide long life, safety, and durability
- Drive end features pin retention hole and groove



PART NO.	SIZE (mm)
BLPSMIM1210	10
BLPSMIM1211	11
BLPSMIM1212	12
BLPSMIM1213	13
BLPSMIM1214	14
BLPSMIM1215	15
BLPSMIM1216	16
BLPSMIM1217	17
BLPSMIM1218	18

PART NO.	SIZE (mm)
BLPSMIM1219	19
BLPSMIM1221	21
BLPSMIM1222	22
BLPSMIM1223	23
BLPSMIM1224	24
BLPSMIM1227	27
BLPSMIM1229	29
BLPSMIM1230	30
BLPSMIM1232	32

### 1/2" Impact Socket, Shallow, Inches, 6-Point

Packing: 6

- Designed for maximum engagement on 6-point fasteners
- Suitable for use with pneumatic and electric impact wrenches
- Specially heat treated for impact use to provide long life, safety, and durability
- Drive end features pin retention hole and groove



PART NO.	SIZE (inches)
BLPSIM1238	3/8
BLPSIM12716	7/16
BLPSIM1212	1/2
BLPSIM12916	9/16
BLPSIM1258	5/8
BLPSIM121116	11/16
BLPSIM1234	3/4
BLPSIM121316	13/16

PART NO.	SIZE (inches)
BLPSIM1278	7/8
BLPSIM121516	15/16
BLPSIM121	1
BLPSIMB121116	1 1/16
BLPSIMB12118	1 1/8
BLPSIMB12114	1 1/4
BLPSIMB121516	1 5/16
BLPSIMB121716	1 7/16

### 1/2" Impact Socket, Deep, mm, 6-Point

Packing: 6

- Designed for maximum engagement on 6-point fasteners
- Suitable for use with pneumatic and electric impact wrenches
- Specially heat treated for impact use to provide long life, safety, and durability
- Drive end features pin retention hole and groove



PART NO.	SIZE (mm)
BLPLSMIM1210	10
BLPLSMIM1211	11
BLPLSMIM1212	12
BLPLSMIM1213	13
BLPLSMIM1214	14
BLPLSMIM1215	15
BLPLSMIM1216	16
BLPLSMIM1217	17
BLPLSMIM1218	18

PART NO.	SIZE (mm)
BLPLSMIM1219	19
BLPLSMIM1221	21
BLPLSMIM1222	22
BLPLSMIM1224	24
BLPLSMIM1226	26
BLPLSMIM1227	27
BLPLSMIM1229	29
BLPLSMIM1230	30
BLPLSMIM1232	32

### 1/2" Impact Socket, Deep, Inches, 6-Point

Packing: 6

- Designed for maximum engagement on 6-point fasteners
- Suitable for use with pneumatic and electric impact wrenches
- Specially heat treated for impact use to provide long life, safety, and durability
- Drive end features pin retention hole and groove



PART NO.	SIZE (inches)
BLPLSIM1238	3/8
BLPLSIM12716	7/16
BLPLSIM1212	1/2
BLPLSIM12916	9/16
BLPLSIM1258	5/8
BLPLSIM121116	11/16
BLPLSIM1234	3/4
BLPLSIM121316	13/16

PART NO.	SIZE (inches)
BLPLSIM1278	7/8
BLPLSIM121516	15/16
BLPLSIM121	1
BLPLSIMB121116	1 1/16
BLPLSIMB12118	1 1/8
BLPLSIMB121316	1 3/16
BLPLSIMB12114	1 1/4

## 4-Lug Extension Spindle Nut Socket

SNS3195

Packing: 1

- For high-shear rotating nuts
- 1/2-ton Dana 80 axle
- Socket I.D.: 2-3/8"



## 1/2" Universal Joints

BLPJIM12

Packing: 6

- Specially heat treated for impact use to provide long life, safety, and durability
- Suitable for use with pneumatic and electric impact wrenches
- Drive end features pin retention hole and groove



PART NO.	SIZE (inches)
BLPJIM12	1/2 male x 1/2 female

## Flip Impact Socket Set, 4pcs

BLPFIM12S

Packing: 1

- 3 - 1/2"DR. Flip Impact Socket –
- - 13/16" \* 3/4 ", 17mm \* 19mm, 21mm \* 7/8"
- 1 - 1/2"Extension
- 3" Material: Cr-Mo
- Packaging: BMC + Color Sleeve
- Can be used with extended anvil impact wrenches providing users with more options



## 1/2" Impact Adaptor

Packing: 6

- Specially heat treated for impact use to provide long life, safety, and durability
- Suitable for use with pneumatic and electric impact wrenches
- Drive end features pin retention hole and groove



BLPAIM3412



BLPAIM3812

PART NO.	SIZE (inches)
BLPAIM3412	3/4 male x 1/2 female
BLPAIM3812	3/8 male x 1/2 female

## Plastic Lug Socket Set

BLPIM12S3P

Packing: 1

- 3 sizes: 17 mm (Blue), 19 mm (Yellow), 21 mm (Red)
- Material: Cr-Mo
- Length: 85 mm
- Laser marking for easy identification
- 1/2" Drive, thin wall deep impact socket set
- Plastic lug to protect against damage to wheel hub



## 1/2" Extension

Packing: 6

- Specially heat treated for impact use to provide long life, safety, and durability
- Suitable for use with pneumatic and electric impact wrenches
- Drive end features pin retention hole and groove



PART NO.	SIZE (inches)
BLPEXIM123	3
BLPEXIM125	5
BLPEXIM126	6
BLPEXIM1210	10

## 3/4" Quick Release Ratchet

BPRSR942

Packing: 6

- Features quick release button for rapid socket/accessory changes, even with greasy or oily hands
- Contoured handle for comfort and control
- Chrome finish for easy clean-up
- All ratchets in series meet or exceed ANSI B107-10M-1996 specifications




PART NO.	SQ. DRIVE (inches)	LENGTH (mm)
BPRSR942	3/4	508

## 3/4" L-Shape Wrench

BLPLW3415

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	LENGTH (mm)
BLPLW3415	381

## 3/4" Breaker Bar

BLPBB3419

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	LENGTH (mm)
BLPBB3419	483

## 3/4" Extension

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards




PART NO.	LENGTH (mm)
BLPEXT344	102
BLPEXT348	203
BLPEXT3416	406

## 3/4" Sliding T-Handle

BLPSTHD3418

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	LENGTH (mm)
BLPSTHD3418	457

## 3/4" Universal Joint

BLPUJ34

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	LENGTH (mm)
BLPUJ34	110



### 3/4" Socket, mm, 6-Point

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	SIZE (mm)	LENGTH (mm)
BLPM3419	19	50
BLPM3420	20	
BLPM3421	21	
BLPM3422	22	
BLPM3423	23	
BLPM3424	24	51
BLPM3425	25	52
BLPM3426	26	
BLPM3427	27	
BLPM3428	28	
BLPM3429	29	
BLPM3430	30	54
BLPM3432	32	56
BLPM3433	33	
BLPM3434	34	
BLPM3435	35	58
BLPM3436	36	
BLPM3438	38	60
BLPM3441	41	64
BLPM3446	46	66
BLPM3450	50	70
BLPM3455	55	76
BLPM3460	60	78

### 3/4" Socket, mm, 12-Point

Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



PART NO.	SIZE (mm)	LENGTH (mm)
BLPDM3419	19	47
BLPDM3421	21	
BLPDM3422	22	
BLPDM3423	23	50
BLPDM3424	24	
BLPDM3425	25	53
BLPDM3426	26	
BLPDM3427	27	
BLPDM3428	28	
BLPDM3429	29	
BLPDM3430	30	58
BLPDM3432	32	
BLPDM3433	33	60
BLPDM3434	34	
BLPDM3435	35	
BLPDM3436	36	63
BLPDM3438	38	
BLPDM3441	41	66
BLPDM3446	46	68
BLPDM3450	50	
BLPDM3455	55	69
BLPDM3460	60	72

### 3/4" Impact Socket, Shallow, mm, 6-Point

Packing: 6

- Designed for maximum engagement on 6-point fasteners
- Suitable for use with pneumatic and electric impact wrenches
- Specially heat treated for impact use to provide long life, safety, and durability
- Drive end features pin retention hole and groove



PART NO.	SIZE (mm)
BLPSMIM3417	17
BLPSMIM3418	18
BLPSMIM3419	19
BLPSMIM3420	20
BLPSMIM3421	21
BLPSMIM3422	22
BLPSMIM3423	23
BLPSMIM3424	24
BLPSMIM3425	25
BLPSMIM3426	26
BLPSMIM3427	27
BLPSMIM3428	28
BLPSMIM3429	29
BLPSMIM3430	30
BLPSMIM3431	31
BLPSMIM3432	32
BLPSMIM3433	33
BLPSMIM3434	34
BLPSMIM3435	35
BLPSMIM3436	36
BLPSMIM3437	37
BLPSMIM3438	38

PART NO.	SIZE (mm)
BLPSMIM3439	39
BLPSMIM3440	40
BLPSMIM3441	41
BLPSMIM3442	42
BLPSMIM3443	43
BLPSMIM3444	44
BLPSMIM3445	45
BLPSMIM3446	46
BLPSMIM3447	47
BLPSMIM3448	48
BLPSMIM3449	49
BLPSMIM3450	50
BLPSMIM3452	52
BLPSMIM3454	54
BLPSMIM3455	55
BLPSMIM3456	56
BLPSMIM3457	57
BLPSMIM3458	58
BLPSMIM3459	59
BLPSMIM3460	60
BLPSMIM3463	63
BLPSMIM3465	65

### 3/4" Impact Socket, Shallow, Inches, 6-Point

Packing: 6

- Designed for maximum engagement on 6-point fasteners
- Suitable for use with pneumatic and electric impact wrenches
- Specially heat treated for impact use to provide long life, safety, and durability
- Drive end features pin retention hole and groove



PART NO.	SIZE (inches)
BLPSIM341116	11/16
BLPSIM3434	3/4
BLPSIM341316	13/16
BLPSIM3478	7/8
BLPSIM341516	15/16
BLPSIM341	1
BLPSIMB341116	1 1/16
BLPSIMB34118	1 1/8
BLPSIMB341316	1 3/16
BLPSIMB34114	1 1/4
BLPSIMB341516	1 5/16
BLPSIMB34138	1 3/8
BLPSIMB341716	1 7/16
BLPSIMB34112	1 1/2
BLPSIMB341916	1 9/16
BLPSIMB34158	1 5/8
BLPSIMB3411116	1 11/16
BLPSIMB34134	1 3/4
BLPSIMB3411316	1 13/16
BLPSIMB34178	1 7/8
BLPSIMB3411516	1 15/16
BLPSIMB342	2

### 3/4" Impact Socket, Deep, mm, 6-Point

Packing: 6

- Designed for maximum engagement on 6-point fasteners
- Suitable for use with pneumatic and electric impact wrenches
- Specially heat treated for impact use to provide long life, safety, and durability
- Drive end features pin retention hole and groove



PART NO.	SIZE (mm)	PART NO.	SIZE (mm)
BLPLSMIM3417	17	BLPLSMIM3434	34
BLPLSMIM3418	18	BLPLSMIM3435	35
BLPLSMIM3419	19	BLPLSMIM3436	36
BLPLSMIM3420	20	BLPLSMIM3437	37
BLPLSMIM3421	21	BLPLSMIM3438	38
BLPLSMIM3422	22	BLPLSMIM3440	40
BLPLSMIM3423	23	BLPLSMIM3441	41
BLPLSMIM3424	24	BLPLSMIM3442	42
BLPLSMIM3425	25	BLPLSMIM3443	43
BLPLSMIM3426	26	BLPLSMIM3444	44
BLPLSMIM3427	27	BLPLSMIM3445	45
BLPLSMIM3428	28	BLPLSMIM3446	46
BLPLSMIM3429	29	BLPLSMIM3447	47
BLPLSMIM3430	30	BLPLSMIM3448	48
BLPLSMIM3431	31	BLPLSMIM3449	49
BLPLSMIM3432	32	BLPLSMIM3450	50
BLPLSMIM3433	33	BLPLSMIM3455	55

### 3/4" Impact Adaptor

BLPAIM134

Packing: 6

- Specially heat treated for impact use to provide long life, safety, and durability
- Suitable for use with pneumatic and electric impact wrenches
- Drive end features pin retention hole and groove



PART NO.	SIZE (inches)
BLPAIM134	1 male x 3/4 female

### 3/4" Universal Joint

BLPJIM34

Packing: 6

- Specially heat treated for impact use to provide long life, safety, and durability
- Suitable for use with pneumatic and electric impact wrenches
- Drive end features pin retention hole and groove



PART NO.	SIZE (inches)
BLPJIM34	3/4 male x 3/4 female

### 3/4" Impact Adaptor

BLPAIM1234

Packing: 6

- Specially heat treated for impact use to provide long life, safety, and durability
- Suitable for use with pneumatic and electric impact wrenches
- Drive end features pin retention hole and groove



PART NO.	SIZE (inches)
BLPAIM1234	1/2 male x 3/4 female

### 3/4" Extension

Packing: 6


- Specially heat treated for impact use to provide long life, safety, and durability
- Suitable for use with pneumatic and electric impact wrenches
- Drive end features pin retention hole and groove



PART NO.	SIZE (inches)	PART NO.	SIZE (inches)
BLPEXIM343	3 1/2	BLPEXIM348	8
BLPEXIM344	4	BLPEXIM3410	10
BLPEXIM346	6	BLPEXIM3413	13
BLPEXIM347	7		



### 1" Impact Socket, Shallow, mm, 6-Point

 Packing: 6

- Designed for maximum engagement on 6-point fasteners
- Suitable for use with pneumatic and electric impact wrenches
- Specially heat treated for impact use to provide long life, safety, and durability
- Drive end features pin retention hole and groove



PART NO.	SIZE (mm)
BLPSMIM117	17
BLPSMIM118	18
BLPSMIM119	19
BLPSMIM120	20
BLPSMIM121	21
BLPSMIM122	22
BLPSMIM123	23
BLPSMIM124	24
BLPSMIM125	25
BLPSMIM126	26
BLPSMIM127	27
BLPSMIM128	28
BLPSMIM129	29
BLPSMIM130	30
BLPSMIM131	31
BLPSMIM132	32
BLPSMIM133	33
BLPSMIM134	34
BLPSMIM135	35
BLPSMIM136	36
BLPSMIM137	37
BLPSMIM138	38
BLPSMIM139	39
BLPSMIM140	40
BLPSMIM141	41

PART NO.	SIZE (mm)
BLPSMIM142	42
BLPSMIM143	43
BLPSMIM144	44
BLPSMIM145	45
BLPSMIM146	46
BLPSMIM147	47
BLPSMIM148	48
BLPSMIM149	49
BLPSMIM150	50
BLPSMIM151	51
BLPSMIM152	52
BLPSMIM153	53
BLPSMIM154	54
BLPSMIM155	55
BLPSMIM156	56
BLPSMIM157	57
BLPSMIM158	58
BLPSMIM159	59
BLPSMIM160	60
BLPSMIM163	63
BLPSMIM165	65
BLPSMIM167	67
BLPSMIM168	68
BLPSMIM169	69

### 1" Impact Socket, Deep, mm, 6-Point

 Packing: 6

- Designed for maximum engagement on 6-point fasteners
- Suitable for use with pneumatic and electric impact wrenches
- Specially heat treated for impact use to provide long life, safety, and durability
- Drive end features pin retention hole and groove



PART NO.	SIZE (mm)
BLPLSMIM117	17
BLPLSMIM118	18
BLPLSMIM119	19
BLPLSMIM120	20
BLPLSMIM121	21
BLPLSMIM122	22
BLPLSMIM123	23
BLPLSMIM124	24
BLPLSMIM125	25
BLPLSMIM126	26
BLPLSMIM127	27
BLPLSMIM128	28
BLPLSMIM129	29
BLPLSMIM130	30
BLPLSMIM131	31

PART NO.	SIZE (mm)
BLPLSMIM132	32
BLPLSMIM133	33
BLPLSMIM134	34
BLPLSMIM135	35
BLPLSMIM136	36
BLPLSMIM137	37
BLPLSMIM138	38
BLPLSMIM140	40
BLPLSMIM141	41
BLPLSMIM142	42
BLPLSMIM143	43
BLPLSMIM146	46
BLPLSMIM149	49
BLPLSMIM150	50
BLPLSMIM155	55

## 1" Extension

Packing: 6

- Specially heat treated for impact use to provide long life, safety, and durability
- Suitable for use with pneumatic and electric impact wrenches
- Drive end features pin retention hole and groove



PART NO.	SIZE (inches)
BLPEXIM17	7
BLPEXIM113	13

## 1" Impact Adaptor

BLPAIM1121

Packing: 6

- Specially heat treated for impact use to provide long life, safety, and durability
- Suitable for use with pneumatic and electric impact wrenches
- Drive end features pin retention hole and groove



PART NO.	SIZE (inches)
BLPAIM1121	1 1/2 male x 1 female

## 1" Universal Joint

BLPJIM1

Packing: 6

- Specially heat treated for impact use to provide long life, safety, and durability
- Suitable for use with pneumatic and electric impact wrenches
- Drive end features pin retention hole and groove



PART NO.	SIZE (inches)
BLPJIM1	7



## Impact Socket Pin and Rubber Ring

Packing: 1

- Fits both standard and deep impact sockets
- Accident proof ring and pin
- Suitable for electric and pneumatic tools
- Secures impact socket to main shaft of impact wrench



PART NO.	INTERNAL SQ. DRIVE (inches)	EXTERNAL SQ. DRIVE (inches)
BLP34RPRR1750	3/4"	17-50
BLP34RPRR5270	3/4"	52-70
BLP1RPRR1770	1"	17-70

## 1" Impact Adaptor

BLPAIM341

Packing: 6

- Specially heat treated for impact use to provide long life, safety, and durability
- Suitable for use with pneumatic and electric impact wrenches
- Drive end features pin retention hole and groove



PART NO.	SIZE (inches)
BLPAIM341	3/4 male x 1 female



# TORQUE TOOLS



*Blue-Point*™



A person wearing a black glove is using a Blue-Point torque wrench on a blue tool chest. The wrench has a silver shaft and a black handle with a blue accent. The tool chest is blue with a silver handle. The background is a workshop setting.

*Blue-Point*®

Unmatched Accuracy & Precision

## Adjustable Click-Type Torque Wrench






## Adjustable Click-Type Torque Wrench

Packing: 1

- Dual scale, calibrated dual direction
- Positive lock with spring loaded pull down lock ring
- Fast, accurate and easy to set
- Easy-to-read laser marked scales
- Most feature quick release buttons which provide good socket retention as well as easy socket removal
- Accuracy:  $\pm 3\%$  CW  $\pm 4\%$  CCW of indicated value, CW, from 20% to 100% of full scale
- Meets or exceeds ASME B107.14-2004, ISO 6789 standards
- Individually serialized with matching certificate of calibration traceable to N.I.S.T.



PART NO.	SQ. DRIVE (inches)	RANGE (Nm)	RANGE (ft.lb.)	INCREMENT (Nm)	A (mm)	B (mm)	WEIGHT (g)
BP501NMRMH	1/4	1.0 - 5.0	1 - 4	0.06	258	27	386
BP2502NMRMH	3/8	4.0 - 27.7	3 - 20	0.12	286	27	431
BP602NMRMH	3/8	10 - 60	8 - 45	0.5	406	36	1,134
BP1002NMRMH	3/8	20 - 100	15 - 75	0.5	406	36	1,134
BP2003NMRMH	1/2	40 - 200	30 - 147.5	2	483	43	1,474
BP3403NMRMH	1/2	60 - 340	45 - 250	2	620	43	1,542
BP8004NMRMH	3/4	150 - 800	110 - 600	5	1,067	64	5,375
BP15005NMRMH	1	300 - 1500	220 - 1100	10	1,778	76	11,385



## Preset Click-Type Torque Wrench

Packing: 1

- All parts are made of alloy steel for maximum life and calibration retention
- Square drives meet industrial requirements and government specifications
- Torques in both left and right hand directions
- Accuracy:  $\pm 3\%$  CW  $\pm 4\%$  CCW of indicated value
- Automatic re-set when force on handle is released
- Torque limiting positive sensory "click" when pre-set
- Smooth knurled steel hand hold for comfortable, safe grip
- Handle length proportioned to torque range of wrench for minimum user fatigue
- Tamper proof torque setting for production line use
- Torque values can be calibrated in English and Metric settings




PART NO.	SQ. DRIVE (inches)	RANGE (Nm)	RANGE (ft.lb.)	RANGE (in.lb.)	RANGE (M Kg)	LENGTH (mm)	WEIGHT (g)
BP5T-1R	1/4	1.4 - 5.4	1 - 5	12 - 60	0.10 - 0.70	165	227
BP10T-2R	3/8	3.9 - 27.7	3 - 9	36 - 108	0.42 - 1.24	184	397
BP50T-2R	3/8	10.2 - 98.3	10 - 50	120 - 600	1.25 - 7.00	292	680
BP100T-3R	1/2	34 - 197	45 - 150	540 - 1800	6.00 - 20.00	502	1,247
BP200T-3R	1/2	47 - 272	45 - 200	540 - 2400	6.00 - 27.00	603	1,361
BP300T-4R	3/4	85 - 400	100 - 300	1200 - 3600	14.00 - 42.00	711	2,155
BP600T-4R	3/4	280 - 830	200 - 600	2400 - 7200	28.00 - 83.00	1,321	5,443

## Preset Click-Type Torque Wrench, Interchangeable Head

Packing: 1

- 8 models available with torque ranges from 10 in.lb. to 600 ft.lb.
- Featuring a durable, non-slip cushion grip
- Uses universal round shank heads
- Audible click and feel impulse torque control mechanism
- Tamper proof torque setting for production line use
- Torque values can be calibrated in English or metric setting
- Accuracy:  $\pm 4\%$  of indicated value, from 20% to 100% of full scale
- Meets or exceeds ASME B107.14-2004, ISO 6789
- Optional Calibration certificate available at additional cost



PART NO.	SHANK SIZE	ENGLISH RANGE	RANGE (Nm)	A (mm)	B (mm)	C (mm)	D (mm)	WEIGHT (g)
BP5T-I	J	10 - 50 in.lb.	1.1 - 5.6	165	16	15	25	159
BP10T-I	J	50 - 250 in.lb.	5.6 - 28	254	16	15	25	249
BP10ST-I	J	60 - 300 in.lb.	6.8 - 34	157	17	22	36	340
BP50T-I	J	15 - 75 ft.lb.	20 - 102	279	17	22	36	635
BP100T-I	Y	30 - 150 ft.lb.	41 - 203	495	24	22	36	1,043
BP200T-I	Y	40 - 200 ft.lb.	54 - 271	597	24	22	36	1,179
BP300T-I	X	100 - 300 ft.lb.	135 - 406	704	28	25	36	1,769
BP600T-I	Z	120 - 600 ft.lb.	162 - 814	1,397	38	32	32	4,740

## Ratcheting Interchangeable Head

Allows use of torque wrench bodies with sockets, crowfoot wrenches, or other similar attachment

Center of fastener to retaining pin:

- \* J Series - 2.50"
- \* Y Series - 3.00"
- \* X Series - 4.50"
- \* Z Series - 5.75"



\* U.S. Patent 6,125,722 applies to these ratchet heads. Value in parentheses in chart is the Maximum Recommended Working Torque, in.lb.

SQ. DRIVE (inches)	SHANK SIZE J	SHANK SIZE Y	SHANK SIZE X	SHANK SIZE Z	HEAD O.D. (mm)	DEPTH (mm)	RATCHET SERVICE KIT
1/4	QJD8A-72* (350)	—	—	—	3	3.5	RKRT936
3/8	QJD12A* (900)	QYD12A* (1,200)	—	—	17	4.4	RKRF936
1/2	QJD16A* (900)	QYD16A* (2,400)	QXD16A* (3,000)	—	17	4.4	RKRS936
3/4	—	—	QXD24A (3,600)	QZD24B (7,200)	20	4.4	RKRQC4
1	—	—	QXD32A (3,600)	QZD32B (7,200)	20	4.4	RKRQC5

## Open End Head, mm



Value in parentheses in chart is the Maximum Recommended Working Torque, in.lb.

mm	SHANK SIZE J	SHANK SIZE Y	SHANK SIZE X	SHANK SIZE Z	HEAD O.D. (mm)	HEAD DEPTH (mm)
6	QJOM6A (60)	—	—	—	13.5	3.6
7	QJOM7A (75)	—	—	—	13.5	3.6
8	QJOM8A (120)	—	—	—	16.5	3.3
9	QJOM9A (170)	—	—	—	19.8	4.8
10	QJOM10A (265)	—	—	—	19.8	4.8
11	QJOM11A (400)	—	—	—	22.9	5.6
12	QJOM12A (430)	—	—	—	26.9	6.1
13	QJOM13A (495)	—	—	—	26.9	6.1
14	QJOM14A (665)	QYOM14A (665)	—	—	29.5	6.6
15	QJOM15A (885)	QYOM15A (885)	—	—	33.3	6.9
16	QJOM16A (900)	QYOM16A (1,060)	—	—	33.3	6.9
17	QJOM17A (900)	QYOM17A (1,235)	—	—	37.1	7.3
18	QJOM18A (900)	QYOM18A (1,375)	QXOM18A (1,375)	—	37.1	7.3
19	QJOM19A (900)	QYOM19A (1,650)	QXOM19A (1,650)	—	40.4	7.6

mm	SHANK SIZE J	SHANK SIZE Y	SHANK SIZE X	SHANK SIZE Z	HEAD O.D. (mm)	HEAD DEPTH (mm)
20	—	QYOM20A (1,925)	QXOM20A (1,925)	—	43.7	9.2
21	QJOM21A (900)	QYOM21A (2,160)	QXOM21A (2,160)	—	43.7	9.2
22	QJOM22A (900)	QYOM22A (2,400)	QXOM22A (2,400)	—	43.7	9.2
23	QJOM23A (900)	QYOM23A (2,400)	QXOM23A (2,745)	—	47	10
24	QJOM24A (900)	QYOM24A (2,400)	QXOM24A (2,970)	QZOM24A (2,970)	49	11
25	QJOM25A (900)	QYOM25A (2,400)	—	QZOM25A (3,295)	52	11
26	QJOM26A (900)	—	QXOM26A (3,570)	QZOM26A (3,570)	53	11
27	QJOM27A (900)	QYOM27A (2,400)	—	QZOM27A (3,825)	55	12
29	—	QYOM29A (2,400)	QXOM29A (3,600)	QZOM29A (4,550)	58	12
30	—	QYOM30A (2,400)	QXOM30A (3,600)	QZOM30A (4,950)	61	13
32	—	QYOM32A (2,400)	QXOM32A (3,600)	QZOM32A (5,755)	65	14
34	—	QYOM34A (2,400)	QXOM34A (3,600)	QZOM34A (6,595)	68	14
36	—	QYOM36A (2,400)	QXOM36A (3,600)	QZOM36A (7,200)	74	15

## COMPUTORQ 3 Digital Torque Wrench

- Uses CR123 replaceable batteries
- Audible tone indication



**1 Flexibility**  
15° flexible  
ratchet head



**2 Accurate Reading**  
Real-time torque readings



**3 LED Indicators**  
3-colour LED  
light indicators




**4 Comfort**  
Ergonomic handle



## COMPUTORQ 3 Digital Torque Wrench

Packing: 1

- Sleek new design
- 15° flex ratcheting head
- Push button socket release head
- Large, easy to read digital display
- Long battery life, uses 2 each CR123 lithium batteries
- Ergonomically designed molded non-slip rubber grip
- Torques in both clockwise and counterclockwise directions
- Battery saving auto-shutoff after two minutes
- COMPUTORQ 3 remembers last unit and torque setting selected
- Audible tone sounds when set torque value is reached, if the set torque value is exceeded, an alarm tone will sound
- 3 color LED light bar:
  - YELLOW LED indicates approaching desired torque setting
  - GREEN LED indicates desired torque value is reached
  - RED LED indicates fastener was overtorqued, loosen and retighten
- When desired torque value is reached, display will hold value and flash for ten seconds
- COMPUTORQ 3 will operate in any of four torque units, foot pound (ft.lb.), inch pound (in.lb.), newton meter (Nm) or kilogram centimeter (kg.cm.)
- ACCURACY:
  - ± 2% CW of readings from 10% to 100% of full scale
  - ± 3% CCW of readings from 20% to 100% of full scale
- N.I.S.T. traceable certificate of calibration included
- Meets or exceeds ASME B107.28 - 2005



PART NO.	SQ. DRIVE (inches)	RANGE (ft.lb.)	RANGE (in.lb.)	RANGE (Nm)	RANGE (kg.cm.)	LENGTH (mm)	WEIGHT (g)
BP2401CI3	1/4	2.0 - 20.0	24 - 240	2.71 - 27.10	27.6 - 276	381	910
BP1002CF3	3/8	10.0 - 100.0	120 - 1200	13.6 - 135.6	138 - 1382	432	1,000
BP2503CF3	1/2	25 - 250	300 - 3000	33.8 - 338	345 - 3456	686	1,590

## Digital Torque Tester

- Remember last 500 cycle counts
- Audible tone signals



## Digital Torque Tester

 Packing: 1

- Integral Transducer and sturdy housing allow mounting in virtually any position
- Integral Transducer: Full bridge strain gage, 350 ohm, 1500uE, 3mV/V F.S, 3.75 excitation
- Units of Torque: Nm, kg.cm., ft.lb., in.lb., in.oz.
- Audible (tone)
- Torque Accuracy:  $\pm 0.5\% \pm 1\%$  count CW and CCW from 10% to 100% of full scale at 25° C
- LCD Touch Screen: 4.7 inch color graphics display
- Screen resolution: 480 X 272 pixels
- Display Accuracy: 4 digits, 500 cycle counts
- 6 "AA" Alkaline cells for battery power included
- Track, Peak and First Peak modes of operation
- Operating Temperature: 40° to 110° F (5° to 42° C)
- Storage Temperature: 0° to 122° F (-20° to 50° C)
- Humidity up to 85% non-condensing
- ISO-6789-2003 and ASME B107-28-2005 standards compliant
- Certificate of N.I.S.T. traceability from 10% to 100% of full scale
- Includes storage case, AC adapter and USB cable 110v - 220v
- Dates & times, serial numbers, required accuracy vs actual readings, percentage error & users of torque wrenches tested are stored




PART NO.	SQ. DRIVE (inches)	ENGLISH RANGE	RANGE (Nm)
BP1001-O-DTT	1/4	10 - 100 in.oz.	0.07 - 0.706
BP501-I-DTT	1/4	5 - 50 in.lb.	0.56 - 5.65
BP2502-I-DTT	3/8	25 - 250 in.lb.	2.82 - 28.25
BP2503-F-DTT	1/2	25 - 250 ft.lb.	33.90 - 338.9
BP6004-F-DTT	3/4	60 - 600 ft.lb.	81.35 - 813.5
BP10002-I-DTT	3/8	100 - 1000 in.lb.	11.3 - 113



# WRENCHES

Wide Range For Access In Turning






*Blue-Point®*





## Combination, Regular



### Combination Wrench Set

BLPCWS23

 Packing: 1 (Set)

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards
- Set in pouch packaging



PART NO.	CONTENTS
BLPCWS23	Combination Wrenches Sizes: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 30, 32 mm




## Combination, Long

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

Packing: 6


PART NO.	mm	L (mm)
BLPCWM36	36	432
BLPCWM38	38	432
BLPCWM41	41	445
BLPCWM46	46	483



## Combination, Regular

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards
- New high polish

Packing: 6



PART NO.	mm	L (mm)
BLPCWM6AP	6	104
BLPCWM7AP	7	110
BLPCWM8AP	8	120
BLPCWM9AP	9	125
BLPCWM10AP	10	135
BLPCWM11AP	11	144
BLPCWM12AP	12	155
BLPCWM13AP	13	165
BLPCWM14AP	14	175
BLPCWM15AP	15	184
BLPCWM16AP	16	195
BLPCWM17AP	17	204
BLPCWM18AP	18	215
BLPCWM19AP	19	229

PART NO.	mm	L (mm)
BLPCWM20AP	20	239
BLPCWM21AP	21	249.8
BLPCWM22AP	22	249.8
BLPCWM23AP	23	269
BLPCWM24AP	24	269
BLPCWM25AP	25	290
BLPCWM26AP	26	290
BLPCWM27AP	27	310
BLPCWM28AP	28	330
BLPCWM29AP	29	330
BLPCWM30AP	30	330
BLPCWM32AP	32	350
BLPCWM34AP	34	350

## Adjustable Wrench Set, 3pcs

BLPADJ703

Packing: 3



PART NO.	CONTENTS
BLPADJ703	Adjustable Wrenches 15" GAJ15A, 18" GAJ18A, 24" GAJ24A

## Adjustable Wrench Set, 4pcs

BLPADJ404

Packing: 4



PART NO.	CONTENTS
BLPADJ404	Adjustable Wrenches 6" GAJ6A, 8" GAJ8A, 10" GAJ10A, 12" GAJ12A

## Adjustable Wrenches

- Wrench features a durable black phosphate finish
- Wide-open jaw design with polished head
- Heat treated steel alloy construction
- Inch scale laser etched on head face

PART NO.**	A (mm)	L (mm)	
GAJ4AP	13	108	6
GAJ6AP	25	160	6
GAJ8AP	29	210	6
GAJ10AP	33	260	6
GAJ12AP	38	310	6
GAJ15AP	43	385	4
GAJ18AP	52	450	2
GAJ24AP	62	610	1
GAJS30AP	85	778	1



Adjustable Wrench Set, Soft Grip, 4pcs

BLPADJ404SG

Packing: 4

- Now the most popular Blue-Point® Adjustable Wrenches are available with soft grips
- Durable black phosphate finish
- Wide open jaw design with oversized capacity
- Laser-etched SAE/metric scale for easy determination of bolt size
- Soft Grip design for added comfort




PART NO.	CONTENTS
BLPADJ404SG	Adjustable Wrenches, Soft Grip 6" GAJ6SG, 8" GAJ8SG, 10" GAJ10SG, 12" GAJ12SG

Adjustable Soft Grip

Packing: 6

- Now the most popular Blue-Point® Adjustable Wrenches are available with soft grips
- Durable black phosphate finish
- Wide open jaw design with oversized capacity
- Laser-etched SAE/metric scale for easy determination of bolt size
- Soft Grip design for added comfort

PART NO.*	A (mm)	L (mm)
GAJ6SG	25	160
GAJ8SG	29	210
GAJ10SG	33	260
GAJ12SG	38	310





## Ring End Wrench Set, 12pcs

BBWDSMSET12

Packing: 1(Set)

- Features a Lifetime Warranty and exceeds ANSI Standards
- Manufactured from high grade steel alloy
- Set in pouch packaging
- New high polish



PART NO.	A (mm)	L (mm)
BBWDSM67	6 - 7	160
BBWDSM89	8 - 9	175
BBWDSM1011	10 - 11	190
BBWDSM1213	12 - 13	205
BBWDSM1415	14 - 15	228
BBWDSM1617	16 - 17	232

PART NO.	A (mm)	L (mm)
BBWDSM1819	18 - 19	246
BBWDSM2022	20 - 22	268
BBWDSM2123	21 - 23	315
BBWDSM2427	24 - 27	360
BBWDSM2528	25 - 28	360
BBWDSM3032	30 - 32	405

## 45° / 75° Offset Double Ring

Packing: 6




45°



75°

PART NO.		mm		L (mm)	
45	75				
BBWSM67	BBWDM67	6 - 7	6 - 7	165	168
BBWSM89	BBWDM89	8 - 9	8 - 9	175	183
BBWSM810	BBWDM810	8 - 10	8 - 10	185	183
BBWSM911	BBWDM1011	9 - 11	10 - 11	195	198
BBWSM1011	BBWDM1012	10 - 11	10 - 12	195	198
BBWSM1012	BBWDM1113	10 - 12	11 - 13	195	218
BBWSM1113	BBWDM1213	11 - 13	12 - 13	205	218
BBWSM1213	BBWDM1214	12 - 13	12 - 14	205	218
BBWSM1214	BBWDM1415	12 - 14	14 - 15	220	235
BBWSM1314	BBWDM1417	13 - 14	14 - 17	220	260
BBWSM1415	BBWDM1617	14 - 15	16 - 17	235	260
BBWSM1417	BBWDM1719	14 - 17	17 - 19	235	292
BBWSM1516	BBWDM1819	15 - 16	18 - 19	240	292
BBWSM1617	BBWDM1921	16 - 17	19 - 21	240	318
BBWSM1719	BBWDM1922	17 - 19	19 - 22	250	318

PART NO.		mm		L (mm)	
45	75				
BBWSM1819	BBWDM2022	18 - 19	20 - 22	250	318
BBWSM1921	BBWDM2123	19 - 21	21 - 23	270	330
BBWSM1922	BBWDM2224	19 - 22	22 - 24	270	330
BBWSM2022	BBWDM2326	20 - 22	23 - 26	270	346
BBWSM2122	BBWDM2426	21 - 22	24 - 26	290	346
BBWSM2123	BBWDM2427	21 - 23	24 - 27	290	346
BBWSM2224	BBWDM2528	22 - 24	25 - 28	320	355
BBWSM2326	BBWDM2430	23 - 26	24 - 30	360	355
BBWSM2426	BBWDM2730	24 - 26	27 - 30	360	355
BBWSM2427	BBWDM3032	24 - 27	30 - 32	360	372
BBWSM2528	BBWDM3436A	25 - 28	34 - 36	370	440
BBWSM2730		27 - 30		380	
BBWSM2732		27 - 32		380	
BBWSM3032		30 - 32		380	
BBWSM3436		34 - 36		405	



## Double Flex Socket Wrench Set, 8pcs

BLPBWRES8

Packing: 1 (Set)

- Higher Torque – 15% to 20% more turning power with Flank Drive wrenching system
- Flexible sockets wrench provides speed and accessibility to work round corners
- 12 point socket end gives great grip at either end making sure there is no slipping when tightening and loosening
- Manufactured from chrome vanadium steel for strength and durability
- Full polished chrome finish easily wipes clean of oil and dirt
- 2 sizes in one wrench
- Supplied in a canvas tool pouch for neat and easy storage and transportation



PART NO.	mm	L (mm)
BLPBWREF67	6 - 7	185
BLPBWREF89	8 - 9	185
BLPBWREF1011	10 - 11	200
BLPBWREF1213	12 - 13	220

PART NO.	mm	L (mm)
BLPBWREF1415	14 - 15	242
BLPBWREF1617	16 - 17	254
BLPBWREF1819	18 - 19	275
BLPBWREF2123	21 - 23	305

## Double Flex Socket Wrench


Packing: 10

- Higher Torque – 15% to 20% more turning power with Flank Drive wrenching system
- Flexible sockets wrench provides speed and accessibility to work round corners
- 12 point socket end gives great grip at either end making sure there is no slipping when tightening and loosening
- Manufactured from chrome vanadium steel for strength and durability
- Full polished chrome finish easily wipes clean of oil and dirt
- 2 sizes in one wrench



PART NO.	mm	L (mm)
BLPBWREF67	6 - 7	185
BLPBWREF89	8 - 9	185
BLPBWREF810	8 - 10	185
BLPBWREF1011	10 - 11	200
BLPBWREF1012	10 - 12	205
BLPBWREF1013	10 - 13	205
BLPBWREF1113	11 - 13	205
BLPBWREF1213	12 - 13	220
BLPBWREF1214	12 - 14	225
BLPBWREF1317	13 - 17	242

PART NO.	mm	L (mm)
BLPBWREF1415	14 - 15	242
BLPBWREF1417	14 - 17	244
BLPBWREF1617	16 - 17	254
BLPBWREF1719	17 - 19	260
BLPBWREF1819	18 - 19	275
BLPBWREF1922	19 - 22	300
BLPBWREF2022	20 - 22	305
BLPBWREF2123	21 - 23	305
BLPBWREF2427	24 - 27	335
BLPBWREF3032	30 - 32	345



## Double Open End Wrench Set, 12pcs

BDOEMTSET12

Packing: 6

- New high polish
- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards
- Set in pouch packaging



PART NO.	mm	L (mm)
BDOEMT67	6 - 7	126
BDOEMT89	8 - 9	145
BDOEMT1011	10 - 11	162
BDOEMT1213	12 - 13	181
BDOEMT1415	14 - 15	189
BDOEMT1617	16 - 17	198

PART NO.	mm	L (mm)
BDOEMT1819	18 - 19	198
BDOEMT2022	20 - 22	220
BDOEMT2123	21 - 23	242
BDOEMT2427	24 - 27	264
BDOEMT2528	25 - 28	287
BDOEMT3032	30 - 32	287

## Double Open End Wrench

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

Packing: 6



PART NO.	mm	L (mm)
BDOEM67	6 - 7	125
BDOEM68	6 - 8	125
BDOEM89	8 - 9	135
BDOEM810	8 - 10	135
BDOEM1011	10 - 11	145
BDOEM1012	10 - 12	145
BDOEM1113	11 - 13	165
BDOEM1213	12 - 13	165
BDOEM1214	12 - 14	165
BDOEM1314	13 - 14	165
BDOEM1415	14 - 15	185
BDOEM1417	14 - 17	185
BDOEM1617	16 - 17	185
BDOEM1719	17 - 19	225
BDOEM1819	18 - 19	225
BDOEM1921	19 - 21	237

PART NO.	mm	L (mm)
BDOEM1922	19 - 22	237
BDOEM2022	20 - 22	255
BDOEM2123	21 - 23	255
BDOEM2224	22 - 24	255
BDOEM2326	23 - 26	295
BDOEM2426	24 - 26	295
BDOEM2427	24 - 27	295
BDOEM2528	25 - 28	334
BDOEM3032	30 - 32	368

PART NO.	mm	L (mm)
BDOE1012	5/16 - 3/8	5 5/16
BDOE1416	7/16 - 1/2	6 1/2
BDOE1820	9/16 - 5/8	7 9/32
BDOE2224	11/16 - 3/4	8 15/16



## Flare Nut Wrench Set, 9pcs

BLPFNWS9

Packing: 1 (Set)

- Higher Torque – 15% to 20% more turning power with Flank Drive wrenching system
- Open side allows for easy access over tubing and lines
- Manufactured from chrome vanadium steel for strength and durability
- Full polished chrome finish easily wipes clean of oil and dirt
- Large hard stamped size markings allow for easy identification
- Supplied in a canvas tool pouch for neat and easy storage and transportation



PART NO.	mm	L (mm)
BLPFNM810	8 - 10	139
BLPFNM911	9 - 11	153
BLPFNM1012	10 - 12	153
BLPFNM1314	13 - 14	174
BLPFNM1517	15 - 17	195

PART NO.	mm	L (mm)
BLPFNM1618	16 - 18	213
BLPFNM1719	17 - 19	213
BLPFNM1921	19 - 21	228
BLPFNM2123	21 - 23	243

## Flare Nut Wrench

Packing: 10


- Higher Torque – 15% to 20% more turning power with Flank Drive wrenching system
- Open side allows for easy access over tubing and lines
- Manufactured from chrome vanadium steel for strength and durability
- Full polished chrome finish easily wipes clean of oil and dirt
- Large hard stamped size markings allow for easy identification



PART NO.	mm	L (mm)
BLPFNM79	7 - 9	139
BLPFNM810	8 - 10	139
BLPFNM910	9 - 10	139
BLPFNM911	9 - 11	153
BLPFNM1011	10 - 11	153
BLPFNM1012	10 - 12	153
BLPFNM1112	11 - 12	153
BLPFNM1113	11 - 13	174
BLPFNM1213	12 - 13	174
BLPFNM1214	12 - 14	174
BLPFNM1314	13 - 14	174
BLPFNM1315	13 - 15	175
BLPFNM1415	14 - 15	175
BLPFNM1417	14 - 17	195

PART NO.	mm	L (mm)
BLPFNM1517	15 - 17	195
BLPFNM1618	16 - 18	213
BLPFNM1719	17 - 19	213
BLPFNM1819	18 - 19	213
BLPFNM1921	19 - 21	228
BLPFNM1922	19 - 22	228
BLPFNM2123	21 - 23	243
BLPFNM2224	22 - 24	243
BLPFNM2426	24 - 26	258
BLPFNM2427	24 - 27	258
BLPFNM2432	24 - 32	287
BLPFNM2528	25 - 28	297
BLPFNM3032	30 - 32	297
BLPFNM3641	36 - 41	317

**WRENCHES**  
Double Open End



## Water Pump Pulley Wrench

YA1350

 Packing: 1

- Essential tool for preventing pulley damage when removing or installing bolts
- Fixed pin dimension for quick, easy installation
- Unique bend to clear engine compartment obstacles
- Wrench head shaped for generous clearance around the bolts



## Fan Clutch Pulley Holder

YA6160

 Packing: 1

- Removes and replaces the fan clutch on vehicles using "bolt on" water pump pulleys
- Reverse pulley holder for assembly operations



## Chain Wrench

 Packing: 6



## Strap Wrench

 Packing: 1

- Adjusts to fit any circumference or irregular shape
- Grip, loosen or tighten almost anything
- Won't scratch or damage surfaces
- Cushioned grip for maximum comfort
- Heavy duty construction for longer life
- Also available in set, PN: BLPSTWRKT



PART NO.	CHAIN LENGTH (inches)	CAPACITY (inches)	HANDLE LENGTH (inches)
CW12A	16	4	12
CW15A	19	5	15
CW24A	23	6	24

PART NO.	DIAMETER
BLPSTWR4	4" max
BLPSTWR6	6" max

## Ratchet Combination Wrench Sets

Packing: 1

- Dual pawl ratcheting box end yields smooth operation and maximum strength
- 15° offset box head provides extra knuckle clearance
- 4.5° (5° on smaller wrenches) gear engagement means less movement to engage the next gear
- Inch scale laser etched on head face
- Ratcheting box is reversible
- Box end features the FLANK DRIVE® wrenching configuration for greater torque with less applied force
- Tough, durable nickel-chrome finish
- Meets or exceeds strength specifications in ASME B107.6

PART NO.	CONTENTS
<b>BOERM712</b>	8 to 19mm Ratchet Combination Wrench Set, 12pcs BOERM8 BOERM9 BOERM10 BOERM11 BOERM12 BOERM13 BOERM14 BOERM15 BOERM16 BOERM17 BOERM18 BOERM19
<b>BOERM704</b>	21 to 25mm Ratchet Combination Wrench Set, 4pcs BOERM21 BOERM22 BOERM24 BOERM25
<b>BOER704</b>	13/16" to 1" Ratchet Combination Wrench Set, 4 pcs BOER26 BOER28 BOER30 BOER32
<b>BOER708</b>	5/16" to 3/4" Ratchet Combination Wrench Set, 8 pcs BOER10 BOER12 BOER14 BOER16 BOER18 BOER20 BOER22 BOER24



## Ratcheting Wrench Set, Flex Head, 12pcs

BOERMF712A

Packing: 1

PART NO.	CONTENTS
<b>BOERMF712A</b>	8 to 19mm Flexible Head Ratchet Combination Wrenches BOERMF8A BOERMF9A BOERMF10A BOERMF11A BOERMF12A BOERMF13A BOERMF14A BOERMF15A BOERMF16A BOERMF17A BOERMF18A BOERMF19A





## Ratcheting Wrench Set, Flex Head, 8pcs

BOERF708A

Packing: 1

PART NO.	CONTENTS
BOERF708A	5/16" to 3/4" Flexible Head Ratchet Combination Wrenches BOERF10A BOERF12A BOERF14A BOERF16A BOERF18A BOERF20A BOERF22A BOERF24A



## Ratchet Combination


Packing: 6

- Dual pawl ratcheting box end yields smooth operation and maximum strength
- 15° offset box head provides extra knuckle clearance
- 4.5° (5° on smaller wrenches) gear engagement means less movement to engage the next gear
- Inch scale laser etched on head face
- Ratcheting box is reversible
- Box end features the FLANK DRIVE® wrenching configuration for greater torque with less applied force
- Tough, durable nickel-chrome finish
- Meets or exceeds strength specifications in ASME B107.6



PART NO.	mm	A (mm)	B (mm)	L (mm)
BOERM6	6	6.6	3.6	114
BOERM7	7	6.6	3.9	125
BOERM8	8	6.5	4.0	135
BOERM9	9	7.4	4.0	150
BOERM10	10	8.0	5.0	160
BOERM11	11	8.5	5.5	170
BOERM12	12	9.0	5.5	175
BOERM13	13	10.0	6.3	180
BOERM14	14	10.0	6.5	190
BOERM15	15	11.0	7.0	200
BOERM16	16	11.0	7.0	210
BOERM17	17	12.0	7.0	230
BOERM18	18	12.0	8.0	240
BOERM19	19	12.9	8.7	250
BOERM21	21	13.7	9.4	266
BOERM22	22	14.5	9.4	286
BOERM24	24	15.5	11.2	305
BOERM25	25	15.5	11.2	327

PART NO.	in	A (inches)	B (inches)	L (inches)
BOER8	1/4	1/4	5/32	4 1/2
BOER10	5/16	1/4	5/32	5 5/16
BOER12	3/8	5/16	3/16	6 5/16
BOER14	7/16	11/32	7/32	6 11/16
BOER16	1/2	13/32	1/4	7 1/16
BOER18	9/16	13/32	1/4	7 1/2
BOER20	5/8	7/16	9/32	8 1/4
BOER22	11/16	15/32	9/32	9 1/16
BOER24	3/4	1/2	11/32	9 13/16
BOER26	13/16	17/32	3/8	10 1/2
BOER28	7/8	9/16	3/8	11 1/4
BOER30	15/16	5/8	7/16	12
BOER32	1	5/8	7/16	12 7/8



## Ratchet Combination, Flex Head

Packing: 6


- Flex head pivots 90° in either direction
- Dual pawl reversible ratcheting box end
- Low profile easy action reverse lever won't get in your way
- Tough, durable nickel chrome finish
- Up to 80 gear teeth for ratcheting in tight areas



PART NO.	mm	A (mm)	B (mm)	L (mm)
BOERMF8A	8	6.5	4.0	142
BOERMF9A	9	7.4	4.0	152
BOERMF10A	10	8.0	5.0	162
BOERMF11A	11	8.5	5.5	172
BOERMF12A	12	9.0	5.5	180
BOERMF13A	13	10.0	6.3	188
BOERMF14A	14	10.0	6.5	196
BOERMF15A	15	11.0	7.0	204
BOERMF16A	16	11.0	7.0	214
BOERMF17A	17	12.0	7.0	228
BOERMF18A	18	12.0	8.0	242
BOERMF19A	19	12.9	8.7	256

PART NO.	II	A (inches)	B (inches)	L (inches)
BOERF10A	5/16	1/4	5/32	5 19/32
BOERF12A	3/8	5/16	3/16	6 3/8
BOERF14A	7/16	11/32	7/32	6 3/4
BOERF16A	1/2	13/32	1/4	7 13/32
BOERF18A	9/16	13/32	1/4	7 23/32
BOERF20A	5/8	7/16	9/32	8 7/16
BOERF22A	11/16	15/32	9/32	8 31/32
BOERF24A	3/4	1/2	11/32	10 1/16

## Flexible Head Ratchet Combination Wrench



## Ratcheting Wrench Sets, Short

Packing: 1



PART NO.	CONTENTS
<b>BOERMS712</b>	8 to 19mm Short Ratchet Combination Wrench Set, 12pcs BOERMS8 BOERMS9 BOERMS10 BOERMS11 BOERMS12 BOERMS13 BOERMS14 BOERMS15 BOERMS16 BOERMS17 BOERMS18 BOERMS19
<b>BOERS708</b>	5/16" to 3/4" Short Ratchet Combination Wrench Set, 8pcs BOERS10 BOERS12 BOERS14 BOERS16 BOERS18 BOERS20 BOERS22 BOERS24

## Short Ratchet Combination

Packing: 6

- Dual pawl reversible ratcheting box end
- Low profile easy action reverse lever won't get in your way
- Up to 80 gear teeth for ratcheting in tight areas
- Tough, durable nickel chrome finish



PART NO.	mm	A (mm)	B (mm)	L (mm)
BOERMS8	8	6.5	4.0	90
BOERMS9	9	7.4	4.0	95
BOERMS10	10	8.0	5.0	100
BOERMS11	11	8.5	5.5	105
BOERMS12	12	9.0	5.5	110
BOERMS13	13	10.0	6.3	115
BOERMS14	14	10.0	6.5	120
BOERMS15	15	11.0	7.0	125
BOERMS16	16	11.0	7.0	128
BOERMS17	17	12.0	7.0	132
BOERMS18	18	12.0	8.0	138
BOERMS19	19	12.9	8.7	142

PART NO.	inches	A (inches)	B (inches)	L (inches)
BOERS10	5/16	1/4	5/32	3 9/16
BOERS12	3/8	5/16	3/16	3 15/16
BOERS14	7/16	11/32	7/32	4 1/8
BOERS16	1/2	13/32	1/4	4 1/2
BOERS18	9/16	13/32	1/4	4 3/4
BOERS20	5/8	7/16	9/32	5 1/16
BOERS22	11/16	15/32	9/32	5 3/16
BOERS24	3/4	1/2	11/32	5 5/16

## Ratcheting Wrench Set, Short Flex Head, 8pcs

Packing: 1



PART NO.	CONTENTS
<b>BOERSF708</b>	5/16" to 3/4" Short Flexible Ratchet Combination Wrench BOERSF10 BOERSF12 BOERSF14 BOERSF16 BOERSF18 BOERSF20 BOERSF22 BOERSF24

## Short Flex Head Ratchet Combination


Packing: 6

- Flex head pivots 90° in either direction
- Dual pawl reversible ratcheting box end
- Up to 80 gear teeth for ratcheting in tight areas



PART NO.	mm	A (mm)	B (mm)	L (mm)
BOERMSF8	8	6.5	4.0	94
BOERMSF9	9	7.4	4.0	98
BOERMSF10	10	8.0	5.0	103
BOERMSF11	11	8.5	5.5	108
BOERMSF12	12	9.0	5.5	111
BOERMSF13	13	10.0	6.3	115
BOERMSF14	14	10.0	6.5	120
BOERMSF15	15	11.0	7.0	124
BOERMSF16	16	11.0	7.0	128
BOERMSF17	17	12.0	7.0	133
BOERMSF18	18	12.0	8.0	140
BOERMSF19	19	12.9	8.7	147

PART NO.	inches	A (inches)	B (inches)	L (inches)
BOERSF10	5/16	1/4	5/32	3 11/16
BOERSF12	3/8	5/16	3/16	4 1/16
BOERSF14	7/16	11/32	7/32	4 1/4
BOERSF16	1/2	13/32	1/4	4 17/32
BOERSF18	9/16	13/32	1/4	4 23/32
BOERSF20	5/8	7/16	9/32	5 1/32
BOERSF22	11/16	15/32	9/32	5 1/4
BOERSF24	3/4	1/2	11/32	5 25/32





## Single Direction Ratchet Combination

Packing: 10



PART NO.	mm	A (mm)	B (mm)	L (mm)
BLPGWM5.5A	5.5	7	4.2	114
BLPGWM6A	7	7	4.2	114
BLPGWM7A	7	7	4.2	114
BLPGWM8A	7	7	4.7	132
BLPGWM9A	7	7	4.7	132
BLPGWM10A	10	8.2	5.3	149
BLPGWM11A	11	8.5	5.9	167
BLPGWM12A	12	9.4	6.5	185
BLPGWM13A	13	9.4	6.5	185
BLPGWM14A	14	9.7	7.1	202
BLPGWM15A	15	9.7	7.1	202
BLPGWM16A	16	10.8	7.7	220
BLPGWM17A	17	10.8	7.7	220
BLPGWM18A	18	11.3	8.3	238
BLPGWM19A	19	11.3	8.3	238
BLPGWM20A	20	11.3	8.3	238
BLPGWM21A	21	11.8	8.85	247
BLPGWM22A	22	11.8	8.85	247
BLPGWM23A	23	12.3	9.4	270
BLPGWM24A	24	12.3	9.4	270
BLPGWM26A	26	13.1	10.2	293

PART NO.	mm	A (mm)	B (mm)	L (mm)
BLPGWM27A	27	13.1	10.2	293
BLPGWM30A	30	14.1	11.2	322
BLPGWM32A	32	15.8	12.4	388
BLPGWM34A	34	15.8	12.4	388
BLPGWM36A	36	17.8	13.9	456
BLPGWM38A	38	17.8	13.9	456
BLPGWM40A	40	20.15	16.15	503
BLPGWM41A	41	20.15	16.15	503
BLPGWM42A	42	20.15	16.15	503
BLPGWM44A	44	22.6	18	540
BLPGWM45A	45	22.6	18	540
BLPGWM46A	46	22.6	18	540
BLPGWM48A	48	25.5	20	580
BLPGWM50A	50	25.5	20	580
BLPGWM55A	55	28.5	22.3	618
BLPGWM57A	57	28.5	22.3	618
BLPGWM58A	58	31.6	23.6	658
BLPGWM60A	60	31.6	23.6	658
BLPGWM65A	65	34.7	26.1	698
BLPGWM70A	70	37.9	28.6	738

## Double Ring Ratcheting

Packing: 10



PART NO.	mm	A (mm)	L (mm)
BLPGWDM67P	6-7	14.3 - 16.8	115
BLPGWDM810P	8-10	18.5 - 21.7	130
BLPGWDM911P	9-11	21.7 - 23.6	150
BLPGWDM1214P	12-14	25 - 28	170
BLPGWDM1315P	13-15	28 - 30	190
BLPGWDM1719P	17-19	33.4 - 36.6	235
BLPGWDM1820P	18-20	33.4 - 36.6	235
BLPGWDM2122P	21-22	43 - 43	260
BLPGWDM2324P	23-24	43 - 49	290

## Reversible Ratcheting Wrench Set, 2pcs

BLPMSWRH2S

Packing: 1 (Set)



Size (mm/inches)	Size (mm/inches)	Size (mm/inches)	Size (mm/inches)
8	5/16	7	9/32
10	3/8	-	11/32
11	7/16	9	3/8
12	1/2	11	7/16
14	9/16	12	15/32
16	5/8	13	17/32
17	11/16	14	9/16
19	3/4	16	5/8

## Ratcheting Wrench Set, Locking Flex Head, 12pcs

BOERMFLCG712

Packing: 1



PART NO.	CONTENTS
BOERMFLCG712	8 to 19mm Locking Flexible Head Ratchet Combination Wrench BOERMFLCG8 BOERMFLCG9 BOERMFLCG10 BOERMFLCG11 BOERMFLCG12 BOERMFLCG13 BOERMFLCG14 BOERMFLCG15 BOERMFLCG16 BOERMFLCG17 BOERMFLCG18 BOERMFLCG19

## Ratcheting Wrench Set, Locking Flex Head, 8pcs

BOERFLCG708

Packing: 1



PART NO.	CONTENTS
BOERFLCG708	5/16" to 3/4" Locking Flexible Head Ratchet Combination Wrench BOERFLCG10 BOERFLCG12 BOERFLCG14 BOERFLCG16 BOERFLCG18 BOERFLCG20 BOERFLCG22 BOERFLCG24

## Locking Flex Head Ratchet Combination

- Corrosive resistant bi-mold cushion grips for improved comfort and performance
- Wrenches have multiple locking head positions for easier access to tough to reach fasteners
- Long reach solid shank steel handle for improved reach and leverage
- Dual pawl reversible ratchet head
- Flex head pivots 90° in either direction

Packing: 6



PART NO.	mm	A (mm)	B (mm)	L (mm)
BOERMFLCG8	8	6.55	32	228
BOERMFLCG9	9	7.45	34	229
BOERMFLCG10	10	8.05	38	233
BOERMFLCG11	11	8.55	40	235
BOERMFLCG12	12	9.05	42	285
BOERMFLCG13	13	10.05	45	287
BOERMFLCG14	14	10.05	48	289
BOERMFLCG15	15	11.05	52	293
BOERMFLCG16	16	11.05	54	347
BOERMFLCG17	17	12.05	56	348
BOERMFLCG18	18	12.05	60	352
BOERMFLCG19	19	12.95	64	354

PART NO.	II	A (inches)	B (inches)	L (inches)
BOERFLCG10	5/16	1/4	1 1/4	9
BOERFLCG12	3/8	5/16	1 1/2	8 1/4
BOERFLCG14	7/16	11/32	1 9/16	9 19/32
BOERFLCG16	1/2	13/32	1 25/32	11 9/32
BOERFLCG18	9/16	13/32	1 29/32	11 3/8
BOERFLCG20	5/8	7/16	2 1/8	13 21/32
BOERFLCG22	11/16	15/32	2 7/32	13 23/32
BOERFLCG24	3/4	1/2	2 17/32	13 15/16

## Ratcheting Box Wrench Sets, 5pcs

 Packing: 1



PART NO.	CONTENTS
RBZM605	7mm - 8mm to 15mm - 17mm Ratcheting Box Wrench Set, 5pcs RBZM78 RBZM910 RBZM1112 RBZM1314 RBZM1517
RBZ605	1/4" - 5/16" to 3/4" - 7/8" Ratcheting Box Wrench Set, 5pcs RBZ810 RBZ1214 RBZ1618 RBZ2022 RBZ2428


## Ratcheting Box

 Packing: 1

- Latch-on head keeps wrench on fastener
- Ring prevents nut/fastener head from sliding through wrench




PART NO.		A (mm)	L (mm)
RBZM78	7 - 8	15.1 - 17.1	114
RBZM910	9 - 10	20.4 - 22.6	140
RBZM1112	11 - 12	25.8 - 29.4	175
RBZM1314	13 - 14	25.8 - 29.4	175
RBZM1517	15 - 17	32.9 - 36.5	206
RBZM1618	16 - 18	32.9 - 36.5	206
RBZM1921	19 - 21	35.7 - 40.1	235

PART NO.		A (inches)	L (inches)
RBZ810	1/4 - 5/16	3/8	4 1/2
RBZ1214	3/8 - 7/16	3/8	5 7/2
RBZ1618	1/2 - 9/16	1/2	6 1/8
RBZ2022	5/8 - 11/16	1/2	9 1/4
RBZ2428	3/4 - 7/8	1/2	9 1/4

## T-Shape Speeder Wrench


 Packing: 1

- Speedy socket wrench, convenience for use
- Magnetic inset for convenience



PART NO.	A (mm)	B (mm)	L (mm)
BPTHM08	8	200	250
BPTHM09	9	200	250
BPTHM10	10	200	250
BPTHM11	11	200	250
BPTHM12	12	250	250
BPTHM13	13	250	300
BPTHM14	14	250	300

## NEW! T-Shape Speeder Wrench, Deep Socket, Slotted, Phillips®

 Packing: 1

- Durable Cr-V material, Matt finishing
- Deep Socket, socket length 50mm
- Suitable for motorcycle segment use



PART NO.	A (mm)	B (mm)	L (mm)
BLPTHDS250M8	8	200	250
BLPTHDS250M9	9	200	250
BLPTHDS250M10	10	200	250
BLPTHDS250M11	11	200	250
BLPTHDS250M12	12	200	250
BLPTHDS300M13	13	250	300
BLPTHDS300M14	14	250	300
BLPTHDS300M15	15	250	300
BLPTHDS300M16	16	250	300
BLPTHDS300M17	17	250	300
BLPTH250PH0	PH0#	200	250
BLPTH250PH1	PH1#	200	250
BLPTH250PH2	PH2#	200	250
BLPTH250PH3	PH3#	200	250
BLPTH300PH4	PH4#	250	300
BLPTH250S6	6	200	250
BLPTH250S8	8	200	250
BLPTH250S10	10	200	250
BLPTH300S12	12	250	300





## Folding Hex Key Set, 8pcs

BLFHKS8

Packing: 1

- Material: S2
- Finish: Satin



PART NO.	CONTENTS
BLFHKS8	Hex Key Sizes: 1.5, 2, 2.5, 3, 4, 5, 6, 8mm

## T-Hex Ball End Key Set, 8pcs

BLWBS8

Packing: 1

- Set in metal stand
- Material: S2
- Finish: Satin



PART NO.	CONTENTS
BLWBS8	T-Hex Ball End Key BLWTBM2 BLWTBM2.5 BLWTBM3 BLWTBM4 BLWTBM5 BLWTBM6 BLWTBM8 BLWTBM10

## T-Hex Ball End Key

- Material: S2
- Finish: Satin

Packing: 1



PART NO.	mm	A (mm)	L (mm)
BLWTBM2	2	83	13
BLWTBM2.5	2.5	83	13
BLWTBM3	3	83	13
BLWTBM4	4	83	13
BLWTBM5	5	83	13
BLWTBM6	6	134	15
BLWTBM8	8	134	15
BLWTBM10	10	134	15

## T-Hex Key

- Ergonomical handle for a better grip
- Made from high torque steel

Packing: 6



PART NO.	mm	A (mm)	L (mm)
BTWM1.5	1.5	83	122
BTWM2.5	2.5	83	122
BTWM3	3	83	122
BTWM4	4	83	122
BTWM5	5	83	122
BTWM6	6	134	186
BTWM7	7	134	186
BTWM8	8	134	186

## L-Hex Short Arm Key Set, 9pcs

BLFHKS9

Packing: 1

- Set in plastic holder
- Material: S2
- Finish: Satin



PART NO.	CONTENTS
BLFHKS9	L-Hex Short Arm Key BLWSM1.5 BLWSM2 BLWSM2.5 BLWSM3 BLWSM4 BLWSM5 BLWSM6 BLWSM8 BLWSM10

## L-Hex Long Arm Key Set, 9pcs

BLWHKLS9

Packing: 1

- Set in plastic holder
- Material: S2
- Finish: Satin



PART NO.	CONTENTS
BLWHKLS9	L-Hex Long Arm Key BLWLM1.5 BLWLM2 BLWLM2.5 BLWLM3 BLWLM4 BLWLM5 BLWLM6 BLWLM8 BLWLM10

## L-Hex Extra Long Arm Key Set, 9pcs

BLWHKELS9

Packing: 1

- Set in plastic holder
- Material: S2
- Finish: Satin



PART NO.	CONTENTS
BLWHKELS9	L-Hex Extra Long Arm Key BLWXM1.5 BLWXM2 BLWXM2.5 BLWXM3 BLWXM4 BLWXM5 BLWXM6 BLWXM8 BLWXM10

## L-Hex Long Ball End Key Set, 9pcs

BLWSM9

Packing: 1

- Set in plastic holder
- Made from high torque steel
- Ball hex allows angle entry



PART NO.	CONTENTS
BLWSM9	L-Hex Long Ball End Key BLWLB1.5 BLWLB2 BLWLB2.5 BLWLB3 BLWLB4 BLWLB5 BLWLB6 BLWLB8 BLWLB10

## L-Hex Extra Long Ball End Key Set, 9pcs

BLHKELBS9

Packing: 1

- Set in plastic holder
- Material: S2
- Finish: Satin



PART NO.	CONTENTS
BLHKELBS9	L-Hex Extra Long Ball End Key BLWXLB1.5 BLWXLB2 BLWXLB2.5 BLWXLB3 BLWXLB4 BLWXLB5 BLWXLB6 BLWXLB8 BLWXLB10

## L-Torx Key Set, 9pcs

BLWTS9

Packing: 1

- Set in plastic holder
- Made from high torque steel



#	A (mm)	L (mm)
T10	17	86
T15	18	90
T20	19	95
T25	20	100
T27	21	105
T30	24	114
T40	26	124
T45	29	133
T50	32	152

## L-Torx Long Arm Key Set, 9pcs

BLWTLS9

Packing: 1

- Set in plastic holder
- Material: S2
- Finish: Satin




PART NO.	CONTENTS
BLWTLS9	L-Torx Long Arm Key BLWTL10 BLWTL15 BLWTL20 BLWTL25 BLWTL27 BLWTL30 BLWTL40 BLWTL45 BLWTL50

## L-Torx Extra Long Key Set, 9pcs

BLWTES9

Packing: 1

- Set in plastic holder
- Material: S2
- Finish: Satin



PART NO.	CONTENTS
BLWTES9	L-Torx Extra Long Key Sizes: T10, T15, T20, T25, T27, T30, T40, T45, T50

## L-Hex Key

- Made from high torque steel
- Heavy duty usage
- Satin finish



PART NO.	mm	A (mm)	L (mm)
BLWM1.5	1.5	13.5	77
BLWM2	2	15.5	82
BLWM2.5	2.5	17.5	88.5
BLWM3	3	19	98.5
BLWM4	4	24	104
BLWM5	5	27	116
BLWM6	6	31	138
BLWM8	8	35	158
BLWM10	10	39	167
BLWM11	11	42	190
BLWM12	12	44	209
BLWM13	13	50	220
BLWM14	14	54.5	233
BLWM15	15	56.5	237
BLWM16	16	58.5	240
BLWM17	17	61.5	246
BLWM18	18	64.5	261
BLWM19	19	68.5	276

## L-Hex Short Arm Key

- Material: S2
- Finish: Satin



PART NO.	mm	A (mm)	L (mm)
BLWSM1.5	1.5	15	46
BLWSM2	2	18	52
BLWSM2.5	2.5	20	58
BLWSM3	3	23	66
BLWSM4	4	29	74
BLWSM5	5	33	85
BLWSM6	6	38	96
BLWSM8	8	44	108
BLWSM10	10	50	122

## L-Hex Long Arm Key

- Material: S2
- Finish: Satin



PART NO.	mm	A (mm)	L (mm)
BLWLM1.5	1.5	15	78
BLWLM2	2	17.5	84
BLWLM2.5	2.5	20	91
BLWLM3	3	22	102
BLWLM4	4	28	108
BLWLM5	5	32	121
BLWLM6	6	37	144
BLWLM8	8	43	166
BLWLM10	10	49	177

## L-Hex Extra Long Arm Key

- Material: S2
- Finish: Satin



PART NO.	mm	A (mm)	L (mm)
BLWXM1.5	1.5	15	91
BLWXM2	2	17	101
BLWXM2.5	2.5	20	114
BLWXM3	3	22	128
BLWXM4	4	28	143
BLWXM5	5	32	164
BLWXM6	6	37	185
BLWXM8	8	43	207
BLWXM10	10	49	233





## L-Hex Long Ball End Key

- Material: S2
- Finish: Satin



PART NO.	mm	A (mm)	L (mm)
BLWLB1.5	1.5	15	78
BLWLB2	2	17.5	84
BLWLB2.5	2.5	20	91
BLWLB3	3	22	102
BLWLB4	4	28	108
BLWLB5	5	32	121
BLWLB6	6	37	144
BLWLB8	8	43	166
BLWLB10	10	49	177

## L-Hex Extra Long Ball End Key

- Material: S2
- Finish: Satin



PART NO.	mm	A (mm)	L (mm)
BLWXLB1.5	1.5	15	91
BLWXLB2	2	17	101
BLWXLB2.5	2.5	20	114
BLWXLB3	3	22	128
BLWXLB4	4	28	143
BLWXLB5	5	32	164
BLWXLB6	6	37	185
BLWXLB8	8	43	207
BLWXLB10	10	49	233

## L-Torx Short Arm Key

- Material: S2
- Finish: Satin



PART NO.	#	A (mm)	L (mm)
BLWT9	T9	19	51
BLWT10	T10	20	54
BLWT15	T15	21	57
BLWT20	T20	23	61
BLWT25	T25	24	65
BLWT27	T27	26	69
BLWT30	T30	29	75
BLWT40	T40	33	83

## L-Torx Long Arm Key

- Material: S2
- Finish: Satin



PART NO.	#	A (mm)	L (mm)
BLWTL9	T9	19	85
BLWTL10	T10	20	89
BLWTL15	T15	21	93
BLWTL20	T20	23	99
BLWTL25	T25	24	104
BLWTL27	T27	26	110
BLWTL30	T30	29	119
BLWTL40	T40	33	131

# PLIERS & CUTTERS

Superior Comfort, Gripping & Cutting





*Blue-Point*®





## Combination Pliers

**1** Differential jaws for a more secure grip



**2** Precise machined joint for ease of use and longer life



**3** Dual compound soft grip handles provide good grip and comfort



**4** Tougher steel for cutting harder and thicker wire, laser sharpened & treated cutting edge for less cutting effort



**5** High leverage grip for tubular gripping applications



## Pliers Set, Standard, 5pcs

BPL501

Packing: 6 (Set)

- Storage tray packaging



PART NO.	CONTENTS	JAW CAPACITY (inches)	LENGTH (inches)
B48CPAP	Slip Joint Pliers	2 3/32	8 13/32
B58HLPAP	Lineman's Pliers	1 1/2	8 31/32
B96CPAP	Long Nose Pliers	2 1/32	6 5/16
BAWP100AP	Adjustable Joint Pliers	1 3/8	10 5/32
B87CPAP	Diagonal Cutters	31/32	6 19/32

## Pliers Set, Dipped Grips, 8pcs

BDGPL800

Packing: 6 (Set)

- Storage tray packaging



PART NO.	CONTENTS	JAW CAPACITY (inches)	LENGTH (inches)
BDGAWP100Z	Adjustable Joint Pliers	1 3/4	10
BDG48CPZ	Slip Joint Pliers	1 27/32	8
BDG98CPZ	Needle Nose Pliers	3	8
BDG9845CPZ	45° Bent Nose Pliers	2 13/16	7 3/4
BDG57CPZ	Lineman's Pliers	1 1/4	7 1/2
BDGEC7Z	End Cutter	7/16	7
BDG86CPZ	Diagonal Cutter	21/32	6 1/2
BDG88CPZ	Diagonal Cutter	15/16	8 1/8

## Pliers Set, Standard, 7pcs

BDGCPL700

Packing: 6 (Set)

- Comes in a compact pouch, easy storage and portable
- Pouch design allows flexibility in storage of different pliers
- Dipped grips deliver optimal comfort during high strength gripping
- Drop forged chrome vanadium steel and fine polished



PART NO.	CONTENTS	JAW CAPACITY (inches)	LENGTH (inches)
BDG98CPZ	Needle Nose Pliers	3	8
BDG88CPZ	Diagonal Cutter	15/16	8
BDG45CMP	Mini Combination Pliers	1	4.5
BDG95CLMP	Mini Needle Nose Pliers	2 1/16	6
BDG85CTMP	Mini Thin Diagonal Nose Pliers	23/32	4.5
BDG945CMP	Mini 45° Bent Nose Pliers	1	4.5
BDG48CPZ	Slip Joint Pliers	1 27/32	8

## Pliers Set, Long Reach, 3pcs

BDGPL300LR

Packing: 6 (Set)

- Storage tray packaging



PART NO.	CONTENTS	JAW CAPACITY (inches)	LENGTH (inches)
BDG311CPZ	Diagonal Cutters	1 9/16	11
BDG91145CPZ	45° Bent Nose Pliers	3 3/16	11
BDG911CPZ	Needle Nose Pliers	3 9/16	11

## Pliers Set, Extra Long Reach, 2pcs

BDGPL200XLR

Packing: 6 (Set)

- Double dipped grips offer increased comfort and control during use
- Extra length provides additional access to difficult reach areas
- Corrosion resistant finish
- Storage tray packaging



PART NO.	CONTENTS	JAW CAPACITY (inches)	LENGTH (inches)
BDG91645CPZ	45° Bent Nose Pliers	3 3/16	16
BDG916CPZ	Needle Nose Pliers	3 9/16	16

## Pliers Set, Extended Reach Hose Grip, 3pcs

BDGPL300HG

Packing: 6 (Set)

- Double dipped grips offer increased comfort and control during use
- Extra length provides additional access to difficult reach areas
- Leaf spring improve maneuverability
- Corrosion resistant finish



PART NO.	CONTENTS	JAW CAPACITY (inches)	LENGTH (inches)
BDGPL410HGZ	Small Hose Grip Pliers	2 1/4	11
BDGPL411HGZ	Medium Hose Grip Pliers	2 1/4	11
BDGPL412HGZ	Large Hose Grip Pliers	2	11

## Pliers Set, Miniature, 8pcs

BDGMPL845

Packing: 6 (Set)

- Comes in a compact pouch, easy storage and portable
- Pouch design allows flexibility in storage of different pliers
- Dipped grips deliver optimal comfort during high strength gripping
- Drop forged chrome vanadium steel and fine polished



PART NO.	CONTENTS	JAW CAPACITY (inches)	LENGTH (inches)
BDG45CMP	Mini Combination Pliers	1	4.5
BDG85CMP	Mini Diagonal Nose Pliers	21/32	4.5
BDG85CTMP	Mini Thin Diagonal Nose Pliers	23/32	4.5
BDG945CMP	Mini 45° Bent Nose Pliers	1	4.5
BDG65CMP	Mini Flat Nose Pliers	1 5/32	4.5
BDG95CMP	Mini Long Nose Pliers	4 7/8	4.5
BDG95CLMP	Mini Needle Nose Pliers	2 1/16	6
BDGMPEC5	Mini End Cutters	4 1/32	4.5

## Pliers Set, Miniature, 10pcs

BMPL1000

Packing: 6 (Set)

- Storage tray packaging



PART NO.	CONTENTS	JAW CAPACITY (inches)	LENGTH (inches)
B45CMPAP	Mini Combination Pliers	1	4 11/16
B65CMPAP	Mini Duck Bill Pliers	1 5/32	4 7/8
B75CMPAP	Mini Round Nose Pliers	1 5/32	5
B85CMPAP	Mini Diagonal Cutter	21/32	4 11/32
B85CTMPAP	Mini Thin Diagonal Cutter	23/32	4 5/8
B945CMPAP	Mini 45° Bent Nose Pliers	1	4 11/16
B95CMPAP	Mini Long Nose Pliers	1 1/8	4 7/8
B95CLMPAP	Mini Needle Nose Pliers	2 1/16	5 25/32
B960CMPAP	Mini 60° Bent Nose Pliers	15/16	4 11/16
BMPEC5AP	Mini End Cutter	5/16	4 1/32



## Pliers Set, Miniature Long Reach, 4pcs

BDGPL400LMP

Packing: 6 (Set)

- Chrome nickel finish prevents against rust and corrosion
- Cushioned grips offer comfort during extended use
- Vinyl grips provide easy clean-up and durability
- Pliers exceed ANSI standards



PART NO.	CONTENTS	JAW CAPACITY (inches)	LENGTH (inches)
BDG96LMPZ	Mini Long Nose Pliers	1 5/16	6
BDG97LMPZ	Mini Needle Nose Pliers	2 13/32	7
BDG9645LMPZ	Mini 45° Bent Nose Pliers	1 7/32	6
BDG86LMPZ	Mini Diagonal Cutters	3/4	5 1/2

## Combination Pliers

Packing: 6

- Dipped grip handles for easy cleaning
- Laser hardened cutting edge
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish



PART NO.	DESCRIPTION	JAW CAPACITY (inches)	LENGTH (inches)
BDG57CPZ	Combination Pliers	1 1/4	7 1/2
BDGCB8K	Combination Pliers	7/8	8
BDGCB9HK	Combination Pliers High Leveratge	7/8	9

## Slip Joint Pliers

BDG48CPZ

Packing: 6

- Dipped grip handles for easy cleaning
- Heat treated hardened cutting edge
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish



PART NO.	JAW CAPACITY (inches)	LENGTH (inches)
BDG48CPZ	1 27/32	8

## Adjustable Joint Pliers

BDGAWP100Z

Packing: 6

- Dipped grip handles for easy cleaning
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish



PART NO.	JAW CAPACITY (inches)	LENGTH (inches)
BDGAWP100Z	1 3/4	10

**Screw Removal Pliers**  
**Specially Designed Jaws For**  
**Gripping Damaged Screws**





## Screw Removal Pliers

BSP6

Packing: 6

- Jaws shaped specially for removing screws



PART NO.	JAW CAPACITY (inches)	LENGTH (inches)
BSP6	7/8	6

## 45° Bent Nose Pliers

BDG9845CPZ

Packing: 6

- Dipped grip handles for easy cleaning
- Laser hardened cutting edge
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish



PART NO.	JAW CAPACITY (inches)	LENGTH (inches)
BDG9845CPZ	2 13/16	8

## Long Nose Pliers

BDGLN6K

Packing: 6

- Dipped grip handles for easy cleaning
- Laser hardened cutting edge
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish



PART NO.	JAW CAPACITY (inches)	LENGTH (inches)
BDGLN6K	1	6

## Needle Nose Pliers

BDG98CPZ

Packing: 6

- Dipped grip handles for easy cleaning
- Laser hardened cutting edge
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish



PART NO.	JAW CAPACITY (inches)	LENGTH (inches)
BDG98CPZ	3	8

## Diagonal Cutters

Packing: 6

- Dipped grip handles for easy cleaning
- Laser hardened cutting edge
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish



PART NO.	JAW CAPACITY (inches)	LENGTH (inches)
BDG86CPZ	21/32	6 1/2
BDG88CPZ	15/16	8 1/8
BDGCT6K	7/16	6

## End Cutters

BDGEC7Z

Packing: 6

- Dipped grip handles for easy cleaning
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish



PART NO.	JAW CAPACITY (inches)	LENGTH (inches)
BDGEC7Z	1/2	7



## Plastic Cutters

BPC6

 Packing: 6

- Flushed cutting edge for perfect cuts
- Thin cutting edge for precise trimming
- Laser hardened cutting edge



PART NO.	LENGTH (inches)
BPC6	6

## Cable Diagonal Cutters

BDGCT6W

 Packing: 6

- Diagonal cutter with holes for stripping cable
- Laser hardened cutting edge



PART NO.	LENGTH (inches)
BDGCT6W	6

## Cable Cutters

 Packing: 6

- Special flip over handle design allows tool to be used for slicing cable sleeve
- Drop forged chrome/nickel alloy is fine polish for corrosion resistant finish
- Precise machined joint for ease of use and longer life
- For cutting cables only



PART NO.	LENGTH (inches)
BCC6HD	6
BCC8HD	8
BCC10HD	10

## High Leverage Diagonal Cutters

 Packing: 6

- High leverage design delivers superior crimping and cutting force
- Laser hardened cutting edge
- Dual compound soft grip handles provide good grip and comfort
- Precise machined joint for ease of use and longer life
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish



PART NO.	LENGTH (inches)
BCT6HD	6
BCT7HD	7
BCT8HD	8

## Diagonal Cutters

### 1 Corrosion Resistant Finish

Drop forged chrome/ nickel alloy is fine polished for corrosion resistant finish



### 2 Laser Hardened Cutting Edge

Tougher steel for cutting harder and thicker wire, laser sharpened & treated cutting edge for less cutting effort



### 3 Designed For Comfort

Soft grip handles provide comfort and control



## High Leverage Combination Pliers

Packing: 6

- High leverage design delivers superior crimping and cutting force
- Laser hardened cutting edge
- Dual compound soft grip handles provide good grip and comfort
- Precise machined joint for ease of use and longer life
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish



PART NO.	LENGTH (inches)
BCB6HD	6
BCB7HD	7
BCB9HD	9

## High Leverage Long Nose Pliers

Packing: 6

- High leverage design delivers superior crimping and cutting force
- Laser hardened cutting edge
- Dual compound soft grip handles provide good grip and comfort
- Precise machined joint for ease of use and longer life
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish



PART NO.	LENGTH (inches)
BLN6HD	6
BLN7HD	7
BLN8HD	8

## Combination Pliers

 Packing: 6

- Dual compound soft grip handles provide good grip and comfort
- Laser hardened cutting edge
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish



PART NO.	JAW CAPACITY (inches)	LENGTH (inches)
B58HLPAP	1 1/2	8 31/32
BDMCB6	5/8	6
BDMCB7	5/8	7
BDMCB8	7/8	8

## Long Nose Pliers

 Packing: 6

- Dual compound soft grip handles provide good grip and comfort
- Laser hardened cutting edge
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish



PART NO.	JAW CAPACITY (inches)	LENGTH (inches)
B96CPAP	2 1/32	6 5/16
BDMLN6	1	6
BDMLN8	1 1/8	8

## Adjustable Joint Pliers

BDMAJ10

 Packing: 6

- Dual compound soft grip handles provide good grip and comfort
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish



PART NO.	JAW CAPACITY (inches)	LENGTH (inches)
BDMAJ10	1 11/16	10

## Slip Joint Pliers

B48CPAP

 Packing: 6

- Dual compound soft grip handles provide good grip and comfort
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish



PART NO.	JAW CAPACITY (inches)	LENGTH (inches)
B48CPAP	2 3/32	8 13/32

BAWP100AP

 Packing: 6



PART NO.	JAW CAPACITY (inches)	LENGTH (inches)
BAWP100AP	1 3/8	10 5/32



## Diagonal Cutters

Packing: 6

- Dual compound soft grip handles provide good grip and comfort
- Laser hardened cutting edge
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish



PART NO.	JAW CAPACITY (inches)	LENGTH (inches)
B87CPAP	31/32	6 19/32
BDMCT5	5/16	5
BDMCT6	7/16	6
BDMCT7	1/2	7

## Miniature Thin Diagonal Cutters

B85CTMPAP Packing: 6

- Dual compound soft grip handles provide good grip and comfort
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish



PART NO.	JAW CAPACITY (inches)	LENGTH (inches)
B85CTMPAP	23/32	4 5/8

## Miniature Cutters

B85CMPAP Packing: 6

- Dual compound soft grip handles provide good grip and comfort
- Laser hardened cutting edge
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish



PART NO.	JAW CAPACITY (inches)	LENGTH (inches)
B85CMPAP	21/32	4 11/32

## Miniature Combination Pliers

B45CMPAP Packing: 6

- Dual compound soft grip handles provide good grip and comfort
- Laser hardened cutting edge
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish



PART NO.	JAW CAPACITY (inches)	LENGTH (inches)
B45CMPAP	1	4 11/16

## Miniature Round Nose Pliers

B75CMPAP Packing: 6

- Dual compound soft grip handles provide good grip and comfort
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish



PART NO.	JAW CAPACITY (inches)	LENGTH (inches)
B75CMPAP	1 5/32	5

## Miniature Long Nose Pliers

B95CMPAP

Packing: 6

- Dual compound soft grip handles provide good grip and comfort
- Laser hardened cutting edge
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish



PART NO.	JAW CAPACITY (inches)	LENGTH (inches)
B95CMPAP	1 1/8	4 7/8

## Miniature Curved Long Nose Pliers

B945CMPAP

Packing: 6

- Dual compound soft grip handles provide good grip and comfort
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish



PART NO.	JAW CAPACITY (inches)	LENGTH (inches)
B945CMPAP	1	4 11/16

## Miniature 60° Bent Nose Pliers

B960CMPAP

Packing: 6

- Dual compound soft grip handles provide good grip and comfort
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish



PART NO.	JAW CAPACITY (inches)	LENGTH (inches)
B960CMPAP	15/16	4 11/16

## Miniature Needle Nose Pliers

B95CLMPAP

Packing: 6

- Dual compound soft grip handles provide good grip and comfort
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish



PART NO.	JAW CAPACITY (inches)	LENGTH (inches)
B95CLMPAP	2 1/16	5 25/32

## Miniature Duck Bill Pliers

B65CMPAP

Packing: 6

- Dual compound soft grip handles provide good grip and comfort
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish



PART NO.	JAW CAPACITY (inches)	LENGTH (inches)
B65CMPAP	1 5/32	4 7/8

## Miniature Pincers

BMPEC5AP

Packing: 6

- Dual compound soft grip handles provide good grip and comfort
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish



PART NO.	JAW CAPACITY (inches)	LENGTH (inches)
BMPEC5AP	5/16	4 1/32

## Locking Pliers, Sheet Metal

VGP12808

Packing: 1

- Wide jaws allow clamping, bending, forming and crimping of sheet metal without gripping effort
- E-coat provides extra resistance against corrosion and welding splatter
- Quality cold-rolled steel ensures years of service
- Drop forged jaws ensure a tough, durable tool
- Smooth rounded edges allow comfortable handling and reduce risk of injury
- Spring-loaded release lever permits quick "NO PINCH" release even when tool is firmly locked
- Piano wire spring provides smooth jaw opening
- Adjustment bolt features deep knurl to accommodate greasy hands
- Locking nut allows setting for repetitive jobs
- Drilled (not punched) holes in mobile jaw ensure maximum bearing with rivets for smooth action
- Large diameter rivets add strength and durability



PART NO.	JAW CAPACITY (inches)	LENGTH (inches)
VGP12808	1 3/4	8

## Locking Pliers, U-Clamp

VGP12509

Packing: 1

- U-shaped jaws allow access and perfect visibility when welding
- E-coat provides extra resistance against corrosion and welding splatter
- Quality cold-rolled steel ensures years of service
- Drop forged jaws ensure a tough, durable tool
- Smooth rounded edges allow comfortable handling and reduce risk of injury
- Spring-loaded release lever permits quick "NO PINCH" release even when tool is firmly locked
- Piano wire spring provides smooth jaw opening
- Adjustment bolt features deep knurl to accommodate greasy hands
- Locking nut allows setting for repetitive jobs
- Drilled (not punched) holes in mobile jaw ensure maximum bearing with rivets for smooth action
- Large diameter rivets add strength and durability



PART NO.	JAW CAPACITY (inches)	LENGTH (inches)
VGP12509	2 5/16	9

## Locking Pliers, C-Clamp

Packing: 1

- Quick and easy handling clamps for autobody and metal fabrication applications
- Spring loaded release lever permits quick "NO PINCH" release even when tool is firmly locked
- Locking nut allows setting for repetitive jobs



PART NO.	DESCRIPTION	JAW CAPACITY (inches)	LENGTH (inches)
VGP12406	Standard Tip	2 5/16	6
VGP12412		3 5/16	12
VGP12418		10 1/4	18
VGP12424		15 11/16	24

PART NO.	DESCRIPTION	JAW CAPACITY (inches)	LENGTH (inches)
VGP22406	Swivel Tip	1 5/16	6
VGP22412		3 15/16	12
VGP22418		9 7/16	18
VGP22424		15 11/16	24



## Locking Pliers, Chain Style

VGP18110

Packing: 1

- Wraps around and holds irregular shaped objects like oil filters and mufflers quickly and easily

PART NO.	CHAIN CAPACITY (inches)	HANDLE LENGTH (inches)
VGP18110	up to 6 9/32	9 27/32



## Locking Pliers, Straight Jaws

Packing: 6

- Exceeds ASME specification
- Straight jaws with maximum contact area
- Nickel plated to resist corrosion
- Convenient one hand release lever



PART NO.	JAW CAPACITY (inches)	LENGTH (inches)
BDGLP75SAP	1 5/16	7
BDGLP10SAP	1 3/4	10

## Locking Pliers, Straight Jaws, Soft Grip

Packing: 6

- Exceeds ASME specification
- Straight jaws with maximum contact area
- Nickel plated to resist corrosion
- Convenient one hand release lever
- Non-slip cushion grip



PART NO.	JAW CAPACITY (inches)	LENGTH (inches)
BDMLP7SAP	1 5/16	7
BDMLP10SAP	1 3/4	10

## Pliers Set, Retaining Ring, 2pcs

PR36

Packing: 1 (Set)

- Optional Tip Kit PR5 and Tips sizes .047" 0°, .070" 0°, .047" 45°, .038" 90° are sold separately



PART NO.	CONTENTS	LENGTH (inches)
PR37	Internal Ring, size range 3/8 - 2" Tip Kit PR5, Tip sizes .047" 0°, .070" 0°, .047" 45°, .038" 90°, 2 pair each	6 1/4
PR38	External Ring, size range 1/4 - 2"	6 1/4

## Pliers Set, Retaining Ring, 2pcs

PR50A

Packing: 1 (Set)

- Plastic case packaging



PART NO.	CONTENTS	LENGTH (inches)
PR51	Internal Ring, size range 2 7/16 - 4" Tip Kit PR502, Tip size .108" 15° Optional: Tip Kit PR501, Tip size .108" 0°	9 1/2
PR52	External Ring, size range 1 1/2 - 3 11/32" Tip Kit PR 507, Tip size .120" 45° Optional: Tip Kit PR505, Tip size .120" 0°	9 1/2

## Pliers Set, Retaining Ring, 3pcs

PRH503

Packing: 1 (Set)

- Retaining rings size are convertible
- Available in 2pcs Set, PN: PRH502A consisting of PRH56A and PRH57A
- Storage case packaging



PART NO.	CONTENTS	LENGTH (inches)
PRH56A	Internal Ring, size range 1/4 - 1" External Ring, size range 1/8 - 1" Tip Kit PRH56A-1 Tip sizes .023" 0°, .036" 0°, .047" 0°, .036" 90°, .047" 90°, 1 pair each	6 3/8
PRH57A	Internal Ring, size range 3/8 - 2" External Ring, size range 1/4 - 2" Tip Kit PRH57A-1 Tip sizes .036" 0°, .047" 0°, .070" 0°, .036" 90°, .047" 90°, 1 pair each	8
PRC65A	Internal Ring, size range 1 13/64 - 4" External Ring, size range 1 1/3 - 4" Tip Kit PRC65A-1 Tip sizes .090", .108", .120" (15° and 90°), 1 pair each	10

## Retaining Ring 15" Pliers, External

PR8A

Packing: 1

- Spring-loaded ratchet locking mechanism safely and securely holds large heavy rings
- Cushion grips for comfort and control
- Precision ground tips for maximum control and stability
- Interchangeable tips




PART NO.	CONTENTS	LENGTH (inches)
PR8A	External Ring, size range 3 1/16 - 6 1/4" Tip Kit PR8A-1, Tip size .120" 0°  Optional Kits and Tip sizes: Tip Kit PR8A-2, Tip size .120" 45° Tip Kit PR8A-3, Tip size .120" 90°	15 11/16

## Retaining Ring 19" Pliers, External

PR53

Packing: 1

- Interchangeable tips



PART NO.	CONTENTS	LENGTH (inches)
PR53	External Ring, size range 6 1/2 - 10" Tip Kit PR53-1, Tip size .170" 0°  Optional Kits and Tip sizes: Tip Kit PR53-2, Tip size .170" 45° Tip Kit PR53-3, Tip size .170" 90°	19

## Retaining Ring 29" Pliers, Internal

PR54

Packing: 1

- Interchangeable tips



PART NO.	CONTENTS	LENGTH (inches)
PR54	Internal Ring, size range 6 1/2 - 10" Tip Kit PR54-1, Tip size .150" 0°  Optional Kits and Tip sizes: Tip Kit PR54-2, Tip size .150" 45° Tip Kit PR54-3, Tip size .150" 90°	29

## Circlip Pliers, Straight

 Packing: 6



PART NO.	DESCRIPTION	SIZE RANGE (mm)	LENGTH (inches)
BCES7	External	19 - 60	7
BCES9	External	40 - 100	9
BCIS7	Internal	19 - 60	7
BCIS9	Internal	40 - 100	9

## Circlip Pliers, 90°

 Packing: 6



PART NO.	DESCRIPTION	SIZE RANGE (mm)	LENGTH (inches)
BCER7	External	19 - 60	7
BCER9	External	40 - 100	9
BCIR7	Internal	19 - 60	7
BCIR9	Internal	40 - 100	9

## Miniature Circlip Pliers, Straight

 Packing: 6

- Dual compound soft grip handles provide good grip and comfort
- Precise machined joint for ease of use and longer life
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish



PART NO.	DESCRIPTION	LENGTH (inches)
BCES5	External	5
BCES6	External	6



PART NO.	DESCRIPTION	LENGTH (inches)
BCIS5	Internal	5
BCIS6	Internal	6

## Miniature Circlip Pliers, 45°

 Packing: 6

- Dual compound soft grip handles provide good grip and comfort
- Precise machined joint for ease of use and longer life
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish



PART NO.	DESCRIPTION	LENGTH (inches)
BCEH5	External	5
BCEH6	External	6



PART NO.	DESCRIPTION	LENGTH (inches)
BCIH5	Internal	5
BCIH6	Internal	6



## Miniature Circlip Pliers, 90°

Packing: 6

- Dual compound soft grip handles provide good grip and comfort
- Precise machined joint for ease of use and longer life
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish



PART NO.	DESCRIPTION	LENGTH (inches)
BCER5	External	5
BCER6	External	6



PART NO.	DESCRIPTION	LENGTH (inches)
BCIR5	Internal	5
BCIR6	Internal	6

## Bolt Cutters, Heavy Duty

- Ideal for cutting rod, bolts, concrete form ties and fencing wire
- Hardened alloy steel jaws
- Center cut jaw configuration provides balance while cutting
- Cuts soft or hard materials
- Rubber gripped steel handles ensure firm grip during use



PART NO.	CAPACITY Soft Materials (inches)	CAPACITY Hard Materials (inches)	LENGTH (inches)	WEIGHT (kg)	
BLPBC18	3/8	1/4	18	1.55	2
BLPBC24	7/16	5/16	24	2.55	2
BLPBC30	1/2	3/8	30	3.90	1
BLPBC36	9/16	7/16	36	6.45	1

## Replacement Jaws

Packing: 1



PART NO.	LENGTH (inches)
BLPBC18-1	18
BLPBC24-1	24
BLPBC30-1	30
BLPBC36-1	36

## Straight Hose Clamp, 13" Pliers

HCP13

Packing: 1

- Newly designed superior ratchet mechanism for ease of operation
- Enables technician to access, release, remove and install constant tension hose clamps
- 360° rotating deep slotted tips firmly grip clamps at any angle
- Ergonomically designed with solid rivet construction for long life and durability
- Extended reach for easy access to engine compartment
- Soft touch grips are double dipped for increased comfort and control
- Heat treated steel for strength and corrosion resistance
- Electroplated arms and tips for durability



# SCREWDRIVERS & BITS





*Blue-Point*®

Ergonomic Design = Comfort + Turning Force





### M Series, Phillips®

Packing: 6

- Tri-lobe handle shape for reducing user strain while operating and offering optimum torque
- Soft cushion grip for the best performance without fatigue
- Concave hollow of the handle neck for firm pinch pressure and precision control



PART NO.	TIP SIZE (#)	A (mm)	L (mm)
BSGDM65PH00	00	65	136
BSGDM75PH0	0	75	148
BSGDM100PH0	0	100	173
BSGDM150PH0	0	150	223
BSGDM75PH1	1	75	181
BSGDM100PH1	1	100	206
BSGDM150PH1	1	150	256
BSGDM38PH2	2	38	100

PART NO.	TIP SIZE (#)	A (mm)	L (mm)
BSGDM100PH2	2	100	218
BSGDM150PH2	2	150	268
BSGDM200PH2	2	200	318
BSGDM250PH2	2	250	368
BSGDM150PH3	3	150	278
BSGDM200PH3	3	200	328
BSGDM200PH4	4	200	328

### M Series, Slotted


Packing: 6

- Tri-lobe handle shape for reducing user strain while operating and offering optimum torque
- Soft cushion grip for the best performance without fatigue
- Concave hollow of the handle neck for firm pinch pressure and precision control



PART NO.	TIP SIZE (mm)	A (mm)	L (mm)
BSGDM65F2	2.4	65	136
BSGDM75F3	3.2	75	149
BSGDM100F3	3.2	100	175
BSGDM150F3	3.2	150	225
BSGDM75F5	5	75	182
BSGDM100F5	5	100	208
BSGDM150F5	5	150	258
BSGDM200F5	5	200	309

PART NO.	TIP SIZE (mm)	A (mm)	L (mm)
BSGDM38F6	6	38	100
BSGDM100F6	6	100	220
BSGDM150F6	6	150	270
BSGDM200F6	6	200	321
BSGDM250F6	6	250	372
BSGDM150F8	8	150	280
BSGDM200F8	8	200	331
BSGDM200F9	9.5	200	331



## M Series, Pozidriv®

Packing: 6

- Tri-lobe handle shape for reducing user strain while operating and offering optimum torque
- Soft cushion grip for the best performance without fatigue
- Concave hollow of the handle neck for firm pinch pressure and precision control



PART NO.	TIP SIZE (#)	A (mm)	L (mm)
BSGDM65PZ00	0	65	136
BSGDM75PZ0	0	75	148
BSGDM100PZ0	0	100	173
BSGDM150PZ0	0	150	223
BSGDM75PZ1	1	75	181
BSGDM100PZ1	1	100	206
BSGDM150PZ1	1	150	256
BSGDM38PZ2	2	38	100

PART NO.	TIP SIZE (#)	A (mm)	L (mm)
BSGDM100PZ2	2	100	218
BSGDM150PZ2	2	150	268
BSGDM200PZ2	2	200	318
BSGDM250PZ2	2	250	368
BSGDM150PZ3	3	150	278
BSGDM200PZ3	3	200	328
BSGDM200PZ4	4	200	328

## M Series, Torx®


Packing: 6

- Tri-lobe handle shape for reducing user strain while operating and offering optimum torque
- Soft cushion grip for the best performance without fatigue
- Concave hollow of the handle neck for firm pinch pressure and precision control




PART NO.	TIP SIZE	A (mm)	L (mm)
BSGDM75TX6	T6	75	148
BSGDM75TX7	T7	75	148
BSGDM75TX8	T8	75	148
BSGDM75TX9	T9	75	148
BSGDM100TX10	T10	100	206
BSGDM100TX15	T15	100	206

PART NO.	TIP SIZE	A (mm)	L (mm)
BSGDM100TX20	T20	100	206
BSGDM100TX25	T25	100	218
BSGDM100TX27	T27	100	218
BSGDM100TX30	T30	100	218
BSGDM100TX40	T40	100	218



### P Series, Slotted



### P Series, Phillips®

### P Series, Slotted


Packing: 10

- 2-Component handle gives the screwdriver an ideal ergonomic shape
- Perfectly adapted to the forces exerted by the hand and permits work efficiently
- The chrome molybdenum vanadium blade is hardened to HRC 59±1
- Nickel and chrome plated blade and the tip is especially vapor-blasted for greater screw-tip adherence and a full anti-rust guarantee
- With hanging hole moulded to the blade
- The size and part number are laser-etched on the blade to ensure their permanence



PART NO.	TIP SIZE (#)	A (mm)	L (mm)
BSGD75PH0B	PH0	75	148
BSGD100PH0B	PH0	100	187
BSGD150PH0B	PH0	150	237
BSGD100PH1B	PH1	100	208
BSGD150PH1B	PH1	150	258
BSGD200PH1B	PH1	200	308
BSGD250PH1B	PH1	250	358
BSGD300PH1B	PH1	300	408
BSGD100PH2B	PH2	100	208
BSGD150PH2B	PH2	150	258
BSGD200PH2B	PH2	200	308
BSGD250PH2B	PH2	250	358
BSGD300PH2B	PH2	300	408
BSGD150PH3B	PH3	150	270
BSGD200PH3B	PH3	200	320

PART NO.	TIP SIZE (mm)	A (mm)	L (mm)
BSGD75S3B	3	75	147
BSGD75F4B	4	100	168
BSGD100S4B	4	125	188
BSGD125S4B	4	150	233
BSGD150S4B	4	250	308
BSGD250S4B	5.5	125	358
BSGD125S5B	5.5	150	208
BSGD150S5B	6.5	250	258
BSGD125F5B	4	75	233
BSGD125F6B	5.5	125	208
BSGD150F6B	6.5	125	258
BSGD250F6B	6.5	150	358
BSGD150F8B	8	150	270
BSGD175F8B	8	175	320





## Precision Screwdriver, Phillips®

Packing: 6

- Spinning handle for ease of use
- Oil resistant, bi-material handle
- Soft cushion grip for the best performance



PART NO.	TIP SIZE (#)	A (mm)	L (mm)
BSGPDM50PH0	PH0	50	145
BSGPDM50PH00	PH00	50	145
BSGPDM50PH000	PH000	50	145
BSGPDM50PH1	PH1	50	145
BSGPDM50PH2	PH2	50	145

## Precision Screwdriver, Slotted

Packing: 6

- Spinning handle for ease of use
- Oil resistant, bi-material handle
- Soft cushion grip for the best performance



PART NO.	TIP SIZE (mm)	A (mm)	L (mm)
BSGPDM50F1	1.4	50	145
BSGPDM50F2	2	50	145
BSGPDM50F24	2.4	50	145
BSGPDM50F3	3	50	145

## Pass-Through Screwdriver, Phillips®

Packing: 6

- High tensile Chrome Vanadium Steel
- Oil resistant, bi-material handle
- Ergonomically designed handle for excellent grip and user comfort



PART NO.	TIP SIZE (#)	A (mm)	L (mm)
BSGDPT100PH2	PH2	100	207
BSGDPT150PH2	PH2	150	257
BSGDPT150PH3	PH3	150	265
BSGDPT200PH3	PH3	200	315
BSGDPT250PH3	PH3	250	365


## Pass-Through Screwdriver, Slotted

Packing: 6


- High tensile Chrome Vanadium Steel
- Oil resistant, bi-material handle
- Ergonomically designed handle for excellent grip and user comfort



PART NO.	TIP SIZE (mm)	A (mm)	L (mm)
BSGDPT100F6	6	100	207
BSGDPT150F6	6	150	257
BSGDPT150F8	8	150	265
BSGDPT200F8	8	200	315
BSGDPT250F8	8	250	365



## 1/4" Ratchet Screwdriver, Pistol Handle



## 1/4" Ratchet Screwdriver, Pistol Handle

BSGDMR6

Packing: 1

- 5" magnetic bit holder blade for 1/4" hex bits
- 45 tooth ratcheting mechanism ensures precise positioning and movement
- Bits are stored in a bit magazine inside the handle
- Includes six 1/4" hex bits: Flat Tip (4.5 and 5.5), Phillips® (#1 and #2) plus Torx® (T15 and T20)
- Ergonomically designed two component handle is textured for excellent grip and user comfort
- Provides three functional options, left and right turning and locked position
- Blade features a knurled-grip for fast spinning of the fastener
- Screwdriver carries a lifetime warranty (Bits are consumable and carry no warranty)



## Power Bit Set, 52pcs

YA52PBSQC

Packing: 1

- Ideal for use with cordless drills and screwdrivers
- Set includes:
  - 2 hex adaptors
  - Flat tip bits (long): 6-8, 8-10, 10-12
  - Hex bits (short): 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 9/32"
  - Hex bits (long): 5/32", 3/16", 7/32"
  - PHILLIPS® tip bits (short): #1, #2 (2 each), #3
  - PHILLIPS® tip bits (long): #1, #2, #3
  - TORX® tamper resistant bits (short and long): T10, T15, T20, T25, T27, T30, T40
  - Square bits (short and long): #1, #2, #3
  - Clutch bits (short and long): 5/32", 3/16"
  - Double end bits: 6-8 x #2 PHILLIPS®, 8-10 x #3 PHILLIPS®
  - Adaptors: 1/4" hex female to 1/4" hex female, 1/4" hex male to 1/4" square male, 1/4" hex quick change chuck
- Storage case packaging



## Master Ball Hex Bit Set, 32pcs

SDM32KT

Packing: 1

- 1/4" shank bits for use in difficult access applications where fastener cannot be approached straight-on
- Set includes:
  - Fractional Ball Hex Bits: 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"
  - Metric Ball Hex Bits: 2, 2.5, 3, 4, 5, 6, 7, 8, 9, 10mm
  - TORX® Ball Hex Bits: T10, T15, T20, T25, T27, T30, T40, T45, T50, T55
  - Magnetic Insert Bit Holder
  - 1/4" Female Hex to 1/4" Female Sq. Dr. Adaptor
- All components store in case with belt clip



## Torx Ball Hex Bit Set, 11pcs

SDM11KT

Packing: 1

- 1/4" shank bits for use in difficult access applications where fastener cannot be approached straight-on
- Set includes:
  - TORX® Ball Hex Bits: T10, T15, T20, T25, T27, T30, T40, T45, T50
  - Magnetic Insert Bit Holder
  - 1/4" Female Hex to 1/4" Female Sq. Dr. Adaptor
- All components store in case with belt clip





## Hex Bits

Packing: 6



PART NO.	SIZE (inches)
BLPHB18	1/8
BLPHB964	9/64
BLPHB532	5/32
BLPHB316	3/16
BLPHB732	7/32
BLPHB14	1/4

PART NO.	SIZE (mm)
BLPHBM3	3
BLPHBM4	4
BLPHBM5	5
BLPHBM6	6



## Tamper Resistant Torx® Bits

Packing: 6



PART NO.	SIZE
BLPTB10TP	T10
BLPTB15TP	T15
BLPTB20TP	T20
BLPTB25TP	T25
BLPTB30TP	T30



## Flat Tip Bits

Packing: 6



PART NO.	SIZE (inches)
BLPFB532	5/32
BLPFB316	3/16
BLPFB732	7/32
BLPFB14	1/4
BLPFB932	9/32



## Phillips® Tip Bits

Packing: 6



PART NO.	SIZE (#)
BLPPB0	0
BLPPB1	1
BLPPB2	2
BLPPB3	3



## Square Tip Bits

Packing: 6



PART NO.	SIZE (#)
BLPSQB1	1
BLPSQB2	2



## Bits Set, 31pcs

BITSET31AP

Packing: 1

- S2 material
- Magnetic bit holder and 30 bits
- 1/4" hex bits
- Plastic box with clip packaging in display box
- Philips: #1, #2\*2, #3
- Pz : #1, #2\*2, #3,
- TORX®: T10,T15,T20,T25,T27,T30,T40
- TORX®: T10,T15,T20,T25,T27,T30,T40 Tampered
- Slotted: 3, 4, 5, 6 mm
- Hex: H3, H4, H5, H6



## Bits Set, 72pcs

BLP72BITS

Packing: 1

- Set consists of different sizes of TORX®, Slotted, Philips, Pozidriv, Square and Hex bits, and also includes a 60mm magnetic bit holder allowing for quick change of driving bits
- Folding case design is compact and robust with pivoting dual bit holders that allow for easy and quick access to the accessories.
- S-2 grade
- All parts are engineered and produced according to ANSI Standard



# STRIKING & CUTTING TOOLS

Strength, Durability & Safety






*Blue-Point®*



## Ball Peen - Wood Handle



## Ball Peen, Wood Handle

Packing: 1



PART NO.	WEIGHT (oz.)
BPB4	4
BPB8	8
BPB12	12
BPB16	16
BPB24	24
BPB32	32
BPB40	40
BPB48	48

## Ball Peen, Fiberglass Handle

Packing: 1



PART NO.	WEIGHT (oz.)	HANDLE LENGTH (inches)	REPLACEMENT HANDLE
BPN8B	8	11	BPNH8B
BPN12B	12	12	BPNH12B
BPN16B	16	13	BPNH12B
BPN24B	24	14	BPNH24B
BPN32B	32	16	BPNH24B

## Ball Peen, Fiberglass Handle

Packing: 1

- Head material is medium carbon steel with black baked paint finish, normal polished on striking face
- Non-slip Blue 60% PP jacketed fiberglass with comfort grip
- Used for mainly metalwork, and for use with punch and chisels
- Striking and shaping metal materials



PART NO.	WEIGHT (oz.)	HANDLE LENGTH (mm)
BLPBPG8	8	278
BLPBPG12	12	283
BLPBPG16	16	327
BLPBPG24	24	383
BLPBPG32	32	385

## Soft Face

Packing: 1

- Combination steel and soft face dead blow
- One-piece urethane construction



PART NO.	WEIGHT (g)	HEAD LENGTH (mm)	HEAD WIDTH (mm)	LENGTH (mm)
BHW35	380	100	35	300
BHW45	500	110	45	320



## Soft Face



## Soft Face

BH232A

Packing: 1

- Combination steel and soft face dead blow
- One-piece urethane construction
- 13" long fiberglass handle has a plastic, shock-absorbing grip
- Tip diameter is 1 5/8"
- Includes 2 replaceable tips:
  - BH232-2, Soft tip
  - BH232-3, Hard tip
- Optional:
  - BH232-4, Nylon tip



PART NO.	WEIGHT (oz.)	LENGTH (inches)
BH232A	32	13

## Soft Blow

BF623

Packing: 1

- Use on all types of surfaces and assemblies including metal, glass, plastic and wood
- Conforms to irregular surfaces
- Designed for maximum surface contact
- Low rebound
- Dissipates hand jarring shock
- Resists most chemicals
- Wood handle
- Reduces denting and marring



PART NO.	LENGTH (inches)	FACE DIMENSIONS (inches)	HEAD COLOR
BF623	12 1/2	1 7/8 x 2 1/8	Blue

## Cross Peen, Hickory Handle

Packing: 1

- Forged high-quality steel that has been hardened and tempered
- Concentrated weight distribution behind the striking face for added power
- Durable, flat black finish on the head
- Polished face, hickory handle
- Wood wedged for easy handle replacement



PART NO.	WEIGHT (oz.)	HEAD LENGTH (mm)	OVERALL LENGTH (mm)
BLPCPH2	2	120	354
BLPCPH25	2.5	122	357
BLPCPH3	3	128	360
BLPCPH4	4	148	400

## Cross Peen, Hickory Handle

Packing: 1



PART NO.	WEIGHT (oz.)	HEAD LENGTH (inches)	OVERALL LENGTH (inches)	REPLACEMENT HANDLE
BH141A	32	4 1/2	15	BPH20C
BH142A	40	5	15	BPH40C

### Dead Blow

Packing: 1

- Non-conductive face with no exposed metal
- Oil and chemical resistant
- Steel shot used for dead-blow action
- Steel-reinforced handle adds strength and safety
- Perfect for shaping and cutting fine amount of materials
- Come in 2 head sizes 55 and 65 mm



PART NO.	HEAD SIZE (mm)	LENGTH (mm)
BLPDBH55	55	350
BLPDBH65	65	370

### Dead Blow, Interchangeable Tip

Packing: 1

- Steel head with nylon tip
- Tubular handle with black soft grip
- Steel shot used for dead blow action
- Steel-reinforced handle adds strength and safety
- Oil and chemical resistant
- Soft face help prevent marring of surfaces and equipment
- Come in 2 interchangeable head sizes 30 and 40 mm



PART NO.	HEAD SIZE (mm)	LENGTH (mm)
BLPDBH30I	30	298
BLPDBH40I	40	300

### Rubber Head Mallet

Packing: 1

- Use wherever you want to protect what you are striking from damage
- Mallet head is constructed of synthetic material
- Bounce resistant head for better control and precise hits
- Genuine hickory handle



PART NO.	WEIGHT (ozs)	LENGTH (mm)	FACE DIMENSIONS (mm)
BLPRM12	12	266	59
BLPRM16	16	310	62
BLPRM24	24	310	70

### Rubber Head Mallet

BF620C

Packing: 1

- Solid rubber head
- 11" Hardwood handle
- Ideal for replacing hubcaps, bodywork, etc



PART NO.	LENGTH (inches)	FACE DIMENSIONS (inches)
BF620C	13 1/4	3 3/4 x 2 1/4



## Curve Claw, Hickory Handle

Packing: 1

- Head material: Medium carbon steel
- Head finish: Sand-blasted finish, fully polish
- Handle: Hickory handle in natural color
- Used for general woodworking, curved claw provided better leverage for removing nails
- Great to use in heavy or professional carpentry for ripping and framing work



PART NO.	WEIGHT (ozs)	LENGTH (mm)	STRIKING FACE DIMENSIONS (mm)
BLPCCH7	7	292	22.5
BLPCCH10	10	295	24.5
BLPCCH13	13	318	27
BLPCCH16	16	329	28
BLPCCH20	20	330	30
BLPCCH24	24	356	33

## Rubber Head Mallet

BPRH15

Packing: 1

- Solid rubber head
- 11" hickory handle
- Ideal for replacing hubcaps, bodywork, etc



PART NO.	LENGTH (inches)	FACE DIMENSIONS (inches)
BPRH15	11	3 3/4 x 2 1/4

## Curve Claw, Fiberglass Handle

Packing: 1

- Head material: Medium carbon steel
- Head finish: Sand-blasted finish, fully polish
- Handle: Non-slip Blue 60% PP jacketed fiberglass with comfort grip
- Used for general woodworking, curved claw provided better leverage for removing nails
- Great to use in heavy or professional carpentry for ripping and framing work



PART NO.	WEIGHT (ozs)	LENGTH (mm)	STRIKING FACE DIMENSIONS (mm)
BLPCCFG7	7	280	22.5
BLPCCFG10	10	292	24.5
BLPCCFG16	16	327	28
BLPCCFG20	20	329	30
BLPCCFG24	24	385	33

## Curve Claw Hammer

BLPCL8

Packing: 6

- 8oz steel tube



PART NO.	WEIGHT (oz.)	STRIKING FACE DIAMETER (mm)	LENGTH (mm)
BLPC8	360	23	260

## Brass Hammer

 Packing: 1

- Non-sparking/non-marring surface for many applications
- Brass head absorbs blow and reduces rebound
- Flat surface for even distribution of blow
- Fiberglass handle for strength
- Comfortable, non-slip handle grip

PART NO.	WEIGHT (lbs.)	LENGTH (inches)
HBR15	1 1/2	12
HBR25	2 1/2	12



## Wheel with Hammer SML Hook

WWH13SM

 Packing: 1

- Heavy-duty, Nuplaglas® handle is chemical-resistant and features non-slip cushioned grip
- 30oz head weight for working on larger vehicles
- Removes “perfect-style” wheel weights without touching rim of vehicle and larger v-clips found on medium duty truck rims



## Fiberglass Hammer

 Packing: 1

- Fiberglass handle dampens vibration and provides extra strength and safety
- Handle is epoxy-welded to hammer head and will withstand 8,000 lbs. of separation force
- Handle is resistant to dry rot, warp and splintering
- Comfortable, non-slip handle grip
- Materials will resist most shop chemicals

PART NO.	DESCRIPTION	WEIGHT (lbs)	STRIKING FACE DIAMETER (inches)	HANDLE LENGTH (inches)	OVERALL LENGTH (inches)	REPLACEMENT HANDLE
BC4SG	Cross Peen	4	1 1/2	12	14	BD4SG-1
BD4SG	Engineer	4	1 1/2	12	14	BD4SG-1
HD4SG	Hand Drilling	4	1 1/2	8 3/4	10 3/4	HD4SG-1



## Pin Punch Set, 6pcs

BLPRP6

Packing: 1

- High quality Cr-V
- Mix punch set



PART NO.	CONTENTS
BLPRP6	8 x 180mm L L Pin Punch
	6 x 180mm L Pin Punch
	5 x 165mm L Pin Punch
	4 x 150mm L Pin Punch
	3 x 125mm L Pin Punch
	2 x 115mm L Pin Punch

## Punch Set

DPFT528B

Packing: 1

- For transferring hole patterns
- Set includes punches from 3/32" to 1/2" in 1/64" increments plus 17/32"
- Each punch is marked with its size and manufactured from tempered steel to promote long tool life
- A metal index provides convenient storage
- Punches are 4 7/8" in length



## Punch & Chisel Set, 5pcs

BLPPC5

Packing: 1

- Chrome-plated for corrosion resistance
- Comes with a plastic holder



PART NO.	CONTENTS
BLPPC5	#2 Central Punch
	3mm Hole Punch
	4mm Pin Type Punch
	5mm Boring Bit
	12mm Flat Chisel

## Automatic Center Punch

YA900

Packing: 1

- Strikes blow when pressure is applied - no hammer needed
- Cap adjusts force of blow
- 7/16" diameter
- 4 3/4" long



## Automatic Center Punch

YA879A

Packing: 1

- Single handed operation
- Design eliminates need for striking with hammer
- Adjustable spring tension cap
- Hardened steel point is replaceable
- 1/2" diameter
- 5" long





## Transfer Punch Set, 31pcs

DPFT531

 Packing: 1

- Set includes 31 punches from 3/32" - 1" in roll bag provides convenient storage
- For transferring hole patterns
- Size marking on each punch and manufactured from tempered steel to promote long tool life
- Punches are 4 7/8" in length



## Transfer Punch

 Packing: 1

- For transferring hole patterns
- Size marking on each punch and manufactured from tempered steel to promote long tool life
- Punches are 4 7/8" in length



PART NO.	CONTENTS
DPFT531-6	3/32" Transfer Punch
DPFT531-7	7/64" Transfer Punch
DPFT531-8	1/8" Transfer Punch
DPFT531-9	9/64" Transfer Punch
DPFT531-10	5/32" Transfer Punch
DPFT531-11	11/64" Transfer Punch
DPFT531-12	3/16" Transfer Punch
DPFT531-13	13/64" Transfer Punch
DPFT531-14	7/32" Transfer Punch
DPFT531-15	15/64" Transfer Punch
DPFT531-16	1/4" Transfer Punch
DPFT531-17	17/64" Transfer Punch
DPFT531-18	9/32" Transfer Punch
DPFT531-19	19/64" Transfer Punch
DPFT531-20	5/16" Transfer Punch
DPFT531-21	21/64" Transfer Punch

PART NO.	CONTENTS
DPFT531-22	11/32" Transfer Punch
DPFT531-23	23/64" Transfer Punch
DPFT531-24	3/8" Transfer Punch
DPFT531-25	25/64" Transfer Punch
DPFT531-26	13/32" Transfer Punch
DPFT531-27	27/64" Transfer Punch
DPFT531-28	7/16" Transfer Punch
DPFT531-29	29/64" Transfer Punch
DPFT531-30	15/32" Transfer Punch
DPFT531-31	31/64" Transfer Punch
DPFT531-32	1/2" Transfer Punch
DPFT531-34	17/32" Transfer Punch
DPFT531-48	3/4" Transfer Punch
DPFT531-56	7/8" Transfer Punch
DPFT531-64	1" Transfer Punch

## Scraper Set, 3pcs

PKB500A

Packing: 1

- Spring tempered, solid brass blades are non-marring, non-sparking, non-magnetic and non-corrosive
- Soft molded rubber handles maximize hand grip, easy to clean and resistant to most solvents
- Broad hilt design helps protect against hand slipping when scraping
- Stiff blade style



PART NO.	HANDLE LENGTH (inches)	BLADE LENGTH (inches)	BLADE WIDTH (inches)	BLADE STYLE	EDGE
PKB50A	4 7/8	3 1/2	2	Stiff	Straight
PKB52A	4 7/8	3 19/32	1 1/4	Stiff	Straight
PKB53A	4 7/8	3 19/32	1 1/4	Stiff	Single Bevel

## Scraper Set, 3pcs

USS103

Packing: 1

- Remove gaskets, sealers and other caked on materials
- Blade edge designed to work effectively in both push and pull directions
- Stainless steel blades for durability
- Polished blades clean up easily
- Comfortable composite handles feature a contour thumb stop for maximum control and a wide hilt for control



PART NO.	BLADE STYLE	BLADE LENGTH (inches)	LENGTH (inches)
US710	Spoon	3 1/2	8
US711	Chisel Tip	2 1/2	7 1/8
US712	Oyster	2 1/8	6 3/4

## Scraper Set, 3pcs

PK500A

Packing: 1

- Features full length steel blades for strength and durability
- Soft molded rubber handles maximize hand grip, easy to clean and resistant to most solvents
- Broad hilt design helps protect against hand slipping when scraping



PART NO.	BLADE LENGTH (inches)	BLADE WIDTH (inches)	BLADE STYLE	EDGE
PK50A	3 1/2	2	Flexible	Straight
PK52A	5 19/32	1 1/4	Flexible	Straight
PK53A	2 19/32	1 1/4	Stiff Chisel	Single Bevel

## Scraper, Walnut Handle

Packing: 1

- Quality crafted for hard scraping applications
- Walnut wood handle for comfort
- Full length heavy duty blades for strength
- Large steel cap for striking capability
- Remove gaskets, sealants and body weld breakaway



PART NO.	BLADE LENGTH (inches)	BLADE WIDTH (inches)	BLADE STYLE	EDGE	LENGTH (inches)
PKWLR53A	5 1/2	1 1/4	Straight	Chisel	9 1/2
PKWSS53A	2 3/4	1 1/4	Straight	Chisel	6 3/4

## Scraper, Wood Handle

PK23A

Packing: 1

- Mirror finished hardened steel blade extends through hardwood handle, solidly riveted for durability
- Redwood handle has metal bolster where handle meets blade



PART NO.	HANDLE MATERIAL	HANDLE LENGTH (inches)	BLADE WIDTH (inches)	BLADE STYLE	EDGE
PK23A	Maple	3 7/8	1 1/4	Heavy Chisel	Single Bevel

## File Sets

 Packing: 1

- Set in pouch for easy storage, portability or to hang in workshop
- All sets are in 2<sup>nd</sup>-Cut
- Tough, durable HSS bi-material handle



PART NO.	DESCRIPTION	SIZES (inches)
BLFF1S4	Coarse Flat File, 4pcs	6, 8, 10, 12
BLFF2S4	Flat 2nd Cut File Set, 4pcs	6, 8, 10, 12
BLFRS4	Round File Set, 4pcs	6, 8, 10, 12
BLFHS4	Half Round File Set, 4pcs	6, 8, 10, 12
BLFT4	Triangle File Set, 4pcs	6, 8, 10, 12

## Flat 2<sup>nd</sup>-Cut File

 Packing: 3

- Tough, durable HSS bi-material handle
- Perfect for shaping and cutting fine amount of materials



PART NO.	LENGTH (inches)
BLFFS6	6
BLFFS8	8
BLFFS10	10
BLFFS12	12

## Round 2<sup>nd</sup>-Cut File

 Packing: 3

- Tough, durable HSS bi-material handle
- Perfect for shaping and cutting fine amount of materials



PART NO.	LENGTH (inches)
BLFRS6	6
BLFRS8	8
BLFRS10	10
BLFRS12	12

## Coarse Flat File

 Packing: 3

- Tough, durable HSS bi-material handle
- Perfect for shaping and cutting fine amount of materials



PART NO.	LENGTH (inches)
BLFFC6	6
BLFFC8	8
BLFFC10	10
BLFFC12	12

## Half Round 2<sup>nd</sup>-Cut File

 Packing: 3

- Tough, durable HSS bi-material handle
- Perfect for shaping and cutting fine amount of materials



PART NO.	LENGTH (inches)
BLFHS6	6
BLFHS8	8
BLFHS10	10
BLFHS12	12

## Triangular 2<sup>nd</sup>-Cut File

 Packing: 3

- Tough, durable HSS bi-material handle
- Perfect for shaping and cutting fine amount of materials



PART NO.	LENGTH (inches)
BLFTS6	6
BLFTS8	8
BLFTS10	10
BLFTS12	12



## Shears, Angled, Heavy Duty

SNP2A

Packing: 1

- For leather, cloth, plastic, rubber sheet, rubber hose, cardboard, gasket material, rope and many other materials
- Stainless steel blades and fasteners ensure durability
- Precision ground and heat treated for a long lasting edge
- Ergonomic handles can be used right or left handed
- Top of blade is notched for hard wire and twine
- Locking switch ensures safety during storage
- Control switch allows blades to be held in a tighter position for easier handling
- Angled shears allow easier cutting through flat materials
- Soft mold grip for comfort and control



## Sheet Metal Snips, Offset

Packing: 1

- Special laborsaving, designed for easier cutting
- High tensional strength spring designed for longer life
- Solid, comfortable handle with non-design provide grip comfort
- Serrated edges prevent slipping
- Cr-Mo alloy steel hot forged blades for greater strength and longer durability



PART NO.	DESCRIPTION	BLADES LENGTH (mm)	OVERALL LENGTH (mm)
AVSNPOS1010	Offset, Left cutting Orange handle	30	245
AVSNPOS1020	Offset, Right cutting Blue handle	30	245

## Sheet Metal Snips, Straight

Packing: 1

- Special laborsaving, designed for easier cutting
- High tensional strength spring designed for longer life
- Solid, comfortable handle with non-design provide grip comfort
- Serrated edges prevent slipping
- Cr-Mo alloy steel hot forged blades for greater strength and longer durability



PART NO.	DESCRIPTION	BLADES LENGTH (mm)	OVERALL LENGTH (mm)
AVSNP01030CN	Straight Yellow handle	38	254
AVSNP01010CN	Straight, Left cutting Red handle	35	248
AVSNP01020CN	Straight, Right cutting Green handle	35	248

### Tin Snips

 Packing: 1

- Drop forged of steel in one piece construction
- Black cushion handle with smooth, comfortable bows for ease in use and safety
- Designed for cutting straight and wide curves to the left or right
- Induction hardened cutting edges 58-61 HRC



PART NO.	BLADES LENGTH (mm)	OVERALL LENGTH (mm)
BLPSPSNIP8	40	206
BLPSPSNIP10	51	263
BLPSPSNIP12	70	310
BLPSPSNIP16	63	415

### Tin Snips

 Packing: 1

- Cut straight, circular, or irregular patterns; right or left cuts



PART NO.	DESCRIPTION	BLADES LENGTH (inches)	LENGTH (inches)
CD7A	Duckbill Snips	1 1/2	7
CD10A	Duckbill Snips	2 1/4	10
CD12A	Combination Snips	3	12
CD16A	Bulldog Snips	2 1/2	16

### Scissors, Shop, Heavy Duty

#### HDSCISSORS

 Packing: 1

- For leather, cloth, plastic, rubber sheet, rubber hose, cardboard, gasket material, rope and many other materials
- Stainless steel blade and fasteners
- Precision ground and heat treated for a long lasting edge
- Ergonomic handles can be used right or left handed



### Vinyl Cutter

#### YA444B

 Packing: 1

- Cleanly cuts plastic, rubber, vinyl, upholstery, leather, hoses, and rope
- Ergo Grip handle with safety lock
- Blade storage in handle
- Includes YA444B1 replacement blades



PART NO.	DESCRIPTION
YA444B	Vinyl Cutter with YA444B1 replacement blades
YA444B1	3 Replacement blades and anvil

## Utility Knife

LBUK1

Packing: 1

- Utility knife with 10 replacement blades in leather pouch, both with Blue-Point® logo
- Convenience and good looks of a folding lock back knife with easily replaceable two notch razor blades
- Folding lock back blade, hardwood handle with belt clip and thumb stud for one-hand opening
- Uses UKBU10 (10 pack) or UKBU50PK (50 pack) replacement blades



## Utility Knife Blades

Packing: 1

UKBU10

- High performance blades are perfect for thick, dense materials
- Bi-metal construction allows blade to bend/flex without breaking under normal work conditions
- Bi-metal lasts up to 3 times longer than normal utility knife blades
- Two-notch blade design fits most standard utility knives
- Pack of 10 blades



UKBU10

UKBU50PK

- High performance blades are perfect for thick, dense materials
- Bi-metal construction allows blade to bend/flex without breaking under normal work conditions
- Bi-metal lasts up to 3 times longer than normal utility knife blades
- Two-notch blade design fits most standard utility knives
- Convenient dispenser provides storage for used blades
- Dispenser of 50 blades



UKBU50PK

## Mini Hacksaw

BLPMHF6

Packing: 1

- 25mm in length
- 24TPI blade



## Junior Hacksaw, 6"

BLPHSAW6

Packing: 1

- Aluminum alloy frame for lightweight
- Handle with rubber grip for comfort handling and control
- Tri-direction adjustable
- Length: 6"
- TPI: 24



## Cutters, Multi-Purpose

Packing: 1

YA580A

- Features auto locking, fully retractable blade
- All metal body is black with pocket clip
- Includes (1) premium steel 13-point, snap blade
- Overall length of 5 3/8" (136.5mm)



YA580A

YA580A-1  
Replacement Blades

- Pack of 5

YA581A

- 3 blades with 8 snap off points.
- Minimum blade wobble
- Fully retractable



YA581A

YA581A-1  
Replacement Blades

- Pack of 10